50X1-HUM

### PROCESSING COPY

#### REPORT INFORMATION

### CENTRAL INTELLIGENCE AGENCY

This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

C-O-N-F-T-D-E-N-T-T-A-L 50X1-HUM COUNTRY China REPORT Chinese Communist Transport and SUBJECT 1. 2 May 1957 DATE DISTR. Trading Corporations 2. Chinese Communist Exports NO. PAGES REQUIREMENT 50X1-HUM REFERENCES DATE OF INFO. 50X1-HUM SOURCE EVALUATIONS ARE DEFINITIVE. APPRAISAL OF CONTENT IS TENTATIVE

- 1. Catalogs describing the Sinofracht Chartering and Shipbroking Corporation (0022/0948/4436/5307/0361/0674) and the "Sinotrans" China National Foreign Trade Transportation Corporation (0022/0948/1417/1120/6319/2496/6663/6551/ 0361/0674), contain the following information on these corporations:
  - Sinofracht's business: "sole agents on orders from principals home and abroad for chartering vessels and booking shipping space, also for booking cargoes on behalf of shipowners." The head office of this corporation is in the Import Building, Hsi Chiao, Erh Li Kou, Peiping (cable address: SINOFRACHT PEKING or 7344 PEKING). Branch offices are the following:

Tientsin: 172 Liaoning Road (cable address: SINOTRANS TIENTSIN or 6867 Tientsin)

Ground Floor, Customs Building, Hankow Road (cable address: Shanghai:

SINOTRANS SHANGHAI or 13380 SHANGHAI) Whampoa:

Whampoa Port, Canton (cable address: SINOTRANS WHAMPOA or 9406 WHAMPOA)

"Sinotrans" business: "sole enterprise for arranging Customs clearance and deliveries of cargoes imported, exported, and/or re-exported by sea, land, air, and post; acting as agents on authorization for arranging shipments of transit cargoes at Chinese ports and forwarding of imported cargoes; arranging marine and transportation insurance and instituting claims on behalf of cargo owners." The address of the head office of this corporation is the same as that of Sinofracht, except that its cable address is SINOTRANS PTKING. Branch offices are the following:

Whampoa: Same as for Sinofracht Same as for Sinofracht Shanghai:

Tsingtao: 1 Sinkiang Road (cable address: 6586 TSINGTAO) Tientsin: Beside Tze Yiu Li, Hsinkang Road, T'angku (N 39-01,

E 117-40) (cable address SINOTRANS TANGKU or 6868 TANGKU)

Dairen: 16 Stalin Road (cable address: 7120 DAIREN)

C-O-N-F-I-D-E-N-T-I-A-L

50X1-HUM

STATE	х	ARMY	х	N AVY	х	AIR	х	FB!	ORR	Εv	x	BFC	x	Treas	x
		CI	NCF	AC #											
(Note: Washir	gton	distribution ind	icate	by "X"; Field	dist	ibution by "#	".)								

INFORMATION REPORT INFORMATION REPORT

C-O-N-F-I-D-E-N-T-I-A-L

- 2 -

Chanchiang:

Chanchiang (N 21-12, E 110-23) Port, Kwangtung (cable

address: 8319 CHANKIANG)

Manchouli:

Erh Tao Chieh, Manchouli (N 49-36, E 117-27) (cable address:

SINOTRANS MANCHOULI or 2878 MANCHOULI)

Suifenho:

Erh Chieh, Suifenho (N 44-24, E 131-10) (cable address:

2014 SUIFENHO)

Antung:

37 Erh Ching Lu, Antung (3) (N 40-09, E 124-23) (cable

address: 3315 ANTUNG)

T'umen: Chining: T'umen (N 42-58, E 129-49) (cable address: 4737 TUMEN) Station, Chining (N 40-58, E 113-02) (cable address:

P'inghsiang:

5611 TSINING)

Station, P'inghsiang (N 22-06, E 106-44) (cable address: 0001 PINGHSIANG

"Sinotrans" also has the following sub-branches:

Canton:

25 Tai Ping Nan Lu (cable address: 5931 CANTON)

Tientsin:

Same as for Sinofrapcht branch

Chinhuangtao:

Kailan Road, Ch'inhuangtao (N-39-57, E 119-35) (cable

address: 6866 CHINWANGTAO)

Erhlien:

Station, Erhlien (N 44-10, E 111-29) (cable address:

5612 ERHLIAN)

Chian:

Min Chu Tsun, Chian (N 41-07, E 126-10) (cable address:

2011 CHIAN)

- The following catalogs were issued by the China National Import and Export Corporation (CNIEC):
  - Pharmaceuticals and Medical Instruments, a folder giving the names of export items in both Chinese and English. This folder lists, in addition to the Peiping office, branches in Tientsin, Shanghai, Tsingtao, and Canton, and the Hong Kong agency, the China Resources Company.
  - Our Main Exportable Products, Chemicals and Pharmaceuticals, an illustrated booklet in English. In addition to the CNIEC offices mentioned above, this booklet lists the Berlin representative's office at Leipzigerstrasse 112, Berlin W. 8 (cable address: CNIEC BERLIN).
  - Four folders in Chinese and English put out by CNIEC, Peiping: Sodium Silicilate; Sodium Sulfate, Anhydrous; Lithopone 28-30%; and Iron Oxide Red (Fe203).
  - d. A catalog in English and Chinese, put out by the Tientsin branch of CNIEC, listing "Friendship" (yu hao, 0645/1170) brand synthetic dyestuffs and chemicals (16 pages).
  - e. Eighteen leaflets in English and Chinese describing the following products for which inquiries were to be sent to the CNIEC office in Tientsin: red amorphous phosphorus, calcium carbide; solution of cresol with soap (lysol), diastase; lactic casein; sodium bicarbonate tech., sodium fluoride; ephedrine hydrochloride (natural), calcium gluconate; light calcium carbonate, light magnesium carbonate; lubricating grease, locomotive grease; pepsin, pancreatin; refined naphthalene, ethyl alcohol; paraffin wax, stearic acid; furfural tech., aniline oil; sodium hydroxide (caustic soda), sodium carbonate (soda ash); trisodium phosphate, sodium nitrite; zinc sulfate, zinc chloride; and barium chloride, calcium chloride tech.
- The following catalogs were put out by the China National Instruments Import Corporation (CNIIC) and list, in addition to the head office in  $^{\rm P}$ eiping, branches in Shanghai, Tientsin, and Canton.
  - a. Scientific Apparatus, a nine-page list in Chinese and English. I

C-O-N-	F-T-D-1	E-N-T-	T – A – T.
--------	---------	--------	------------

50X1-HUM

50X1-HUM

C-O-N-F-I-D-E-N-T-I-A-L

- 3 -

- b. Analytical Balances, an illustrated catalog in English. 1
- 4. The following pamphlets were put out by the China National Machinery Import Corporation (CMMIC) and list branch offices in Tientsin, Shanghai, and Canton, in addition to the head office in Peiping.
  - a. Air Compressor Model 1-6/7, a folder in English, illustrated.
  - b. <u>Cylindrical Grinding Machine Model M115/M125</u>, an illustrated booklet in <u>English</u>.
  - c. Water Pump Centrifugal Type, an illustrated folder in English.
- 5. The following catalogs were put out by the China National Native Produce Export Corporation (CNNPEC):
  - a. Catalog of Exports and Imports, lists in Chinese and English, with the specifications of some exports (38 pages).
  - b. Catalog of Shiwan (Shihwan) Earthenwares, put out by the Canton branch office of CNNPEC (illustrated, in Chinese and English).
  - c. Introduction of the Preparations of Chinese Drugs, Sing-Kyn (Hsing Ch'un, 2502/5028) Drug House, Canton, China, put out by CNNPEC, Canton. This is a general discussion, in Chinese and English. (14 pages)
  - d. Catalog of Preparations of Chinese Drugs, Sing-Kyn Drug House, Canton, China, put out by CNNPEC, Canton (illustrated, in Chinese and English, 42 pages).
  - e. Price List of Shiwan Earthenwares, put out by the Art and Craft Department, CNNPEC, Canton, 109 Tien Cheng Road (cable address: ARTICRAFT or 5555).

    The list is in Chinese and all prices are quoted in Hong Kong dollars. (23 pages)
- 6. The following catalog was put out by the China National Sundries Export Corporation (CNSEC) and lists the addresses of the head office in Peiping and the Canton branch.
  - a. Catalog of Exports, a Lu-page booklet in Chinese and English.
- 7. The Chinese dinnerware price list published by the State-Private Joint-Ownership Canton Earthenware Export Company (0361/Lhl2L/0678/3602/168L/1558/7118/3911/0427/0656/0361/067L), 63 Tien Chieng (1131/2052) Road, Canton (telephone numbers 12516 and 125L1, cable address: 3099), in 1956 listed products made in Chingtechen (N 29-18, E 117-12), Kiangsi Province, at prices in Hong Kong dollars. (In Chinese)

Attachments,	comprising	the o	catalo	ogs and	pam	ohlet	s describe	ed abo	ve		
,							detached			report.	50X1-HUM

50X1-HUM

C-O-N-F-I-D-E-N-T-I-A-L

50X1-HUM



A NATIONAL SUNDRIES EX

中國雜品出口公司

THE CHINA NATIONAL SUNDRIES EXPORT CORPORATION

# 中國雜品出口公司

能 公 司:中國北京東町九條朝周(甲)三十二号 電報掛号:"SUNDRY" Peking.

實州分公司:中國廣州太平南路二十五号 電報掛号: "SUNDRIES" Carton.

## THE CHINA NATIONAL SUNDRIES EXPORT CORPORT THE

Head Office: 32(A) Chiu Tiao Hutung, East City, Paking, Chius Cable Address: "SUNDRY" Peking.

Canton Branch: 25, Tai Fing Road, South, Canton, China Cable Address: "SUNDRIFS" Canton

道、 指、 图。

### CORRECTIONS

		and the second s	Action to the second of the se	
到数	行规	46 な	# #	1 改正
PAGE	LINE	COLUMN	OPIGIN	CORRECTION
5 14 24 25 28 ,, 29 ,, 30 32 ,,	6423123456141	東海県 CABEL ADDRESS	SUNDRIES WITH TRIDRIVEN POINT "HWA HIN" "HIS EST IN 3 CASES 二郎三龍。 2 SETS IN 3 CASES 「歌郎 SH" この CHEE"	SUNDRY WITH IRIDIUM POINT "HWA YIN" 五年義 5 SETS IN 3 CASES 一、燕鹿 1 SET IN 2 CASES 低歌哼 "FISH" 槭乾 "TI MEE" 金養講 "GOLDEN DEER" 三五牌 "555" "THREE STAR" CIGARETTE LIGHTER "FOUR STAR" CIGARETTE LIGHTER "FOUR STAR" CIGARETTE LIGHTER "ARP" 300 C.P. THIN TYPE
44	1-7	7;	,,	77

棉茶製品

COTTON AND RAMIE GOODS

	商名 NAME OF COMMODITY	提格 SPECIFICATION	包装 PACKING 、
	3027 麻布	36" 30°/2 × 423	30 英用店 1数 4
1	3027 Linen	36 80312 x 423	30 pieces per wooden case
	3028 - 蘇 奇	38" 1009: 1508	"
	2028 Linen	36 10672 168	<i>*</i>
	2023 - <b>维 存</b>	en" 80% + 42800.	v
	alle Liner	69 86 11 1421	,
	4017 燕母 4317 Zinen - 美国子子	60" 10042 × 503	"
	1877 Liken E.S. F. F. K.f.	ept. 100011 50s / 11	a Salah Salah
	<b>代授權 63 号星矩步</b>	80×3515 景、毎打938 見	100 和 差 图
	"Double Axes" Queen Towel . 63	80 x 35 cm. 338 gm. per dos.	199 dagens per wooden case
	5 手牌 70 等星后寸	77・25 公子・毎在 938 モ	"
_	Souble Axes' Queen Tourd, 85	77 · 35 cm. 338 gm. per doz.	,
	三锅 70少 军事进生	27 ) 24 至 至, 華君 78 / 克	y
	"Bun Lien" het Towel, 700	71 : 34cm. 781 gm per dos	"

2

SEE NAME OF COMMODITY	箱段 2時GEGGHCULF	製製 PASHING
。 17 年 38 年 早 安 平	さくメステン き.量 打 875 克	100 打 商 3
Young Good Morning Towel, 96	NO STOM. 275 CM DEL dos	100 dazens per wooden case
、字牌 43 辛芋安市	5×32 三 3 新打 578 元	*
Sung Good Meening Towel . 83	75 x 32 cm 578 gm per dog	*
以幸福 EF 及星后 TD	80×35公录·新在33年刊	*
Sung" Sugen Sugl . 63	30x35 cm 338 gm per dec	*
·	77×35 章 乔朱 打 938 龟	¥
Tung ' Garen Trwes' . 66	77 × 35 cm 338 gm.per dox.	*
(19年で17年東北市	76×35 区 产無打 938 克	
San Sugrast Fowei	76 × 35 cm 938 gm. per dot.	7
- 100 万 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	50、35 八 元 五 1000年	"
1. 1. 1. 16 Court 362	85 + 35 cm. 1000 gm per doz.	#
3. 4. 4. 1. 建基锡汞	85×85 15 平 毎 打 875 年	*
Phos" de mity book Ast	83×35 cm 375 gm. per doz.	*

		□ 西雪 〒 438 兆 m 438gm per doz.		H H
		m 422gm per dag.		"
		5 孫 新 打 422 年		"
coloured stripes, 888		-5"/		
"Sparrow" Towel Printed with	67130	cm. 469 gm per dag.		*
<b>商车搬船产车购保官</b> () 世	57×30	京 号·雷 □ 469 号		"
"Sparrow" Towel Printed, 24	78136	m.875gm per doz.		"
		型 予.展 で 375 型		"
Frack Cat " Colour Chesks Towel, "65	232-1	m. CAYEM-per was		"
		泛新新新 547 ·		"
,				,
		m 750 gm per chi2		4
新学等 502 考大 思守	20 1 12	1 H M T 950 F		"
rung" Enture towel, 200	7.97.32	m. 625gm. per de	100 dozen p	er wooden case
三军得了一下拳 天化河	24 2.32	1 4.時 打 626 克	100 7 19 15	
	-			
		SEEDIEWAT ON		DAJKIN.

. 2 .

S#E 75.8 (2) 79, 80 下 元州 [] 16.60 世 100 世 1 年 53.870 im. 85.68 gm per der, 100 dozen jur wooden cace 1) ( , e novo " (eleur Stripes Printed Towel), 323 13 cap St Bisk T 可然重 124 spom Fee gm sur des 79 131 7 4. 2 7 583 to er kille (S. S. Japan e end S. Strick (Sen), de Symper etc. 1. 18 11 - 11 - 12 - 14 12 14 12 14 12 14 12 14 12 14 12 14 12 14 12 14 12 14 12 14 12 14 12 14 12 14 12 14 12 14 12 14  $\mathbb{F} \blacksquare$ 

× 4 +

Ultrafe at an exercises		
品名 NAME OF COMMODITY	現務 SPECIFICATIO	DM JAN SALLOMA
生來大單 Fountain Pen		
11 年 48 Nunlight "48	Maintes Street 1874	\$ 7 58 10 10 1 18 19 16 111 1 1/20 10 10 10 10 10 10 10 10 10 10 10 10 10
10 St 109	R	n
Nim Tong " 103	"	*
1 第一33	,,	*
"Klang Nan", 33	"	"
5 th 80/	//	
" Torch" 801	"	<i>"</i>
N / 180	电缆	Color of Correspondence
"Nan Fong", 120	50% gold nib	1 引 越 年正·20 町 1 章 1 doz. in 1 carton , 30 doz. wooden case
南号 102	<b>明</b> 祖	( 対元 P 四・50 元 / c
"Nan Fong." , 102	Stainless steel nib with Individen point	I doz in I carton, 50 dez. p.

品名 NAME OF COMPODITY 現格 SPECIFICATION 包裹 PACKING 行射发 "C 華康 5/ "South China": 5/ 1 写主·50 录 1 页 1 gross in 1 carton, 50 gross per wooden case "Good Friend" 錯筆 Pencil 可看水面 "Double Arrow" Carpenters' /薄铒台压 -50 写 / 理 1 gross in paper box, 50 gross in wooden case 天平輝霧雍 "Balance". Rubber Tip 1.写言·100写《可 1 gross in 1 carton .50 gross per wooden case 凡箭搏气 "Double Arrow", Copying 天子 库 楞 頭 花 桿 "Balance", Fancy 202 小色霉霉量 "Kitten" Coloured Wax Pencil, 202 † 日歌台庁,120 日 1 題 1 dog in 1 carton, 120 dog. per case 犬平穹缸藍 "Balanœ" Red & Blue () **(** 見董之及福華 "Childrens' Friend "Wax Pencil Six colours 天平率总图 "Balance" Drawing 6B,6H,4H 6B,6H.4H 大平 库全 紅 "Balance" Red 8 & Eight roleurs . 6 .

Sanitized Conv. Approved for Release 2010/08/19 - Cla. PDP81-01043P000700240000.5

OLE NAME OF COMMINATE	AND STEELINGS GLAVE	引展 FACKING		结 NAME OF COMMODITY	規格 SPECIFICATION	包裝 PACKING
童と友腊筆 Mildrons' Friend" Was Pencil	Small Sign All Fallen	( 1. 1. 1. 120 gs 1 31 1 day in 1 carron, 130 a.m. per case	•> •	麵蛛 牌 基 水 "Spider" Ink	二両 2 02.	1 打粮合电,36 打 1 箱 / doq. in 1 carton, 36 doq. per case
民基本 Toe Min"Ink	· 商 3 oz	1 - 1 - 1 - 36		"	102.	灯锅合压42 打1箱 1 doz. in 1 carton, 72 doz. per case
6	/ 24.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		飛馬摩墨水 "Ilying Horse" Ink	二两 2 ∞.	1 打款 合定、36 打 1 箱 1 doz in 1 carton, 36 doz. per case
電基本 Lightning" Ink	2 0%.	1	0 ●	"	一两102.	1 打 粮 合 医,72 打 1 着 1 doz. in 1 carton, 72 doz. per case
*/ */		/真医合电+72 约 / 重 / 心水: in / carton, 12 doz per case		犬虹牌墨水 "Rainbow" Ink	二 <i>両</i> 2 <i>∞</i> .	1 打粮合忠·36 打 1 稿 1 dos, in 1 carton, 36 dos. per case

() ●

0

品名 NAME OF COMMODITY	規格 SPECIFICATION	包裝 FACKING
《虹腭墨水	一两	/*打紙合由, 72 打 / 指
".?ətnbow" Ink	1 oz.	1 doe in 1 carton, 72 dog per case
《長澤油墨	知,重、其世	培皇宗。10 打 / 遊
" Ald Coin" Printing Inc	Cricer Red, blue blas	Fack in paper box, 10 don in case
<b>《具置</b>	鉄祭	
ester Basket	Gal aren seire	
<b>尽乎椰三角</b> 农	七厘半弥屯 30000	100 任 華 塔
"Balance" 8et 8yuare	7.5 mm + 4572,39 m	1911 sets per case
<b>《</b> 字 年 三 年 尺	2.5 公牙,除定	,,
Hwa Hing "Set Square	25 cm. plastic	"
*	20 5 5 5 4	10
	20 cm stastic	"

See Same C- CONSIDERTY SEES SEE STATION 包裝 PACKING 製电器養 ...ハロ book Lable 来强率對書机 "Yung Chang" Staple Machine - Flut model 50打1看 50 doq. per case 箭牌图画射 "Arrow" Drawing Pin 1000 令一權 1000 cartons per wooden case 削夷 Round head 蓮花暐聖画釘 "Water-Lily" Drawing Pin Round head 建度库基合 "Healthy" Chinese Inh Box 大学 A 50 个 1 舊 50 pcs per case 2 + B 質驗锌蓄合 "Junk" Chinese Ink Box 大 号 A

- 10

品名 NAME OF COMMODITY	規格 SPECIFICATION	包裝 PACKING
<b>学習粹基合</b>	三号	50 个/箱
Study" Chinese Ink Box	C	50 pcs. per case
277 会計筆光	不銹鋼	50 啰 / 精
177 (Accountaint) Pen-Nib	Stainless steel	50 gross per case
失路 筆 头	, ,	"
Railway" Pen-nib	//	"
777 儲水筆 头	"	"
171 Pen-nib (Keeping Ink)	"	"
<b>②グ (端水 筆 光</b>	"	"
To Pen-nib (Keeping Ink)	"	"
長和 羽毛球拍	獨術,豐油	50 对1 箱
'Chin Weo" Shuttle Cock Racket		50 pairs per wooden case
"	電頻	//
"	Electoplated	,,

E7 AF WW 77 AF -1. W	-		
冠軍牌羽毛球拍	三夹	50 对 1 稍	
"Champion" Shuttle Cock Racket	Three ply	50 pairs per	rvooden ca
"	五夹		
"	Five ply		"
振和網球拍			,,
"Cheng Ho" Tennis Racket			,,
海燕牌扳羽球拍			,,
"Petrel" Shuttle Cock Bat			"
发舆牌乒乓球板			
"Yu Hing" Ping-pong Ball Bat			"
板羽毛球板			
Shuttle Cock Bat		20 打 1 箱 20 doz. per co	ise '
羽毛球	膠頭	50打1箱	
	_ 2.	50 doz. per	case

晶名 NAME OF COMMODITY 規格 SPECIFICATION 包見 PARAMIC

月毛球 Shuttle Cock

50 11 1 m 50 doz. per case

PS |T | A PE dox. per case

玻璃石板 Glass Slate 提琴 Violin

将等博木文松木歯 10 衰 1 荷 Special class, teak 10 Sets per wooden case & pine wood made

華 英 牌 教 童 笛 "Hwa Hin" Cow-boy's Flute

190 周1箱 199 per case

新聞 概 News Printing Paper 下 联 31" × 43" 31" × 43" in sheet

神争 500 版・18 全水東忠 500 sheets per ream 12 reams in wooden crate

捲筒 31" 31" in reels

日用石貨

GENERAL MERCHANDISE

• 14 •

1

esnaverneen venonee

現代 Seculation 包藏 FACULAGE

TO TAMES

• 15 •

品名 NAME OF COMMODITY	規格 SPECIFICATION	V 包装 PACKING		<b>最名 4/26 (H)ごまか から</b> v	形路 SPETFICATION	可能 PACKING
收割机 跨大张 Harvester "Safety Match		10 合紙包由 100 包一箱 In wooden case .each contains 100 packets of 10 bores	1)	那大事花杯 Carved Glass Tumbler, barge Nije		半打音忠, 20 打積压 V2 doq. in 1 box. 20 dor. po wooden case
B 花水杯 Blass Tumbler, Coloured	大 号 A	半打合主,25打1箱 1/2 doz.in 1 box,25 doz. per wooden case		拿花杯 Carved Glass Tumbler	大 <b>等</b> A	半打合座。 25 打1箱 V2 doz. in 1 box, 25 dox, pe. wooden case
"	二号	"		"	<del>b/</del> _	,,
	В	"		U .	B	"
u v	三 号 C	半打合庄,30打1箱 ½ doz.in1 boz,30 doz.per wooden case		" "	를 <b>불</b> 강	学打合压 , 30 打1 箱 ½ doz. in 1 box. 30 dox per wooden case
彩花古粉 杯 Colour Glass Tumbler, Drum Shape	大号 A	半打合由,25 打 1 箱 ½ doz. in 1 box, 25 doc. per wooden case	Į. •	加大的党队 Ground Glass Tumbler, Large Size		半打合压。 20 打1箱 ½ doe. in 1 box, 20 doe. per wooden case
"	二号	. "		砂花杯	大号	半打合庄 , 25 打1 指
"	В	"		Ground Glass Tumbler	A	25 doz. per wooden case

1

品名 NAME OF COMMODITY	理格 SPECIFICATION	D 製 FACKIN ,
前花杯 Ground class Tumbler	: 考 3	半打職合注・25 打 1 箱 ½ doz. in 1 box, 25 doz. per wooden case
	프 뚝 C	半打紙合正,30 打 1 箱 1/2 doz. in 1 bar, 30 doz. per wooden case
而大即花林 Okas Pumbler Coloured , Large Size		半打紙合正, 20 打 1 箱 1/2 doz. in 1 box, 20 doz. per wooden case
可花款。 Glass Tumbler,Coloured	大号	半打冧合忠・25打1箱 ½ doz. in 1 box, 25 doz. per wooden case
** * * * * * * * * * * * * * * * * * *	二 學 <i>B</i>	4 H
" "	三号 C	半打秋 小庄 ,30打 1 稍 30 doz. per wooden case

站名 NAME OF COMMUNITY	規格	SPECIFICATION	包装 PACKING
車 花 在 粉 杯 Carved Glass Cumbler, <b>Drum Shape</b>	大号 A		学 打紙 合 压 , 25 打 1 箱 ½ doz. in 1 box , 25 doz. per wooden case
"	二要 B		
研花古形林 Ground Glass Tumbler, Drum Shape	大号 A		"
<i>" "</i>	二号 B		" "
	大号 A		<i>u</i>
	二号 <i>B</i>		"

• 18 •

**₽** ●

**4** •

品名 NAME OF COMMODITY	規格	SPECIFICATION 包數 PACKING
方良杯 Tumbler .Square Bottom	大号 A	半打粮合注:25 的 1 卷 1/2 do2. in 1 6ox, 25 dox per wooden case
五星杯	大号	"
Star Tambler	À	"
元条杯	그 목	<i>p</i>
Glass Tumbler, Striped	B	"
<b>芹格</b> 杯	大号	"
Siass Tumbler, Checked	A	"
<b>河亚</b>	大号	"
"Medier Sword Design, Medical Pressed	A	"
生文學媒	二兩	1打紙合主 50 打1 箱
_ or of Wine Glass	2 02.	1 doz. in 1 box , 50 doz. per wooden case

品名 NAME OF COMMODITY	規格	SPECIFICATION 包裝 PACKING
方 顧 酒 杯	二两	/ 打 級 合 庄 ; 50 打 1 華
Wine Glass , Square Bottom	2 oz.	1 dog in 1 box, 50 dog per wooden case
杯盖	大 号	4
Cup Cover	А	*
"	二号	/-
#	B	"
珠花杯碟		半打紙合正,30 打 / 箱
Cup & Saucer, Ball Design		1/2 doz. in 1 box , 30 dog. per wooden case
玻璃机合		/ 打 紙 合 由, 20 打 / 指
Glass Soap Container		1 doz. in 1 box, 20 doz. per wooden case
軍花盖杯水磅瓿		/ 阿 紙 合 库 + 10 抱 / 岩
Carved Glass Bottle with Cup		1 set in 1 box : 10 doz per wooden case

品名 NAME OF COMMODITY 規格 SPECIFICATION 包裝 PACKING 品名 NAME OF COMMODITY 規格 SPECIFICATION 包裝 PACKING 電木蓋 膠風奶稅 Milk Bottle with Rubber Sucker 平打紙合主: 25 打 / 若 ½ doz. in 1 box, 25 doz. per wooden case 脚踏 Pedal \$ • 50对1精 & Plastic Cover 50 pairs per wooden case 車 走 Wheel Ring 硬拉 28" / ½" 策略 Hard edge, 28" / ½", chrome plated 20 个/相 半打級合主,25 打 1 箱 ½ doz. in 1 bax,25 dez. per wooden case Ash Tray, Machine Pressed 20 per wooden case 单車内間 Bicycle Inner Rubber Tube 五星 烟碟 "Star" Ash Tray 100 条 1 楷 100 per wooden case 1打根合定,50打1箱 1 doz. in 1 box,50 doz. per wooden case **单車手簡** Bicycle Handle 硬腭,黑色 Hard Rubber, black colour 壶打庄,50 打 1 着 1 dog. in 1 box, 50 dog. per wooden case **不簽簡** Toothpick Holder 单車前哈 Bicycle Front Hub 单車打氣簡 |打正,10 打 | 箱 | dog. in | box , 10 dog. per wooden case 32 眼:鳑勞 32 holes,chrome plated Í 10个新盘压 50 打 1 箱 Bicycle Pump 10 in 1 box, 50 doz. per wooden case 单重前义 Bicycle Front Fork 烤黑漆,紅鱼粽 Baked black lacquor with golden line 单单微略 Bicycle Rear Hub 40 眼, 鳑赂 40 holes, chrome plated 20 枝 f 蒴 20 per wooden case . 22 .

品名 NAME OF COMMODITY 提格 SPECIFICATION 包裝 PACKING 華南博發級机 South China Brand Sewing Machine . 15-35 製一斗枱式 Boby 15-35, Avastickle for Single Roand shuttle,trealle Drawer Table

Sets in 3 cases type, black wheel 15-35 犁 二 斗株式 15-35 製二 斗辯式 Model 15-35, Available for Double Round shuffle, treadle 2 sets in 3 cases Drawers Table type, black wheel 15-336 型一斗档式 Model IS-336, Available for Single Drawer Table

The property of the state of the 园 桜,脚片,抗压脚,新型紧輪 /5-336 型二斗档式 Model 15-336 ,Available for Double Drawers Table

I.P. NAME OF LOVE DEATH IS IN SPECIFICATION 包裝 FACKING 1970 建三年元 5 Sadel 15-80, Available for Min. Trawers Toble 19-30 製瓦斗林式 Model 15-80, Available for From Drawers 15-80 里方形魔单門式 Model 15-80, Square (Nest . Single Door 图 极大 甘輸 hound shuttle, white wheel. 15-80 型方的權取門式 Model 15-80 Sq. Chest, Double Door 15-80 型符稀櫃式 Model 15-80, Special Chest Type 15-80 高低權式 Model 15-80, With Up & Down Chest • 25 •

• 24 •

間音 WHAT IF CO-18CE ITY	規格 SPECIFICATION	包模 FACEING
车所牌銀門机		(0.65 / # V
Y 19 14 MILLY 1918 South China Grand Button-holing Accessory		10 個 1 積 10 per wooden case
師唆中鉄塔	不 6 6 6 6 6	/ 扩飘会座, 50 打 / 箱
"Lion" Wrist Watch Brucelet	Stainiess steel	1 doz. in 1 carton, 50 doz per case
		( ) ( )
荒煿 手錶 带	不銹鋼,町格	"
"Tiger" Wrist Watch Bracelet	Stainless steel, 4 links	"
"	不锈鋼,五格	<i>u</i>
"	Stainless steel, 5 links	"
		.F
<b>狀螺牌手鋏帯</b>	不銹鋼 , 三格,男女店	"
"Butterfly" Wrist Watch Bracelet	Stainless steel, 3 links.	. "
	for ladies & gentlemen	
"	不 鋳 鋼、九 格	. "
* ·	Stainless steel, 9 links	, , ,
		*

品名 NAME OF COMMODITY	規格 SPECIFICATION	包裝 PACKING
<b>應幹時手錶帶</b>	不锈鋼	<b>季打获合庄</b> ,50 打 1 着
"Flying Wheel" Wrist Watch Bracelet	Stainless steel	1 doz. in 1 carton, 50 dox per case
星曍鉄帶	不銹鋼,班士式	9 //
"Star" Wrist Watch Bracelet	Stainless steel, Boston type	• "
手箭桿手錢帶	不銹鋼	"
"Hand & Arrow" Wrist Watch Bracelet	Stainless steel	-#
<b>灵亮牌手皴带</b>	不銹鋼,七格	4
"Dawn" Wrist Watch Bracelet	Stainless steel, 7 links	",
官倫配手续帶	//	ű.
'Tong Lun Kee" Wrist Watch Bracelet	"	,,
<b>我球館手鈸帯</b>	不銹鋼	"
"Globe" Wrist Watch Bracelet	Stainless steel	,,

品名, NAME OF COMMODITY	規格 SPECIFICATION	NING IT KING
<b>季辉手錗帯</b>	不勞無	1 打 概 全 正, 50 打 1 箱
ish" Wrist Watch Bracelet	Stainless steel	1 doz. in 1 carton, 50 der per case
<b>记手接带</b>	不銹鋼・液士式	"
nou (hee" Wrist Watch Bracelet	Stainless steel, Boston type	"
□牌手錶带	不銹 鍼	"
olden Deer" Wrist Watch Bracelet	Stainless steel	"
五桿指甲鉗	大号	/ 打 紙 合 庄 , 100 打 / 着
55" Nail Clipper	Large size	I doz in I carton, 100 doz.
		per case
"	大号带刀	"
*	Large size with knife	,
"	大号有花	" .
"	Large size with carving	"

制名 NAME OF COMMODITY	規格 SPECIFICATION	包裝 PACKING
R 並 厚指 甲鎖 f 555° Nail Cripper	二号有习 No.2 sige with Anife	f 打耦合正,100打 f 箱 f doe. in / carton, 100 doz. per case
<i>u</i>	<u> </u>	"
"	No.2 size	"
又 塚 摩 指 甲 鉗	大号	"
Double Ring " Nail Clipper	Large size	,
"	大号带刀	*
"	Large size with knife	•
三星牌打火 机	<b>附履,大号</b>	1 打瓶合主,20 打 1 指
Three Star" Lighter		1 doz. in 1 carton, 20 doz.
<b>证 星 牌 打 火 执</b>	"	,,
Five Star" Lighter	"	<i>"</i>

• 29 •

品名 NAME OF COMMODITY	規格 SPECIFICATION	包裝 PACKING
四星 摩打 大机 "Four Star" Lighter		1 打 組合店 20 打 / 箱 1 doz. in 1 carton, 20 doz. per case
錆 Padlocks		
808 年 曆 鏡 Layer Type.808	14" 14"	1打粮合正、50 打 1 箱 1 doz. in 1 carton, 50 doz. per case
三喙牌千屑銭 "Three Ring" Layer Type	34 公屋 鲜克 34 mm., made of zinc	!! !!
双箭牌弹珠鎖 "Bow & Arrow" Ball Bearing Type	/ź"生鉄珠鎖 /ź", made of iron	// //
印牌等辞合金鑚 "Swan" Made of Linc Alloy	1; " 1; "	u u

映銷 Iron Lock	心型,23公厘 Heart shape,23 mm	
國光 101 珠籟 "Kwo Kwang"Ball Bearing Type , 101	42 公屋 42 mm.	1打紙合出 25 打 1 着 1 doq. in 1 carton, 25 doq per case
飛球輝禄 草鎖 "Flying Ball" Standard Type	1 时 1"	<i>"</i>
基米錯錯 "Tai Lai", Made of Lead	/ RT	!打鉄合压 100打 1 箱 1 doz. in 1 carson, 100 dos per case
单車对号碼鍋 Number Lock for Bicycle	簽臵 Chrome-plated	打戰台庄 10 打   箱   doz. in   carton , 10 do   per case
海鷹牌合金鎮 "Sea Eagle" Made of Alloy	多先嘴色方形 O.6". Colour sprayed square shape	1 打銀合庄 100 打 1 箱 d,1 doz. In 1 carton, 100 d. per case
品名 NAME OF CONSCIONY	現格 SFECIFICATION	包装 PACKING

品名 NAME OF COMMODITY 现格 SPECIFICATION 包裹 HACKING 張振記**領** "Chang Chin Kee" Lock 自然教育也 50 数 1 箱 1 doz. in 1 carton, 50 doz. per case 面牌手電簡 "Tung Fok" Flashlight 200 R 200 ft. 光明牌笼幢 "Kwang Mine" Gas Lamp 300 X 300 watt. | 盯 1 箱 | doz. per case 航空库電池 "Aviation" Battery Cell 風爾艦 Hurricane Lantern 二等噴銀色 No.2 size, silver colour 5 打 1 箱 5 dog. per case 五手库電光 "Five Ram"Battery Cell 二号鉄錫 預集牌電池 "Flying Elephant" Battery Cell No.2 Size, tin-plated 猫头牌手霉筒 "Cal's Head" Flashlight /打紙合在 30 打 1 箱 1 doz. in 1 carton, 30 doz. per case 300 F 火炬啤電珠 "Torch" Flashlight Bulbs 300 ft. 虎头牌手電筒 "Tiger's Head"Flashlight 园头,原蜉蝣 Ordinary . gine base

表と「AND CHANGETY 現备 SPECIAL TOTAL 企業 PACKING 日親合正・30打1 龍 1 doz. in 1 carton, 30 doz. per case 「打耦合性,50 打 1 宿 1 doq in 1 carton, 50 dox. per case 犬头,原鉾脚 10个板台庄 5000个1箱 Pre-focus, Linc base 10 in 1 carton. 5000 per case

品名 NAME OF COMMODITY	規格 31-5.0-17.77.0N	包裝 MACRINI
<b>呈球摩電珠</b>	<b>美头,原蜉蝣</b>	10 个概盒 庄 5000个 1 箱
"Star Globe" Flashlight Bulbs	Pre-focus, ginc base	10 in 1 carton, 5000 per case
	周头 原鲜脚	"
. * "	Ordinary, zinc base	* *
五羊牙羔	25 糧	/打狱合正 50打 / 指
"Five Ram" Tooth Paste	35 mm.	1 doz in 1 carton, 50 dos
		per case
		•
百家利牙梘		"
'Pak Kar Lee" Tooth Cake		"
<b></b>		,,
"Rose" Tooth Powder		,,
光華香皂	含 70%油 階	/44 件 / 箱
"Kong Wah" Toilet Soap	70% cream	144 pcs. per wooden case
图光梅檬皂	'舍 40%油 腊	"
Kwok Kong" Lemon Soap	40% cream	,

- Adam teleparate Carlot Live		22.22.22.22.22.22
THE JAME OF COMMODITY	規格 SPECIFICATION	TIX .4CKING
47 H 4	含 53% 油 脂	744 智 / 楷
an Along" Medicated Soap	53% cream	144 pcs. per wooden case
2 = 2 全水	大号 20 市両	f 打無合並 10 打 f 指
Sh: Shane "Perjume	Large size. 20 oz	1 doz. in 1 carton, 10 doz per case
	二号 9.9市南	,,
755 養 木 1355" Perfume	Sine No. 2, 9.3 oz.	"
九 施 香 水	<b>5.5</b> 市南	/打無合庄,20打/槽
Sincere" Perfume	5.5 oz.	1 doz in 1 carton, 20 doz
		per case
ヒ 目 費 花 鬱 水	<b>大号,72市両</b>	"
Chi Je Shane" Florida Water	Large size, 72 oz.	"
<b>ī55 花露水</b>	大号 72 市両	"
555" Plorida Water	Large size, 72 oz.	"

• 35 •

品名 NAME OF COMMODITY	規格 SPECIFICATION	EN FACKING
先 <b>飚求露</b> 水 Sincere" Plorida Water	町号 11市商 Size No.4、11 oz.	!打號企主 30 打 1 着 1 dez. in 1 carton, 30 des per case
XX	"	"
Twin Girls" Florida Water	"	· · · · · · · · · · · · · · · · · · ·
555 葵 專樹	大号 80 市河	/ 世景,50世 / 廣
'555" Talcum Powder		1 dog, in 1 carton, 50 do per case
<b>罪家利募身粉</b>	h.	"
'Pak Har Lee" Talcum Powder	"	. "
七月香藥身幣	"	//
Chi-Ie-Shane" Talcum Powder	,	"
"	36 市両,鎌出	"
"	36 oz. in tins	"

協名 HANG OF COMMODITY	規格 SPECIFICATION	包装 PACKING
T F 费 f 花葉 身份	30 市両・隆度	1 打压 20 灯 1 艏
"Chi-ir-shane" Flowers Talcum Fowder	36 oz., in Hns	1 doz. in 1 carton, 20 doz. per case
<b>先施前花粉</b>	80 市両	1打压 50 打 1 箱
"Sincere" Orchid Fouder	80 oz.	1 doz. in 1 carton, 50 dez. per case
555 雍 子 粉	<b>紅醋,毎打 48 市南</b>	/ 打紙合座, 20 打 1 着
"555" Pimple Fowder	43 oz. in paper bax	1 doz. in 1 carlon, 20 doz. per case
三鳳海紫粉	18 市両	1 打統合在,50 打1者
"Three Phenia" Powder Cake	18 02.	1 doz. in 1 carton, 50 daz.
<b>先施前</b> 董 稽	三号,+0.5市両	"
"Sincere" Face cream	Size No.3, 10.5 oz.	//
555 衛業	<b>大号 24 市両</b>	/打無合店 20 打1 箱
"555" Face Cream	Large size, 24 oz.	1 doz. in 1 carton, 20 doz. per case

包装 PACKING 品名 NAME OF COMMODITY 規格 SPECIFICATION 七日香面煮 "Chi-Je-Shane" Face Cream 2号 10 市两 Size No.2, 16 oz. / 打概合用,20 打 1 箱 1 dou in 1 carton, 20 doz. per case 19.8市県 19.8 oz. 白雪霜面羔 "Snow White" Face Cream 1 打班 55 % 1 4 1 doz in 1 carton, 50 doz. 1 per case 三号 6 市両 Size No.3, 6 oz. 油脂面羔 Cold Cream /打座 40 打 / 指 t dog in t carton, 40 dog. per case

Active Constants

78. 17.00

ere e e e e

BUILDING MATERIALS

• 38 •



品名 NAME OF COMMODITY	規格 SPECIFI	包裹 PACKING
毎 田 雷 菜 掲 肖	3 F\$	50 打 / 木着
Yower Bolt, Crepe Finish	3"	50 dog in 1 wooden case
"	4 PJ	"
"	4"	w
<i>"</i>	5 🔫	. "
"	5"	"
1. 海雷岛推升	% वर्ष	
"ower Bolt, Smooth Finish	6 m	"
,,	8 = +	"
, ,	8"	"
t: 6+	7* x 4 G	2.1.5 公斤 1 箱 GO 公斤桶取
た <b>分</b> (ron Wire Nai!	7" × 4 G	21.5 kg. per wooden case.  60 kg. per wooden barrel

品名 NAME OF COMMODITY	規略 SPECIFICATION	包装 PACKING
洪 元 釘	6" × 5 G	21.5 公斤箱盅 60 公斤桶虫
ron Wire Nail	6" × 5G	21.5 kg, per wooden case , 60 kg, per wooden barrel
* <b>"</b>	5" × 6 G	"
"	5" × 6 G	"
4	4 ½ "x 7 G	"
"	41"×7G	"
"	4" x 8 G	"
"	4" × 8 G	"
4	3	"
"	3 1 × 9 G	. "
4	3" x 10 G	"
"	3" × 10 G	"
"	21"×11G	"
"	25"x11G	"

종보, 프로마스 COMMODITY	規格・バー・・	10 F PACY 119
铁式钉	3" × /2 =	"具个有益 86至与精光
IMA THE I WAY	2"x 124	to his per wooden oute.
\$6.	12 1 180	
"	17" × 13G	
<i>"</i>	16"1146	"
v.	15" x 14G	*
"	12"× 15G	,
"	14" - 156	**
"	1-1166	*
9	1" × 16 G	
	* * * * * *	
4	¥ 1.773	
	3" 1183	
#	\$1 1 15 2	

1 11.

品名 NAME OF LOMHODITY	規格 THOMKATINE	包藤 石油 有
東元町 Iron Wing Nat.	±*×19G ∮*×19G	J. O. O. T. A. D. O. S. C. M B T. C. A. D. C. P. A. C. C. D. C. P. A. C. P. P. C. P. P. C. P. P. C. P. P. C. P. P. C. P. P.
S 牙 螺 終 釘 Food Servic	# × 5 # " x 9	LED買 1 末期 ESO gross, per usoden case
w w	ź** 4 ź** 4	u u
	\$"x5 \$"x5	<i>11</i>
	₹″×6 ₹~×6	"
* "	8 "x 7 8 "x 7	<i>y</i>
Ass.	1" x 7 1" x 7	"

THE DAY OF CHANDELLA	規格 SPECIFICATION	包裝 PACKING
n.平等特殊。 Work in his	1\$" × 7 1\$" × 7	250 赛 1 木箱 300 gross, per wooden case
	15" x 8" 15" x 8"	"
	12° x 9 12° x 9	. "
	2 × 8	#
	2 ½ x 8	<i>"</i>
4	25" x 8	"
<i>"</i>	3" × 12	
失欽 鳣 ron Hinge	1" 1", thin packed	

• 42 •

品名 NAME OF COMMODITY	規格 SPECIFICATION	包蜡 PACKING
鉄 蛟 鳢 Iron Hinge	1½", thin packed	Mile State for the control of the co
e	2*	/50 對打 / 箱
*	2" . thick packed	150 對打 1 箱 In pairs, 150 ing. per case
"	2 # "	30
"	21", thick packed	In pairs, 80 doz. per case
"	3*	50
"	3', thick packed	In pairs, 50 dag, per case
"	35"	40
"	3 ±", thick packed	In pairs, 40 dez. per we
	4"	0 F
	A SOUTH TO	er In paris, 25 dr. per cor







## CATALOGUE OF SHIWAN **EARTHENWARES**



中國土產出口公司廣州分公司 CHINA NATIONAL NATIVE PRODUCE EXPORT CORPORATION CANTON BRANCH OFFICE

地址:廣州大徳路二八二號 電 報 掛 號:PROCANTON CANTON ADDRESS:222 DAH TEH ROAD, CANTON. CABLE ADDRESS: PROCANTON CANTON







### 石灣陶器簡介

石灣位於廣州附近,係陶器名鎮,素稱[廣窰]。遠在宋代,即已開始生產,品類繁多。舉凡日用器皿,人物塑像,動 植造型以及裝飾假山盆景之亭台閣榭,莫不應有盡有。

石灣出品以彫塑陶器歷史最久,手工最精。作品大多取材於現實生活,在簡練的造型上,或作適當的誇張,表現了大胆的概括與集中。所塑人物、鳥獸,形態擊肖,栩栩如生,令人感到有生命力,爲各界所喜愛。

其器皿,用具,除仿古外,作者並能發揮想像力創造力,就自然物之形象,經過大胆變形,精巧構思,成品既實用, 又美觀。

陶釉爲石灣陶器之一特色。歷年仿傚各地名窰,如禹鈞窰、哥窰、建窰等,吸其優點,集其大成。如今常見者有鈞 釉、壁裂釉(水紋開片)、石榴紅、古銅、無錫釉等。其[釉變]不論天然抑出人工,莫不渾厚濃闊,斑爛壯麗,而不浮華。

近年來,爲了發展此種優秀的民間藝術,許多藝人及美術工作者,致力於石灣陶器的設計與生產的研究。我公司 爲適應國際市場需要,在品種及包裝上作了一系列的鑽研,並在其他各方面作了顯著之改進。凡我們所供應貨物,品 質高尚,價格相宜,如蒙惠顧,無任歡迎。

#### A BRIEF INTRODUCTION TO SHIWAN POTTERY

Shiwan is a town near Canton, famous for its ceramic works, historically known as Kwang Yao (Canton kiln). Numerous types of pottery have been produced there ever since the Sung Dynasty; they compite userslis for daily use, human figures, animals, plants, decorative toy partitions of terraces for artificial hills and potted sceneris, etc.


Among Shiwan products, the careed articles have the longest history and present the most scrupulous workmanship. They are mostly based on realistic life, characterized by simplicity and sometimes by mild exaggeration and producing the effect of daring generalization and concentration. The human figures and onlimits thus made are lively and so true to the original that they inspire a feeling of the vigur of life. Shiwan pottery, therefore, has been attracting universal admiration.


As regards the articles for daily use, the designers not only imitate the antique style, but exert their imagination and originality, and boddly modify the natural objects, with the reals that their inventions are both useful and beautiful.

Glazing is an outstanding feature of Shiwan pottery. It has inherited all the merits of the famous kilns such as Chun Yao (Chuanchow kiln in Honan Porvince), & You (Langchuna lila in Cheking Province) and Kien Yao (Chuanchow kiln in Pantien Province). Glazes usually employed at Shiwan include Chunchow, crackled, pomegranate red, brozze, Wush and the like. Especially the flambé (furnace transmutation), natural or artificial, is rich, smooth, brilliant and splendid, without any levity or excess. any levity or excess.


any levity or excess.

During recent years, a number of artisans and art workers are engaged in the research of designs and production of Shiwan Pottery in order to develop this excellent folk art. With a view to meeting the demands of the international market, our Corporation has made a series of enquiries concerning the categories and quality of the products and the way of packing and achieved much improvements in many other respects. The articles we supply are of the best quality, their prices most competitive. Enquiries and orders are always welcome.









Sanitized Copy Approved for Release 2010/08/18 : CIA-RDP81-01043R000700240008-5



↑ 18 m S 823 松鶴掛璧



→ (F)11mm S 331 鰂魚烟盅





Comment of the second

中國土漁門口公司資州分公司 CHINA WATIONAL NATIVE PRODUCE EXPORT CORPORATION CANTON BRANCH OFFICE

石灣陶器目錄 Catalogue of Shiwan Earthenwares

15 127 55 日 38 日 38 日 38 日 12 日 日 18 日

貨號		66	%		紬	(4)	规格等	pecification	W. 19
No.			Name of Commodity		4524	Glaze	尺碼(公分) Size (cm.)	重量(公斤) Weight (kg.)	Unit Price
S 104 届		原	Statue of Chu Yuan	ń		White	36×15×13	1.1	
S 104C 屈		原	Statue of Chu Yuan	CA.	21	Crackle	36×15×13	1.1	
S 116 周		原	Statue of Chu Yuan	ń		White	$12 \times 27 \times 10$	1.0	
S 116C 展		艇	Statue of Chu Yuan	標	22	Crackle	$12 \times 27 \times 10$	1.0	
S 117 姜	太	公	Statue of Chiang Tai Kung	白		White	20×28×15	1.875	
S 117C,姜	太	公	Statue of Chiang Tai Kung	435	沒	Crackle	20×28×15	1.875	
S 118 李		É	Statue of Li Pai	Ó		White	25×14×11	1.25	
S 118C 李		白	Statue of Li Pai	62	21	Crackle	25×14×11	1.25	
S 119 杜		甫	Statue of Tu Fu	ń		White	12×26×9	1.0	
S 119C,杜		市	Statue of Tu Fu	扱	22	Crackle	12×26×9	1.0	
S 122 張		良	Statue of Chang Liang	Ŕ		White	23×23×14	1.25	
S 122C 張		Ŗ	Statue of Chang Liang	52	22	Crackle	23 x 23 x 14	1.25	
5 126 王義	之多	鹅	Wang Hsi Chih with His Favourite Goose	Ė		White	32×14×13 13×12×9	9.95	每 整 Per Ser
5 126C 王義	之靈	妈	Wang Hsi Chih with His Favourite Goose	%	24	Crackle	32×14×13 13×12×9		報 套 Per Set

Sanitized Copy Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009-5

-	2	-

传 號			86		Г			規格 S	pecification	
No.				名 Name of Commodity		釉	Glaze	尺碼(公分) Size (cm.)	重量(公斤) Weight (kg.)	Unit Price
129	岳:	財車	背	Yao Fei & Mother	Ė		White	11×22×15	1.1	
129C	街	9 刺	背	Yao Fei & Mother	138	製	Crackle	11×22×15	1.1	
130	49		迅	Statue of Lu Hsin	白		White	$35 \times 14 \times 10$	1.25	
130A	魯		迅	Statue of Lu Hsin	石	胎	Unglazed	$35 \times 14 \times 10$	1.25	
3 130B	盤		迅	Statue of Lu Hsin	Á,	頭部	無釉	35×14×10	1.25	
	i				Wh	ite, l	Head Unglazed	K		
S 132	糖	智	渫	Statue of Lu Chih Shen	白		White	29×22×12	2.0	
3 132C	18	智	深	Statue of Lu Chih Shen	缝	쬈	Crackle	29×22×12	2.0	
3 133	PM	淵	明	Statue of Tao Yuan Ming	白		White	$33 \times 20 \times 9$	1.25	
5 133C	144	淵	明	Statue of Tao Yuan Ming	H#	爽	Crackle	$33 \times 20 \times 9$	1.25	
S 134	孟	浩	然	Statue of Meng Hao Jan	É		White	$32 \times 9 \times 19$	1,375	
S 134C	孟	浩	然	Statue of Meng Hao Jan	雙	35	Crackle	32×9×19	1.375	
F 139	荷	花	舞	Lotus Flower Dance (A Dancer)	白		White	$36 \times 17 \times 17$	1.5	
F 139A	荷	花	簭	Lotus Flower Dance (A Dancer)	石	胎	Unglazed	$36 \times 17 \times 17$	1.5	
F 139B	荷	花	群	Lotus Flower Dance (A Dancer)	- #3	釉	Coloured	$36 \times 17 \times 17$	1.5	
S 140	楊	貴	妃	Statue of Yang Kuei Fei	自		White	$30 \times 13 \times 10$	1.0	
S 140C	楊	貴	妃	Statue of Yang Kuei Fei	燈	22	Crackle	$30 \times 13 \times 10$	1.0	
F 141	喂		Œ,	Dove Feeding	白		White	22×18×11	1,0	
F 141A	啜		釶	Dove Feeding	石	胎	Unglazed	22×18×11	1.0	
F 142A	柳	雠	舞	Korean Dance (A Dancer)	石	胎	Unglazed	23×12×9	0.75	

貨號			βB	2		éh		<u>6</u>	規 格 S₁	pecification	
No.				Name of Commodity		ASTI	Glaze		尺偶(公分) Size (cm.)	重量(公斤) Weight (kg.)	單 價 Unit Price
F 142B	朝	鲱	舞	Korean Dance (A Dancer)	彩	釉	Coloured		23×12×9	0.75	
F 142	朝	鮮	舞	Korean Dance (A Dancer)	Ĥ		White		23×12×9	0.75	
F 143	苗家	牧	氭	Miao Shepherd	白		White		28×19×12	1.25	
143A	苗家	牧	煮	Miao Shepherd	石	胎	Unglazed		28×19×19	1.25	
8 145	李 1	毕	珍	Statue of Li Shih Chen	ÉI		White		37×14×14	1.25	
3 145C	学1	李	抢	Statue of Li Shih Chen	標	22	Crackle		37×14×14	1.25	
147	曾 -	-	行	Statue of Tsêng I Hsin	ri		White		32×11×13	1,25	
147C	曾 -	-	行	Statue of Tseng I Hsin	558	32	Crackle		32×11×13	1.25	
150	維吾	縦	桀	Uighur Dance (A Dancer)	Ó		White		21 x 8 x 5	0,25	
150A	維吾	阏	縺	Uighur Dance (A Dancer)	石	Иà	Unglazed		21 × 8 × 5	0.25	
150B	維吾	饠	箅	Uighur Dance (A Dancer)	<b>#</b> 3	F.11	Coloured		21 x 8 x 5	0.25	
151	新月	S.	舞	Sinkiang Dance (A Dancer)	O		White		20×18×9	0.5	
151A	新山	1	舜	Sinking Dance (A Dancer)	76	Mir	Unglazed		20×18×9	0.5	
151B	新貞	ŧ	肼	Sinkiang Dance (A Dancer)	彩	紬	Coloured		20×18×9	0.5	
152	鳗		餌	Dove Feeding	<b>(1</b>		White		21×18×10	0.937	
152A	煕		鶴	Dove Feeding	石	liti	Unglazed		21 × 18 × 10	0.937	
152B	Life Life		鶴	Dove Feeding	93	紬	Coloured		21 × 18 × 10	0.937	
202	小 月	ě	íĽ,	Flying Dove	ń		White		19×16×15	0.8	
205	企		Ű)	Standing Dove	Ġ.		White		23×16×10	0.75	
205A	企		鲌	Standing Dove	- 75	胎	Unglazed		23×16×10	0.75	

Sanitized Copy Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009-5

斯 號 No.			S	名 Name of Commodity		癓	但 Glaze	規格 S 尺碼(公分) Size (cm.)	pecification 重量(公斤) Weight (kg.)	斯 信 Unit Price
S 208	蛇	典	30	Lion & Snake	 胎	毛	Embroidered Furs, unglazed	16×23×10	1.06	
S 210	企		獅	Standing Lion	胎	毛	Embroidered Furs, unglazed	21×14×7	0.5	
S 213	大		4:	Buffalo	胎	毛	Embroidered Furs	25×13×11	0.875	
S 216	小	唐	馬	Horse	自	由或	均衡	17×17×5	0.6	
					WI	ite c	r Chunchow Glaze			
S 217	小		半	Goat	ń		White	15×17×8	0.6	
S 221	(E)			Duck	台	紬	Chunchow Glaze		0.62	
S 222	蝦			Duck	胎	E	Embroidered Furs, unglazed		0.64	
S 223	瑞		36	Laying Lion	胎	E	Embroidered Furs.	12×25×13	0.875	
							unglazed	11×22×15		
S 224	鹤		套	Quails	Hi	毛	Embroidered	19×11×17	1.0	
						-	Feathers, unglazed			
S 227	掛		т	Thrushes	胎	垂	Embroidered	22×17×14	0.5	
							Feathers, unglazed			
S 228	Υ		SF	Liao Kê (Talking Bird)	热贴	乖	Black, Embroi-	23×12×13	0.875	
							dered Feathers		2.310	
S 229	大	稻	华	Sheep	ľa		White	27×18×14	1,375	

- 4 -

貨號			63	3		釉	e	规格S	pecification	110 44
No.				Name of Commodity		HIII	Glaze	尺碼(公分) Size (cm.)		單 值 Unit Price
S 230	大		鴵	Goose	白		White	37×28×15	2.0	
S 231	大		鸭	Duck	liti	毛	Embroidered	26×20×14	1.75	
				1			Feathers			
S 232	駱		驼	Camel	彩	釉	Coloured	18×14×17	0.75	
S 233	雁			Deer	life	毛	Embroidered Furs	22×18×7	0.75	
S 2 <b>2</b> 4	캜		捻	Mandarin Ducks	彩	釉	Coloured	12×17×11	0.1	
F 235	白		鬼	Rabbit	Ü		White	6×18×18	0.4	
S 236	雑		鶏	Cock	彩	釉	Coloured	18×12×9	0,7	
S 237	小		貓	Cat	彩	釉	Coloured	14×11×7	0.4	
S 238	松		鼠	Squirrel	鈞	紬	Chunchow Glaze	14×17×7	0.46	
S 239	鹦			Parrot	额		Green	18× 9×7	0.6	
S 240	小		熊	Bear	*	釉	Coloured	16×12×7	0.4	
S 241	子	母	鷄	Hen & Chickens	彩	釉	Coloured	14×11×7	0.5	
S 242	R			Elephant	自		White	13×4×8	0.15	
S 244	貓		誰	Panda	白		White	10×12×7	0.34	
S 303	蚧		嶺	Flower Vase, Basket & Crabs Design	蛤鱼	袖	Crab Yellow	11×19×11	0.875	
S 304	雙	風	瓶	Flower Vase, Double Phoenix Design	约	釉	Chunchow Glaze	12×24×12	1.0	
S 305	6H		抵	Flower Vase, Dragon Design	50	紬	Chunchow Glaze	11×22×11	1.0	

Sanitized Copy Approved for Release 2010/08/19 | CIA-RDP81-01043R000700240009-5

作 號	品	名		釉		色	規格S	pecification	NE C
No.		lame of Commodity		334	Glaze	e	尺碼(公分) Size (cm.)	重量(公斤) Weight (kg.)	Unit Price
S 306	小 方 瓶	Flower Vase, Square	鉤	釉	Chunchow	Glaze	$13 \times 24 \times 13$	1.0	
S 307	獨頭抵	Flower Vase, Lion Design	鉤	釉	Chunchow	Glaze	$8 \times 20 \times 8$	0.75	
S 308	象 頭 瓶	Flower Vase, Elephant Design	釣	釉	Chunchow	Glaze	$11\times 22\times 11$	0.75	
S 310	白 茶 瓶	Flower Vase, Cabbage Design	白紅	紬	White & C	ireen	$19\times11\times11$	0.75	
S 312	松鶴花插	Flower Vase, Pine & Stork Design	鉤	釉	Chunchow	Glaze	$13\times18\times11$	1.0	
S 313	獅球燈座	Lamp Stand, Lion Design	鉤	釉	Chunchow	Glaze	$13 \times 17 \times 9$	0.75	
S 313A	獅球燈座	Lamp Stand, Lion Design, with	鉤	釉	Chunchow	Glaze	13×17×9	0.95	
	(有燈頭及電機)	Socket & Wire						i	
S 314	鯉魚燈座	Lamp Stand, Carp Design	鉤	釉	Chunchow	Glaze	$24 \times 12 \times 10$	0.75	
S 310A	鯉魚遊座	Lamp Stand, Carp Design, with	鉤	釉	Chuncnow	Glaze	$24 \times 12 \times 10$	0.95	
	(有偿額及電機)	Socket & Wire							
S 315	龄 器	Earthen Jar, Basket & Crabs	蚧麦	醐	Crab Yello	w	10×12×12	0.6	
		Design							
F 321	<b>滋業烟盅</b>	Ash Tray, Lotus Design	繰		Green		15× 5×15	0.35	
S 323	松雞掛壁	Hanging Vase, Pine & Stork	鈞	釉	Chunchow	Glaze	12×21×8	1.0	
		Design							
S 326	餅鱼排煙	Hanging Vase, Fish Design	鈞	釉	Chunchow	Glaze	12×26×9	0.5	
S 329	紅魚烟盅	Ash Tray, Fish Design	鉤	軸	Chunchow	Glaze	11×12×13	0.16	
S 331	総角個虫	Ash Tray, Cuttlefish Design	约	釉	Chunchow	Glaze	14×10×4	0.16	
S 332	柳園烟盅	Ash Tray, Oval	侧	釉	Chunchow	Glaze	9×14×4	0.16	

46 14					规格S	pecification	- 7 -
貨 號 No.	E E	Name of Commodity	*	li (4 Glaze	尺碼(公分) Size (cm.)	重量(公斤) Weight (kg.)	單 億 Unit Price
S 333 F 335 S 338	海棠烟盅 白鶴掛壁 魚 雏 插	Ash Tray, Pyrus Design Hanging Vase, Dove Design Brush Stand, Fish Design	約 雅 白 白釉或 White.	White	13×10×4 16×18×10 15×15×6	0.16 0.875 0.875	
S 342 S 344 S 345	羊 頭 瓶 小 花 瓶 雙 龍 瓶	Flower Vase, Goat Design Flower Vase Flower Vase, Double Dragon Design	约 釉 约 釉	Chunchow Glaze	18×13×13 18×14×14 28×14×14	0.7 0.75 1.4	
F 347	国 烟 盅	Ash Tray, Round	白釉或 壁 裂	White or Crackle	14×14×5	0.5	;
S 350 F 351 S 353 S 356 F 501 F 502 F 503 F 504	牡雙鶏臥雙綠青白青白丹糖類遠盘鴨抵癥甁甁甁甁甁甁甁	Flower Vase, Peony Design Sugar Jar, Donbie Dragon Design Sugar Jar, Goose Design Duck with Lotus Flower Vase, Obuble Fish Design Flower Vase, Olive Shape Flower Vase, Olive Shape Flower Vase, Olive Shape Flower Vase, Olive Shape Flower Vase, Olive Shape	白鉤白白鉤綠青白青白	White Chunchow Glaze White White Chunchow Glaze Green Light Blue White Light Blue White White White	22×18×18 23×26×16 20×28×20 19×14×15 31×26×8 8" 8" 8"	1.2 1.4 2.0 0.875 1.6	

Sanitized Copy Approved for Release 2010/08/19 - CIA-RDP81-01043R000700240009-5

Sanitized Copy Approved for Release 2010/08/19 | CIA-RDP81-01043R000700240009-5

- 8 -

貨號			PD	名	- 1	釉 色	规格S	pecification	
No.				Name of Commodity		Glaze	尺碼(公分) Size (cm.)	重量(公斤) Weight (kg.)	單 價 Unit Price
F 506	青	漿	甁	Flower Vase, Date Shape	青	Light Blue	8"		
F 507	白	叢	甁	Flower Vase, Date Shape	白	White	8"		
F 508	靑	漿	甁	Flower Vase, Date Shape	资	Light Blue	10"		
F 509	白	豼	抵	Flower Vase, Date Shape	白	White	10"		
F 510	青	浆	甁	Flower Vase, Date Shape	青	Light Blue	12"		
F 511	白	猴	抵	Flower Vase, Date Shape	白	White	12"		
F 512	通	花平1	コ瓶	Perforated Vase	白	White	8"		
F 513	通		1瓶	Perforated Vase	白	White	10"		
F 514	通	を平1	コ紙	Perforated Vase	白	White	12"		
F515	青	维	洗	Brushwasher	青	Light Blue	91"		
F516	白	Æ	洗	Brushwasher	白	White	91"		
F 517	靑	维	洗	Brushwasher	青	Light Blue	8"		
F518	Á	维	沈	Brushwasher	白	White	8"	1	
F 519	水		姬	Water Bottle with Cover	白	White	61"	1.25	
F 520	通	花	摵	Perforated Spill,	白	White	10"	0.75	
F 522	梅		简	Perforated Spill, Prunes Design	Á	White	8"		
F 523	梅		简	Perforated Spill, Prunes Design	Ė	White	10"		
F 524	梅		简	Perforated Spill, Prunes Design	白	White	12"	į	

\*\*

Sanitized Copy Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009-5

# 出進口商品目錄 CATALOGUE OF EXPORTS AND IMPORTS

中國土産出口ご司 CHINA NATIONAL NATIVE PRODUCE EXPORT CORPORATION

Sanifized Copy Approved for Release 2010/08/19 CIA-RDP81-01043R000700240009-5

## 目 錄

## CONTENTS

旅 独、旅 彻 品		
Bast Fibre and Its Manufactures		1
赛 熟、薪 製 品		
Tobacco and Its Manufactures	The transfer of the second sec	1
土 走 製		
Native Products		2
原 4、木 抒 執		
Wood and Timber		4
护 寒、乾 葉、副 台 品 軸		
Nuts, Dried Vegetables and Subsidiary Foodstuffs		- 4-
工商品製		
Arts and Crafts	000000000000000000000000000000000000000	5
the fit for		,
Medicines		
香料、芳香油	*	0
Spices and Essential Oils		
一 商 品		16-
ORTS		19-3
□ 商品規格		

出口商品 Exports

# 蕨類、蕨製品 Bast Fibre and Its Manufactures

苧靝	Ramie	脱膠黃藏	Deglutinated jute
大難	Hemp	疏炎	Gunny bags
黄蘇	Jute	凝繩	Ropes made of bast fibre
亞藏	Flax	油浸藏糧	Tarred hemp rope
洋蔵	Hibiscus connabinus, Linn. (Indian kenaf)	龍舌蘭繩	Rope, Agave sp.
禁職	Abutilon	漁網	Fishing net
華布藏	Lopo hemp (Wild fibre)	網網	Net cord
芬華蘇	Pineapple fibre	網練	Net thread
剑觀	Bowstring hemp	苧蔴落棉	Ramie waste
光脚	Deglutinated ramle	養難根	Jute root
<b>苧藍條</b>	Ramie top (Silvery ramie)	苧藏層	Ramie fragment
<b>- 本職線</b>	Ramie thread	大藏屑	Hemp fragment
<b>学蔵紗</b>	Ramie yarn	亞蘇州	Flax fragment
デ腕布(粗細夏布)	Ramie piece-goods (Coarse and fine)		

#### 菸 類、菸 製 品

## Tobacco and Its Manufactures

烤菸 晒菸 拷煙 霉茄煙	Flue-cured tobacco Sun-cured tobacco Cigarettes Cigar	煙絲 東生菸 鼻菸 唱菸	Cut tobacco "Tung-sheng" tobacco Snuff Chewing tobacco

Sanifized Copy Approved for Release 2010/08/19 CIA-RDP81-01043R000700240009-5

							- (
一 全	Rosin Turpentine Camphor Gallnut Tannic acid Gallnut acid Lacquer, raw Insect wax (White wax) Bee wax Lacquer wax Dandelion Fith glue Skin glue Bone glue Cow glue Cow sinew Mother of pearl Semi-finished button Buttons Univalve shell Acorn cups Chinese yam Cotton waste	土 產 Native Products  木棉皮 棕皮 棕皮 棕皮 赤柏 大棉皮 赤柏 大棉皮 赤柏 大柏 大柏 大柏 大柏 大柏 大柏 大柏 大柏 大柏 大	Wood cotton (Kapok) Palm sheets Palm flore (Coir) Bamboo canes Thick bamboo canes, unprocessed Bamboo pollent Bamboo sheets Bamboo splint Bamboo tablets Bamboo for joss sticks Rattan Rattan core Rattan skin Rattan sheet Rattan sheet Rattan sheet Rattan sheet Vanga'' straw "Yu-pao'' straw Saraw bags Saren of rice straw Rush sheets Rush sheets Rush bags Rush mats	斯特· 医甲基基氏 医甲基氏 医甲基氏 医甲基氏 医甲基氏 医甲基氏 医甲基氏 医甲基	Straw sweepers Willow twig Roots of ma-lien Teasted nuts Gbeditschis Chinensis Native handicraft paper Paper, Joss Rice-paper plant (Rushy paper) Buddha classic Account books Bamboo joss sticks Floor brushes Holdall Fishing hooks Feeding insect for fish Firebricks Charcoal Wooden axis of pulley Floats for fishing Wooden water-wheels Stuff of steaming basket Hat round Reeds Lotus leaves Handle of palm leaf fan Grind stone Semi-stone mill	場ご臨水信託 所有 好好 好 好 好 好 好 好 好 好 好 好 好 好 好 好 好 好 好	Candle wick Miscanthus simensis Orchidaceous seeds Daffodils Sprouts of trees and flowers Hemp seeds Eucommia ulmoides seeds Ginsteng seeds Water turnip seeds Carrot seeds Carrot seeds Curumber seeds Pumpkin seeds Canliflower seeds Pumpkin seeds Canliflower seeds Saldsh seeds (Red and white peel) Onion seeds Shell of apricot Date stone Shell of walnut Cypress powder Incense powder Incense powder Ashes of Gam-shell Ashes of grain stalk Cotton stem skin Sticks of corn heart Seeliment of sugar cane Grains of liquor
		C.1CHY	i iiscanciius sinensis sweepers				

Sanifized Copy Approved for Release 2010/08/19 CIA-RDP81-01043R000700240009-5

- 4 - 茶枯		<sup>酸市條</sup> 木、木 材 類 od and Timber	Strip of rags	黒楽 南楽 長壽果(蕨戯) 養仁米 <b>犬</b> 質米	Small black dates Dates, sun-cured Narcissus Joquilla nuts Coix lacryma-jbol L. Euryale ferox kernel			す 素 糖 冷薬療粉	Taro in pieces, dried Taro in slices, dried Vermicelli Spaghetti Potato starch
原本 風水料材 本柱(木材 特偶木 楠木 紅木 林木 紅木 林木 紅木 林木 紅木 林木 紅木 木 松 大 大 大 大 大 大 大 大 大 大 大 大 大	Wood, raw Round timber Post (Pole) Yellow hard wood timber palm wood Cedar wood Red wood Vood Steepers Conifer sleepers	放射 針素樹成材 松木成材 松木成料 梧桐木 木水架 火柴金片	Timber Conifer timber Pine timber Cypress timber Cork, raw Paulownia wood Firewood Match sticks Match boxes (Semi-manufactured)	百合粒 索 學來 學大 你 來 數 本 會 來 大 你 來 來 數 看 去 來 在 數 報 在 來	Lily bulb, dried Lily flower, dried Moss, black Szechwan cabbage, pickled Salted turnip Ho-chong-tsal Dried vegetable (Mei-kan-tsal) Turnip, dried Cutting turnip, salted Dried cole Mushroom (Hsiang-ku)		音級 馬本 解解 が を を を を を を を を を を を を を	警粉 複数 粉 养 木 精 一 特 管 響 乾	Corn starch Chinese yam starch Green bean starch Water-chestnut starch Cassava starch Chilli, dried Chilli meal Mustard meal Red yeast Sinew of pig pettitoes Dried yam
		乾菜、副食品類 ables and Subsidiary		<b>慶</b> 芸 黒木耳 銀耳(白木耳) 芋頭	Mushroom (Mo-ku) Black fungus White fungus Taro		河南 門前 解引 解引	ŵ#	Red sugar Wine yeast (Cakes) Bee's honey Salted laurel bloom
核桃 桃桃仁仁仁仁仁仁子子 桃瓜瓜瓜瓜 五八瓜瓜	Walnuts Walnut meat Sweet apricot kernel Bitter apricot kernel Almonds Black water melon seeds Red water melon seeds Pumkin seeds	選	Lotus seeds Hazelnuts Pine seeds Torreya grandiss Ginkgo bilobas Red dates Smill red dates Black dates	李明 完器 陶器 在遗	Porcelain wares Earthen wares Lace	工 藝 Arts ar	品 nd Cr 椰	類	Long lace Piece articles Venice lace

Sanifized Cooy Approved for Release 2010/08/19 CIA-RDP81-01043R000700240009-5

Rib of parasol
Paper umbrellas
"On Yang" umbrellas
Folding fan (Sandal wood)
Bone fan
Feather fan
Chinese mandarin fan
Folding fans with Ivory rib
Paper fans
Palm leaf fans
Fan beard 網傘骨 紙傘 顧陽傘 檀香扇 Curios and antiques Bamboo chopsticks Bamboo hand sweepers Drawn thread work Table cloth Tray cloth Handkerchief (Drawn-work) 論極盤手網班銀雕漆漆浆水質次 物有有帕扣磷藍漆器皮林雕屑 不石質 類別刻 古玩 竹竹竹竹竹共棒棕棕棕木棋條線棚木木水筷等手廳笠篾作製絲帽掃到子俱木木筷碗勺子湯 古玩 仿古玩 官堡 絨網紙花 料器美術品 草帽攤 Imitation curio Palace lantern Bamboo screen Palace lantern
Artificial flowers made of thin silk
Artistic glass articles
Straw braid
Straw hats
Hat bodies Bamboo covers
Bamboo combs
Other bamboo wares
Artistic palm manufactures 日扇 羽毛扇 宮扇 泉牙扇 Tuscany lace Cloisonne wares Peking enamel Carved lacquer 草帽 草帽胚 章解胚 金絲草帽 蕨草帽 Palm hoods Palm rope 紙扇 葵扇 Buntal fibre hats Sisal hats Straw shoes Straw slippers Lacquer wares
Lacquer pillow (Made of bamboo or rattan)
Ivory carving articles
Jade carvings
Precious stone
Semi-precious stone Palm sweepers Wood carvings Chessmen Palm teat ans
Fan beard
Petti-point tapestry lady's hand bags
Goat-skin lady's hand bags with nice
painted picture
Goat-skin key-bags with painted picture
Gcat-skin lady's money bags with painted 被誘花女用手提包 皮拷花女用手提包 Straw baskets Straw hand bags Straw cushion Straw cushions for cups Furniture Camphor-wood chest Cedar-wood chest Wooden chopsticks Wooden bowls 皮搖花鑰匙袋 横石 珍珠 翡翠製品 品石雕刻 Diamond Diamond
Pearl
Emerald manufactures
Crystal stone carvings
Agate carvings
Rose quartz carvings 皮拷花錢袋 Gc.-tskin lady's money bags with painted picture Goat-skin comb-cases with painted picture Goat-skin vanity cases with nice painted picture Fishing net, cotton Net cord, cotton Gauze net Plaited net Fishine net, in small mesh Other straw manufactures
Seagrass and its manufactures
Seagrass (Twisted)
Seagrass cords
Seagrass mat and matting 皮拷花梳子套 皮拷花絨锈粉盒 Wooden dippers Wooden dippers
Lasts
Clogs
Carpenter's plane
Chinese musical instruments
Pillow twig and rattan manufactures
Artistic cork articles
Artistic cork articles
Artistic cocoanut shell manufactures
Citi. unbeality 鞋楦 瑪瑙雕刻 程度 木屐 木膚傷 中樂器 柳條及籐製品 軟木美術品 英蓉石雕刻 松石雕刻 柏巖石雕刻 孔雀石雕刻 梳鞍泳網 棉質網線 棉質網縄 Kose quartz carvings
Turquoise carvings
Ravine carvings
Malachite carvings
Amber and its manufactures
Gold, silver and pearl manufactures
Artificial articles of precious stone and Bamboo carvings
Tea boxes (Bamboo carvings)
Cigarette boxes (Bamboo carvings)
Bamboo mats 網網 編網 漁網布 手套 琥珀及製品 角製美術品 金銀珠寶製品 Fishing net, in small mesh 人造實石珍珠鎮
金銀製品 椰壳美術製品 網傘 Bamboo baskets pearl gilt with gold or silver 竹漆籃 Lacquer baskets, bamboo Silk umbrellas

Sanifized Copy Approved for Release 2010/08/19 : ČIA-RDP81-01043R000700240009-5

- 4							- 9 -
<b>1960.001</b>	Hairon	那花	Chinese ink stick	五鑑階	Pteropus pselaphon lay	蜣螂蟲	Holotrichia paralleta Motsch
iriadic	Nacional picturas Englishi	崇約 概	Vernalion ink in stick	和社会	Dried snake soil	花蛇乾	Snake, dried
bride myth	Letter-paper with national produce:	40年	Iron flowers	島賊骨	Sepia esculenta Hoyle	桑螈蚼	Tenodera aridifolia Stoll
Tinvite	Lacter-paper	教力	Skissors	石决明	Haliotis gigantea Chem	蝦蟆	Toad (Rana rugosa schleg)
64-75s	Jose figures	做 征	Mirror frame.	龍骨	Dragon bone	刺蠕皮	Erinaceus europaeus L.
584 HT	Far feature	藏 <	Mirror	虎骨	Tiger bone	雅森	Ceybister japonicus
計解を	Note books with painter picture	F.85.	file wares	地數蟲	Polyphaga Sp.	商品	Carpesium abrotansides L.
printer	Paper playing cards	18E. /	Farthen statues (Toys,	紅物器	Hung-nlang-chung		(Lsppula anisacantha Gurke)
र्च और	Chinese weeping pans	16 3	Candles	地類	Lonbricus Sp.		
28:16	Chinose drawing pons	<b>36:38</b>	Cracker				
4N G	Chinese ink soones	海飲物	Elastic band	甘草	Licorice	生地	Rehmannia glutinosa libosch (Sheng-ti)
				不够	Ligusticum acurilobum	山寨	Dioscorea batalus Decne
	4	- cè air		黄蓍	A. henryi oliy, (A. hoangtohy)	附子	Aconitum Fischeri, Reich.
	架	材類		人参	Ginseng	木通	Akebia quinata Decne
	ь	Medicines		黨金	Codonopsis tangshen Oliv	羌活	Angelica polyclada
				元参	Scrophularia Iodhamia	黄連	Coptis japonica
排寫	Deer's antler	炸菇菇	Cantharis	沙盘	Adenophora verticillata Fisch	蒼朮	Atractylis lancea
4H 94	Deer's horn	96:96°	Red spotted lizard	丹參	Salvia miltiorrhiza Bge	泰芄	Justicia gendarussa L.
额定	Deer's tail	沙蝇	Frog	J1176	Conjoselinum univitatam	貝母	Fritillaria verticillata wind Var. thunbergii
Mit Seize	Deer's sinew	<b>州縣</b> 州	Frog oil	大黄	Rhubarb		barer
搬去	Muşk	物質	Bufo vulgaris laur	籽黄	Tze-huang	澤瀉	Alisma planta o-aquatica L.
980 ds.	Gryptotympdad pustulate Felic	经性	Tortoise shell (Clemmys chinensis tortoise)	達志	Senega	三七	Gynura pinnatifida DC.
fek. Site	Bear's gall	經監	Bombyx mori L.	白芍	Paeonia albiflora (White)	基準	Sweet flag (Calamus)
<b>按</b>	Bear's paw	<b>106</b> 141	Trionyx sinensis wiegm	自准	Angelica glabra makino	牛膝	Achyranthes bidentata Bl.
统统	Scolopendra centipede	好隊	Asses' glue	桔梗	Platycodon grandiforus DC.	甘松	Nardostacbys jatamansi DC.
全蝎	Whole scorpion	藝術器	Tortoise shell glue	半夏	Pinellia tuberifera Ten	防風	Siler divanicatum
40.00	Dried snake skin	東沙	Slikworm soil	麻黄	Ephedra vulgaris	会銀花	Lonicera Japonica Thunb.

Sanifized Copy Approved for Release 2010/08/19 CIA-RDP81-01043R000700240009-5

0							- 9
髮網	Hairnet	奉叙	Chinese ink stick	五靈脂	Pteropus pselaphon lay	蜣螂蟲	Holotrichia paralleta Motsch
返搬	National pictures (Artificial)	碟砂墨	Vermilion ink in stick	新蛇樂	Dried snake soil	花蛇乾	Snake, dried
國靈信笺	Letter-paper with national pictures	鐵花	iron flowers	島城骨	Sepia esculenta Hoyle	桑螺蚧	Tenodera aridifolia Stoli
信箋	Letter-paper	剪刀	Scissors	石决明	Haliotis gigantea Chem	蝦蟆	Toad (Rana rugosa schieg)
神像	Joss figures	鏡框	Mirror frame	龍骨	Dragon bone	刺蛸皮	Erinaceus europaeus L.
扇面	Fan feature	鏡子	Mirror	虎背	Tiger bone	雅森	Ceybister japonicus
日配本	Note books with painted picture	瓦器	Tile wares	地斯森	Polyphaga Sp.	商品	Carpesium abrotansides L.
紙牌	Paper playing cards	退人	Earthen statues (Toys)	紅線線	Hung-niang-chung		(Lsppula anisacantha Gurke)
毛筆	Chinese writing pens	腋切	Candles	地報	Lonbricus Sp.		
遊筆	Chinese drawing pens	彩場	Cracker				
硯台	Chinese ink stones	檢筋帶	Elastic band	甘草	Licorice	生地	Rehmannia glutinosa libosch (Sheng-ti)
				當歸	Ligusticum acurilobum	山薬	Dioscorea batalus Decne
	200	- ++ 492		黄蓍	A. henryl oliv. (A. hoangtohy)	附子	Aconitum Fischeri, Reich.
	藥	材類		人参	Ginseng	木通	Akebia quinata Decne
	N	Medicines		黨參	Codonopsis tangshen Oliv	羌活	Angelica polyclada
				元参	Scrophularia Iodhamia	黄連	Coptis japonica
鹿茸	Deer's antier	班鑫鑫	Cantharis	沙参	Adenophora verticillata Fisch	若龙	Atractylis lancea
鹿角	Deer's horn	蚧蚧	Red spotted lizard	丹参	Salvia miltiorrhiza Bge	泰英	Justicia gendarussa L.
鹿尾	Deer's tail	田鶏	Frog	川芎	Conioselinum univitatam	貝母	Fritillaria verticillata wind Var. thunbergii
鹿筋	Deer's sinew	田鶏油	Frog oil	大賞	Rhubarb		barer
辟香	Musk	蟾酥	Bufo vulgaris laur	籽黄	Tze-huang	澤瀉	Alisma planta o-aquatica L.
蟬衣	Gryptotympdnd pustulata Fabd.	職甲	Tortoise shell (Clemmys chinensis tortoise)	遠志	Senega	三七	Gynura pinnatifida DC.
的原始	Bear's gall	雅麗	Bombyx mori L.	白芍	Paeonia albiflora (White)	菖蒲	Sweet flag (Calamus)
熊歌	Bear's paw	簡甲	Trionyx sinensis wiegm	白芷	Angelica glabra makino	牛膝	Achyranthes bidentata Bi.
	Scolopendra centipede	阿膠	Asses' glue	桔梗	Platycodon grandiforus DC.	甘松	Nardostacbys jatamansi DC.
蜈蚣							
模型 全蝎 蛇戟	Whole scorpion Dried snake skin	龜板膠	Tortoise shell glue	华夏	Pinellia tuberifera Ten	防風	Siler divanicatum

Sanifized Copy Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009-5

							- II -
- 10							- 11 -
菊花	Chrysanthemum sinense Sab.	丹皮	Paeonia suffruticosa andr. ff.	白朮	Atractylic lancea (Pai-chu)	仙人学	Opuntia monacancha Haw
紅花	Safforn	蒙花珠	Mon-whar-chu	<b>準</b> 香	Sage (Agastache rugosa o. kuntze)	枯絡	Orange pith
冬花(數冬花)	Tussilago farfara L.	木瓜	Cydonia lagenaria Lois.	珀陽	Cynomorium coccineum L.	艾葉	Moxa (Artemisia vulgaris L. Var. indica
機米	Sophora japonica L.	知母	Anemarrhena asphodeloides Bunge	絲瓜絲	Luffa cylindrica Roem		maxim)
梅杷	Lucium chonens	雅組革	Gentiana scabra Bunge	凍糖	Nelumbo nucifera Gaertn (Beard)	人参葉	Ginseng leaf
融仁(芮仁)	Prunus undulata, Wall	反白草	Fan-peh-tsao	細辛	Asarum sieboldi Miq.	藁木	Nothosmyrnium Japonicum Mig.
五味子	Schizandra chinensis Raill	木陂草	Equisetum hiemale L. Var. japonicum milde	香料	Cyperus rotundus L.	夏枯草	Prunella vulgaris L.
事仁	Zizyphus jujuebra Mill	<b>松草</b>	Lithospermum erythrorhizon Sieb. et Zuec	天南星	Arisaema Japonicum Bl	天花粉	Trichosanthes kirilonii Maxim
東戸 牛蒡子(大力子)	Seeds of burdock	海草	Rubia cordifolia L.	升離	Cimicifuga foetida L.	牽牛子(黑白丑)	Pharbitis nil Chois
燕原子	Drabanemorosa L. Var, hebecarpa ledeb.	座含草	Pffola japonica Sieb	柴根	Chey-gun	梃子	Gardenia augusta Merr. (G. floride L.)
贝菲仁	Trichosanthes kirilonii Maxim	蛇含草	Potentilla kleiniana Wight et Arn.	秋石	Chue-shih	雲連花	Hsueh-lien-hua
瓜雅皮	Trichosanthes kirilonii Maxim (Peel)	被斷	Dipsacus chinensis Bat	鬱金	Curcuma longa L.	桑寄生	Loranthus yadoripi S. et Z.
砂仁	Hedychium coronarium koen.	天胤	Gastrodia elata bl.	茵陳	Artemisia capillaris Thunb	辛夷花(辛夷)	Magnolia kobus, DC.
使君子	Quisqualis indica L.	事冬	Lirrope grominifolia	整濟	Verairum nigrum L.	柏子仁	Thuja orientalis L. (Biota orientalis Endl)
車前子	Plantago niajor L. Var, asiatica decne.	天冬(天門冬)	Asparagus Iucidus Linde.	焦山楂	Roasted hill haw	草果	Amomun costatum
山桃仁	Juglans regia L.	獨活	Angelica grosserrata Maxim	枳壳	Poncirus trifoliata Raf	海荷葉	Dried peppermint leaf (Mentha arvensis L.)
厚楼	Magnolia officinalis rehd. et wils.	黄牛	Scutellaira baikalensis Georgi		Mustard (Brassica cernua, Thunb)	千層紙	Oroxylum indicum Vent
連棚	Forsythia suspensa	紫苑	Aster tataricus L.	策商子	Raphanus sativus L.	白夜	Bletilla hyacinthina Reichb
柏皮	The small loose-skinned orange peel	前胡	Peucedanum decursivum Maxim	麥芽	Malted barley	糖果	Dan-shin
杜仲皮	Eucommia ulmoides oliver (Peel)	延胡索(元胡)	Corydalis ambigue Ch. et. Schl.	石斛	Dendrobium officinale kimula et Migo.	砂花	Sha-hwa
順豆衣	Cassia mimosoides L.	學胡	Bupleurum	常山	Dichroa febrifuge Lour	克絲子	Cuscuta japonica Chois
地骨皮	Lycinm chinense Mill	草胡	Tsao-whu	修李仁	Prunus japonica Thunb	桑芽茶	San-ya-cha
茯苓	Pachyma cocos	高莨藍	Galangal (Alpinia kumatake Makino)	何首島	Polygonum multiflorum Thunb	七爪紅	Chi-chao-hung
精芒	P. hoelen rumph	荆芥	Nepeta japonica Maxim	御丸	Mylittai lapides cens hor.	鳥咀	Wu-tsul
農準	Cordycep sinensis Sacc.	赤芍	Paeonia albiflora (Reddish)	麥転	Caltrop (Tribulus terrestris L.)	竹葉	Phyllostachys puberula Munro (leaf)
黄柏	Phenodendron amurense Ruyr	臺黃	Turmeric	土茯苓	China-root (Smilax glabra Roxb)	青天英	Tsing-tien-kweh
五加皮	Acantho panax spinosus Mig.	苦練子	Melia azedarach L.	羅漢果	Lo-hang-go	表尤	Kaempferia pandurata Roxb
					* -		

Sanifized Copy Approved for Release 2010/08/19 · CIA-RDP81-01043R000700240009-5

Eriobotrya Japonica Lindi. (Leaf)
Lycopus Iucidus Turcz
Sophora flauescens Ait.
Egrus caballus
Artemisia apiacea Hance.
Sanguisorba officinalis L.
Commelina communis L.
Hybriogyne minima Less.
Hibiscus rosa-sinensis, L.
Celodus critata L. 機果 養石選子 竹茹 肉豆 Phragmites communis Trin. Inula hritannica L. Rosa laevigata Michx. Moslą chinensis Maxim. Stemona japnica Mig. 松澤苦馬青地耳號 泰羅滿 撒環工 Agastache rugosa O. kuntze (Leaf) F. pumila L. Bacopa monniera Hayata Lashiosphaera fenzli Reich Cyperus iria L. Hwan-tsao 蘆根片 旋覆花 金櫻子 香馨 F. pumila L.
Phyllosatachys puberula Munro.
Boschniakia glabra C. A. Mey
Croton tiglium L.
Dolichos lablab L. Uncaria rhynchophylla Jacks Kin-muh Bean sprouts 百部 店職 桔桜 桂子 桂枝 威難仙 Orange nucleaus Cassia seeds 扁豆 苦瓜乾 皂刺 Bean sprouts
Sinomenium acutum Rehd et Wils
Cynanchum Japonicum M. et. D. Var.
Purpurssecyns Maxim
Evodia vuteacrap Hook fil. et. Thoms
Cornus officinalis Rieb. et Zucc.
Elettaria cardamomum White et Maton
Pasoralea corylfilfa L.
Cajanus Indicus. Spr.
Euphorbia Iathyris L.
Vitez trifolia L.
To-chiao-kin
Lygodum Japonicum, Sw. (Her-kin-sha) Momordiea charantia L. (Dried)
Gleditschia Sinensis Lam. (G. Xylocarpa Cassia seeds
Cassia twig
C. chinensis Retz.
Wan-ling
Tsou-ma-tay 防己 Hance.)
Cassia tora, L.
Saponaria vaccaris Host.
Drosera burmanni, Vahl. 東白前 Hibiscus rosa-sinensis, L.
Celosia cristata L.
Citrullus vulgaris Schrad
Albixxia Julibrissin Durazz.
Benieaia cerifera Savi.
Eriocaulon sieboldiantm Steud. 表走血益烏蛇蓮仙 蘆海 路 華 子 華子皮 草决明 吳茱萸 Tsou-ma-tay
M. ferruginea matsum
Leonurus sibiricus L.
Aconitum sinese Sieb.
Shan-wen-tze
Nelumbo nucifera Gaertn. (Leaf) 王不留行 山茱萸 益智仁 補骨脂 山豆根 A. carambola, L. A. carambola, L.
Polygonum aviculare L.
Anemone cernua Thunb.
Metraprnax papyrifera C. Koch.
Vespa man darina Sm. Eriocaulon sieboldiantm Ste Ligustrum lucidum Ait. Nelumbo nucifera Gaertn. Selinum japonicum Miq. Ulmus japonica Sarg. Malva verticillata L. Celosia cristata L. 嵩警 白頭翁 通草 蜂巢(欝蜂房) 碎襦(骨碎補) Agrimonia eupatoria Trigonella foenumgraecum, L. Erythrina indica Lam. Fpimedium macranthum Morr. Polypodium fortunei, Kze. Pueraria thunbergiana Benth Eclipta alba Hassk. Allium fistulosum L. Lygodium japonicum, Sw. (Hey-kin-sha) 葛根 早蓮草 鹿胎 Hung-yu-yeh Caesalpinia sappan L. Tsao-yeh Aristolochia debilis Sieb. et Zucc. 淫羊獾 Celosia cristata L.
Lindera strychnifolia Vill. (Wu-yao-pee)
Monus alba L. (Sang-chang-pee)
Punica granatum L. (Peel) Gnaphalium multiceps Wall. Gnaphalium muticeps vvali.

Cyranchum atratum Bunge
Juncus effesus L. (Var. decipiens buchen)

Pueraria thunbergiana Benth.

Kochia scoparia Schrad.

Imperata amndinacea Cyr. Var. 東白薇 燈心草 正葛草 石榴皮 U. macrorpa Hce. Caumarouna odorata Aubl. (Leaf) 地*隋*子 茅根 Actinolite or Tremolite 陽起石 孫砂 Typha latifolia L. Taraxacum mongolicum Hand-Mzt. 浮水石 Pumlec Native arsenic (White) Cinnabar koenigii Hack. 白信石

Sanifized Copy Approved for Release 2010/08/19 · ČIA-RDP81-01043R000700240009-5

- 15 -- 14 -Chi-hung-wen
Sheng-jung-wen
Lu-jung-wen
Yong-yin-wen
Yong-kun-wen
An-tel-wen
Tyou-kin-wen
Hsiao-chuan-wen
Lui-sheng-wen
Pao-chi-wen
Tsai-tsou-wen
Soo-hup-wen Sze-siao-wen Hwa-chee-wen Shu-kan-wen Pal-feng-wen Si-hwang-wen Shih-erh-tai-pao-Pao-lun-wen Chu-sha-san Lui-yi-san Chen-chu-san Sun-chi-san Hsao-yan-san Yan-yao-san Chi-san 四消丸 化滯丸 舒肝丸 白麗 黄丸 十二次 丸 物能丸 狭豪散 水溶散 光積散 短蛇散 七層散 Hou-tsao-san Shui-hsieh-san Erh-chi-san Yen-shu-san Chi-li-san 驚風八實散 Chin-fan-pa-pao-san Lee-tung-wen
Pa-we-wen
Ke-wen
Fa-lun-wen
Sao-tong-wen
Lee-chung-wen
Pu-shun-wen
Pu-shun-wen
Sha-key-wen
Hwang-kin-pu-wen
San-toh-wen
Lee-chi-wen
Tyou-kin-ku-sow-wen
Tyou-kin-ku-sow-wen
Hwel-chi-wen
Hwang-tung-pu-wen
Tyou-kin-ku-sow-wen
Hwel-chun-wen
Hsiung-tan-san-tu-wen Lee-tung-wen Licorice Juice in blocks Plaster of tiger's bone Chin-fee-kao Yi-mu-tsao-kao Whar-Pee-kao Hwang-lien-kao Chieh-ning-kao 緩臍膏 癬藥膏 拔毒膏 熊油膏 紅鹽珠珀藥膏 如意 百珍太乙膏 Nuan-chee-kao Hsien-yao-kao Pa-tu-kao 甘草膏 Tsal-tou-wen Soo-hup-wen Jwe-fon-wen Chin-shin-wen Chin-shin-wen Chin-shin-wen Nu-hong-wen Lui-har-wen Hwang-lien-wen Shun-chin-wen Chun-li-o-wen Ku-kin-wen Lui-we-de-hun-wen Ses-shen-wen Hsiang-lien-wen Shun-key-wen Hsiung-yu-kao Hung-lin-chu-pei-yao-kao Ju-yee-kao Pey-chen-tai-l-kao 補心丹 十蟣丹 鐵驚丹 蒙雲丹 寸金丹 止痛教苦丹 Pu-sin-tan Shih-lin-tan Chen-chin-tan Tze-hsueh-tan Tsun-kin-tan Pao-ying-tan Kung-shuen-tan Kiu-chee-tan Shu-lu-tan 保嬰丹 中級無利用 Pal-shou-tan Chee-chen-tan Kan-yuan-tan Huo-lo-tan Chin-tun-kiu-ku-tan Hwei-chun-tan 乾元丹 活絡丹 Tincture of tiger's bone 藥酒 Tincture of medicine


- 16 --甘露茶 吉和茶 神鱧茶 平安茶 Kan-lu-cha Chi-ho-cha Sheng-chu-cha Pin-an-cha 午時茶 神農茶 蟲屎茶 Wu-shih-cha Sheng-nung-cha Chung-shih-cha Oil of bear's gall Erh-tien-yu 龍膽油 二天油 白樹油百草油 Pei-shu-yu Pei-tsao-yu 濟豪水 清凉水 縟藁水 牙痛水 Chi-chun-shui Chin-liang-shui Hsien-yao-shui Ya-tun-shui 薄荷水 花精栗水 金汁水 Pa-ho-shui Hwa-kin-yao-shui Kin-chih-shui 疳積片 肚痛片 Gan-chi-pee Tu-tun-pee **護肺薬**片 太片 Hu-fee-yao-pee Tai-pee 樟腦餅 Camphor tablets 疳積餅 Gan-chi-ping 萬應錠 Wan-yin-tin 紫金錠 Tze-kin-tin 白薬 仙胃薬 血中費 和令集 Pai-yao Hsien-we-yao Hsueh-chung-pao Kwe-ling-chi 龍牙堆 眼藥精 陳皮末 川貝枇杷露 Lung-ya-tel Yen-yao-kin Cen-pi-mu Chuan-bel-pi-pa-lu

桂皮 桂心

香料、芳香油 Spices and Essential Oils

Cassia lignea Cassia in whole 椎通 桂幹 Cassia, unscraped Cassia, broken Cinnamon
Star aniseed
Red pepper
Red pepper, native
Kaempferia galanga
Aniseed (Fennel)
Vanilla planifolia
Menthol crystal
Peppermint oil, dementholized
Peppermint oil, redistilled
Spearmint oil
Campbor oil
Rose oil
Siler divanicatum oil
Citronella oii Citronella oil Lemon oil

Orange oil
Citrous oil
Fennel oil
Ho oil
Eucalyptus oil
Cedarwood oil
Terpineol
Cedrol
Caldmus oil
Ginger oil
Gurcuma oil
Becony oil
Gubeba oil
Attractylis concrete
Other essential oils
Other fragrant materials



烤黄黄馬馬西瀬羅金橋竹茲統黑白小肉荳丁訶安沉菸羅蘿兒尼沙袋布斜花法蔣珀胡胡荳荳薩香子息香飲紅拉娜 草綠絲紗 椒椒疙瘩花 香

兒茶

#### 進口商品 Imports

Flue-cured tobacco	血絲
Jute	天竺黄
Jute seeds	
Manila hemp (Abaca)	大准
Manila rope	冰片
Sisal fibre	胡蘭鄉
Gunny bags	等香
Hessian cloth	伸片:
Buntal fibre	番萬葉
Embroidery thread	大風子
Mercerized sheer	馬前子
Orgauda	沒石子
Amber (ST.)	檀香
Black pepper	籐黄
White pepper	白腳香
Cardamom	蘇木
Nutmeg	砂仁
Mace	母丁香
Clove	羚羊角
Myrobalan (Termina chabula Rotz)	乳香
Benzoe, Gum benjamin	沒要
Aloe wood, Eagle wood (Aquilaria agalloch)	- 牛黄
Roxb)	單角
Catechu	養養

Calamus draco willd
Tabsisheer silicaceus concretion of the
bamboo
Sterculia scaphigera Wall.
Blumea balaminfera DC.
Picrorchiza Kurros Royl
Acronychin laurifolia BL.
Manis pentadacryla Linn.
Castis acutifolia Del.
Hydrocarpus anthel minicia pierre
Strychnos Nux-Vomica L.
Gallae halepenses
Sanatium album L. (Sandal wood)
Gutt
L. formosana Hcc.
Caesaspinia sappan L.
Hedychium coronarium Koen.
Jambosa caryosphyllus Ndz.
Nemorhaedus criptus temm
Pistacia lentiscus L.
Commiphora myrrha Engl.
Cow benzoar
Rhinoceros indicus
Aloe vera L.

Sanitized Copy Approved for Release 2010/08/19 . CIA-RDP81-01043R000700240009-5

**—** 20 **—** 

廣木香 紅化 檳榔 雄撥 海龍 Inula helenium L.
Safforn (Carthamus tinctorius)
Betelnut (Areca catechu L.)
Piper longum L.
Hippocampus coronatus T, et. S.

Hippocampus coronatus T. et S. (Flat) Hippocampus coronatus T. et. S. (Small) Ferula asafoetida L. Perla pearl

> 出口商品規格 Specification of Some Exports

Sanitized Copy Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009-5

#### 蔴 類、蔴 製 品

#### Bast Fibre and Its Manufactures

革	2	Ramie	
-	類色 白色、赤色 及近 (0 60~ 90 公分 ② 90~120 公分 ③ 120 公分以上 水分 水分 水分 水 水 水 水 水 水 水 水 水 水 水 水 水	Colour white and green Length (1) 60-90 cm. (2) 90-120 cm. (3) 120 cm. up H% (green), 15% (white) Packing: Machine pressed bales, each 225-250 kgs. net	
大	電子 大島 (1985年) 東京 (1985年) 東	Hemp I4% max. Length I meter min. Colour normal Packing: In machine pressed with gunny cloth bales of 225— net each	250 kgs.
黃	着 1-3 級 三級 基位 數/ 公尺 水份 15/8 (4) 15/8 (5) 16/8 (6) 16/8 (7) 16/8 (7) 16/8 (7) 16/8 (8) 16/8 (8) 16/8 (8) 16/8 (8) 17/8 (8)	Jute, grade 1—3         3 d grade         I meter min.           Length         15%         15%           Mointure         15%         15%           Packing: Machine packed bales tied up with rope, each 200—230         200—230           Gunny Bage         105.8—108.5 cm.           Length         71.8—74.5 cm.           Width         0.8928—0.960 kg.           Moisture         17% max.	kgs. net

```
_ 22 _
 長度一公尺以下無霉腐貨物
包裝:機器打包,每包澤重約 200 公斤
```

#### Hemp Fragment

Length below I meter free from mould Packing: Machine pressed bales, each about 200 kgs. net

#### 菸 類、菸 製 品

#### Tobacco and Its Manufactures

媄	菸(佛盖尼亞季	<b>2</b> )	Flue-cured Tobacco (Virginia Type)	
	金書 1-	-7 級	Golden yellow	I-7 grade
	赤黄 1-	-5 級	Reddish yellow	I—5 grade
	青黄 1-	-3 級	Greenish yellow	I—3 grade
晒	菸		Sun-cured Tobacco	
	紅晒菸		Sun-cured Tobacco, red	
	松陽	1-4 級	Sung-yang	l-4 grade
	桐鄉	16 級	Dong-shang	I-6 grade
	廣豐	1-4級	Kwan-feng	I-4 grade
	廣昌(縣前)	1-3級	Kwan-chang (Yee-zee)	I—3 grade
	施江	1-4 級	Lien-kiang	I-4 grade
	新會	1-4 級	Sin-hwei	I-4 grade
	清潔	1-4 級	Ching-yen	I-4 grade
	16411	1-4級	Ho-shan	I-4 grade
	黄陋菸		Sun-cured Tobacco, yellow	
	南維	1-3級	Nan-yung	I-3 grade
	新昌	1-3級	Sin-chang	1-3 grade
	黄崗	1-2 級	Hwang-kang	I-2 grade

尼古丁茶 尼古丁 3% 以上 水份 11-17%

松 香 帆船牌,特級、一級、二級、三級 包裝: 木箱裝,毎箱淨重約100公斤

五 情子 含單率較 50% 以上 水份最高 16% 雜質約 3% 包裝: 臟袋包裝, 何包停重 50-60 公斤

自 臟 類色 白色或淡黄色 四川產

Nicotine Tobacco Nicotine Moisture

3% up 11—17%

Moisture II-1/%

Cigarettea

"Chung Hwa" brand "Double Happiness" brand

"Glory" brand "Kwang Hwa" brand

"Heng Ta" brand

20 pieces per packet, 50 pieces per tin
Packing: Packed in wooden cases

Pipe Tobacco
"Glory" brand

土產類

## Native Products

esin X, AAA, AA & A grade, "Junk" brand Packing: In wooden cases of about 100 kgs. net each

Packing in wooden cases of about 100 kg/r. Inc.

Gailmut
Tannic acid content 50% min.

Moisture 16% max.

Admixture 3% approx.

Packing: In gunny bags of 50–60 kgs. net each

Insect Wax (White Wax)

Colour White or light

Szechwan origin

White or light yellow

- 23 -

Sanifized Copy Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009-5

```
Packing: In gunny cloth bales, covered with bamboo split mats, weighting about 100 kgs. net each
     包裝:外攤店,內包蘸布,每包卻重約100公斤
扣
                                                                 Semi-finished Button
    程子

館包比例: 34 號 20%

38 號 20%

42 號 40%

46 號 10%

50 號 10%

包装: 華袋包装,毎姿約重75 公斤
                                                                     "Mao-tze"

Assortment: No. 34 20%
No. 38 20%
No. 42 40%
No. 46 10%
No. 50 10%
Packing: In gunny bags of about 75 kgs. each
                                                        乾 菓, 乾 菜, 副 食 品 類
                                        Nuts, Dried Vegetables and Subsidiary Foodstuffs
    直復約 25-28 公厘
包裝: 藏袋包裝,每袋約重 60 公斤
                                                                     Diameter 25-28 mm. approx.
Packing: In gunny bags of about 60 kgs. each
                                                                 Walnut Meat
    按大小分: 頭路(±)、二路(±)、三路(±)、四路
色澤: 白、淺、深琥珀色
包裝: 木箱裝, 每箱净重約 55 磅
                                                                     Classified in accordance with size: Halves, quarters, pieces and crumbs
                                                                      Colour: Light, light-amber and amber
                                                                     Packing: In wooden cases of about 55 lbs. net each
甜杏仁
                                                                 Sweet Apricot Kernel
    北山大橋
                                                                     North Mountain origin, large in size and flat on surface
Packing: In gunny bags of about 60 kgs. each
    包裝: 職袋包裝,每包約重 60 公斤
```

- 25 -Bitter Apricot Kernel 苦杏仁 中國大路貨 包裝: 藏袋包裝,每包重 80-90 公斤 Chinese F.A.Q. Packing: In gunny bags of 80—90 kgs. each Water Melon Seeds, Black 黑瓜子 axer meroun secon, pines.

F.A.Q.. Tungliao and Tsingsao origin and Large, medium and small piece.
Shuichow origin

Packing: In gunny bags of 50 –60 kgs. each 通達及青島大路貨,徐州大、中、小片 包裝: 疏袋包裝,每包量 50-60 公斤 Water Melon Seeds, Red Sin-feng and Chi-an origin Packing: In gunny bags of about 70 kgs. each 紅 瓜 子 信豐,吉安產 包裝: 蘇袋包裝,每包重約70公斤 Pumpkin Seeds

Rough and plain edge

Packing: In gunny bags of S0—60 kgs. each 白 旦 子 毛邊及光板 包裝: 藏袋包裝,每包重 50-60 公斤 Lotus Seeds
Hunan and Hupeh origin
Packing: In gunny bags of about 75 kgs. each 湘運、選連 包裝: 羅袋包裝,每包重約75公斤 Pine Seeds North-east China & Yunnan origin 松 子 東北賀、雲南賀 Gingko Biloba 果 泰興、海庭、杭州及廣西貨 包裝:木箱裝或職袋裝 Tai-hsing, Tung-ting, Hangchow & Kwangsi origin Packing: In wooden cases or gunny bags Red Dates 紅 聚 天津頭水貨,二水貨 First Selection & Second Selection, Tientsin origin Packing: In gunny bags of S0-60 kgs. each 包裝: 羅袋包裝,每包重 50-60 公斤

拔裝 包裝: 瓶袋包裝,每包重 50-60 公斤

金針菜

金山牌、帆船牌、雄獅牌,雙魚牌 包裝: 布袋包装,得袋凈重約 50 公斤

髮 菜 絲條長鳥黑色 包裝: 布袋包裝

四川產,勝利牌,地球牌 包裝: 價裝,每鐶約重 57 公斤

惠州(廣東)及杭州產

常州產,中土牌,交通牌 包裝: 蝴裝,每螺約直12.5—35 公斤

香菇

黒木耳

湖北產, 輕浮大枝 包裝: 布包裝, 每包約重 50 公斤

Selected quality
Packing: In gunny bags of 50-60 kgs. each

Lily Flower, Dried

"Kin-Shan" "Junk" "Lion" "Double Fish" brands Packing: In cloth bales of about 50 kgs. net each

Long and dark black Packing: In cloth bales

Szechwan Cabbage, Pickled

"Victory" & "Globe" brands, Szechwan origin Packing: In earthern jars of about 57 kgs. each

Dried Vegetable (Mei-kan-tsai)

Hwel-chow (Kwangtung) and Hangchow origin

Turnip, Dried

"Chung-t'u" & "Communication" brands, Ch'angchow origin Packing: In earthen Jars of about 12.5—35 kgs. each

Mushroom (Hsiang-ku)

Classified according to thick and thin grades

Fungus, Black

Light, big pce., Hupel origin Packing: In cloth bales of about 50 kgs. each

銀 耳(白木耳) 四川産

李 角 四川産

包装: 蹇簑装,每件净重 100 公斤

粉絲 糖 龍口一級、二級、三級 包裝: 布包裝,每包重約 60 公斤

辣椒乾 成都、釜都、盆都、邵陽、陶邱,徐州產

水份最高 20% 包裝: 羧籑或蘇袋包裝,每件重約75-100 公斤

Szechwan origin Taro In Pieces, Dried Szechwan origin Packing: In bamboo baskets of about 100 kgs. each

Packing: in bamboo baskets of about 100 kgs. each

VermiceIII

list, 2nd & 3rd grades, Lung-kow origin

Packing: In cloth bales of about 60 kgs. each

Chill, Dried

Chieng-tu, Wang-tu, Yi-tu, Shao-yang, Shany-chiu and Shuichow origin

Moliture

20% max.

Packing: In bamboo split baskets or gunny bags of about 75-100 kgs. each

Arts and Crafts

**签** 器 餐具、咖啡具、茶具、碗、盤、壶等日用品,花颊等練改品

**陶 軽** 咖啡具、茶具、壺、杯、盤、花製、化工器皿、衛生用品、建築 器材及製飾品等

花 **邊** 件捉: 图形 6"×6" 8"×8" 10"×10" 16"×16" 18"×18"

工藝品類

Percelain Wares

Dinner, coffee & tea sets, daily used bowls, dishes & other utensils, de-coratives such as flower vases etc.

Earthen Wares

Coffee & tea sets, dishes, pots, cups, flower vases, chemical industral
apparatus, sanitary stoneware, architectural materials, ornaments etc.

Lace Piece articles:  $Round = 6'' \times 6'' - 8''' \times 8''' + 10''' \times 10'' - 16'' \times 16'' - 18''' \times 18''$ 

- 27 -

\_ 29 \_

```
蛋形 9"×14" 14"×20" 16"×24"等
碼花邊:
                                                                                                                                                                                                                                                                                                              Handkerchief (Drawn-work)
                                                                                            Oyal
                                                                                                                           9"×14" 14"×20" 16"×24" etc.
                                                                                                                                                                                                                                  帕
13"×13" 14"×14" 15"×15"等
                                                                                      Long Lace:
Plaited with 18—60 strings, in various designs nice Lace
                                                                                                                                                                                                                                                                                                                   13"×13" 14"×14" 15"×15" etc.
                                                                                                                                                                                                                            網 扣
方形 36"×36" 54"×54" 72"×72"
          18 頭至 60 頭, 句紙各種花才
                                                                                                                                                                                                                                                                                                                                                                       36"×36" 54"×54" 72"×72"
72"×90" 72"×120" etc.
惠里斯
    単 騎
権徳:包括茶布、盆整等
五根套 1-36"×36" 4-12"×12"
十三番套 1-72"×90" 12-18"×18"
                                                                                                                                                                                                                                                                                                                    Square
Oblong
                                                                                      Table cover (Including napkins, doilies, etc.)
                                                                                                                                                                                                                                            72"×90" 72"×120" $
8"×36"
6"×10"—16"×36"
                                                                                                                          I-36"× 36"
I-72"× 90"
I-72"×108"
                                                                                           5 pce. set
13 pce. set
                                                                                                                                                        4-12"×12"
                                                                                                                                                                                                                                                                                                                    Round
                                                                                                                                                                                                                                                                                                                                                                        8"×36"
                                                                                                                                                  4—12"×12"
12—18"×18"
12—18"×18"
                                                                                                                                                                                                                                                                                                                                                                       6"×10"-16"×36"
                                                                                                                                                                                                                                                                                                                     Oval
                                                                                     13 pce. set
13 pce. set
Doilies:
round
oblong
oval
           十三張套 1-72"×108" 12-18"×18"
                                                                                                                                                                                                                             琺 專 籍
各式化稅、東盤、掛盤、洗子、切具、瓮、碗、罐等實用品和
陳設品
                                                                                                                                                                                                                                                                                                              Cloisonne Wares
    盤套:
                                                                                                                                                                                                                                                                                                                   Flower vases, fruit dishes, decorative dishes & trays, smoking sets, ash trays, jars, bowls etc. of various designs
          服形 6"× 6" 8"× 8" 10"×10"
長方 12"×18" 14"×20" 16"×24"
張剛 12"×18" 14"×20" 16"×24"
                                                                                                                        6"× 6" 8"× 8" 10"×10"
12"×18" 14"×20" 16"×24"
12"×18" 14"×20" 16"×24"
                                                                                                                                                                                                                             Lacquer Wares
                                                                                                                                                                                                                                                                                                                    Carved lacquer articles: Vase, smoking set, powder box, tray etc.
Inlaid lacquer articles: Screen, jewel box and boxes of various patterns
Fukien lacquer wares: Tea set, wine drinking set, smoking set, vase etc.
    「原料: 蔵質及棉質・糖工:抽砂、刁纏、十字花等)
                                                                                     (Material: crash linen & cotton. Embroidery work: drawn-work, cutwork
                                                                                      (Material: crash linen & cotton. Embroidery work: drawn-work, c cross-stitch work, etc.)

5 Pec. bridge set | 1-36"x 36" 4-12"×12"

7 Pec. teas est | 1-54"x 72" 6-14"×14"

9 Pec. banquet set | 1-72"x 90" 8-18" -18"

13 Pec. banquet set | 1-72"x 108" 12-18"×18"

3 Pec. sarfa et | 1-18"x 36" 1-18"×45" 1-18"×54"

6 Pec. dressing set | 1-8"x 36" 1-18"×45"

1-18"x 36" 1-18"×45"
     五張響 1-36"× 36" 4-12"×12"
七張華 1-54"× 54" 6-12"×12"
七張華 1-54"× 72" 6-14"×14"
九張葉 1-72"× 50" 8-18"×18"
十三縣準 1-72"×108" 12-18"×18"
六張華 1-6"× 10" 11-10"×14" 2-10"×51"
九8"× 36" 1-18"×55"
**
                                                                                                                                                                                                                                                                                                              Ivory Carving Articles
Figures, vases, screens, cabbage, insects, flowers etc.
                                                                                                                                                                                                                             象牙雕刻
                                                                                                                                                                                                                                    人物、花類、蜜格、白菜、蟲、卉等等
                                                                                                                                                                                                                                                                                                              Jade Carvings
                                                                                                                                                                                                                             玉石雕刻
                                                                                                                                                                                                                                                                                                              Figures, birds, animals, incense burner etc.

Artistic Glass Articles

Glass plum trees of various colours, potted plants, animals & birds of
                                                                                                                                                                                                                                    人物、鳥、嶽、化薫等
                                                                                     9 Pce. banquet set
13 Pce. banquet set
3 Pce. scarf set
6 Pce. dressing set
                                                                                                                                                                                                                             料器等術品
                                                                                                                                                                                                                                    各色梅化料樹、盆景、大小禽、獸等
                                                                                                                                                                                                                                                                                                              big & small sizes
Palace Lantern
With dragon-head frame or in square, hexagonal or globular shape
Artificial Flower Made of Thin Silk
                                                                                                                                                                                                                             宮 燈
龍頭、方形、六角、川形
                                                                                Tray Cloth
    理 形 6"×6" 8"×8" 10"×10"
長方形 12"×18" 14"×20" 16"×24"
賽個形 12"×18" 14"×20" 16"×24"
                                                                                     Round
Oblong
Oval
                                                                                                                         6"×6" 8"×8"
12"×18" 14"×20"
12"×18" 14"×20"
                                                                                                                                                                                                                             絨網紙花
                                                                                                                                                                                                                                                                                                                     Velvet birds, animals & flower baskets & artificial flowers made of
                                                                                                                                                                                                                                    絨鳥獸、絨花籃、各種網紙花卉
                                                                                                                                                             16"×24"
                                                                                                                                                                                                                                                                                                                          gauze & paper
                                                                                                                                                             16"× 24"
```

```
_ 30 _
Straw Braid
                                                                                                                                                                         3\frac{1}{8}-4\frac{1}{8}mm to 11-12mm 4-4\frac{1}{2}mm to 8\frac{1}{8}-9mm 9-10mm to 14-15mm 9-10mm to 14-15mm 6-6\frac{1}{8}mm to 12-13mm
                                                                                                            Laichow mottled
Split plain
Fuklu white
Shaho white
         75-10日
沙河白
美濟白
花草智鮮
普通式:
                                                                                                     Shaho white
Hsingtsi white
Fancy straw braids
Straw Hats
Ordinary style:
Width of rim
                                6-6-2 公原至 12-13 公厦
         普班式:
報沿寬
報頂高
大治邊:
報頂高
                                                                                                                                                                          3 inches
4g inches
                                                                                                     Width of rim
Height
Wide rim style:
Width of rim
Height
Buntal Fibre Hats
                                                                4日时
                                                                511时
311时
                                                                                                                                                                          5# inches
3# inches
  金絲草帽
         等級: 超、順、二、三、四、五、
                                                                                                           Grades: X. 1. II. III. IV, V. 11\frac{1}{2}"-12\frac{1}{2}"
                11½"至12½"
  # 草 朝 等級: 超、頭、二、三、関、五、六、七(簡稱及平轄)
11½"至 12½"
                                                                                                      Sisal Hats

Grades: X. 1. II. III. IV. V. VI. VII (Cones and Hoods)
                                                                                                   Grades: X. I. III. III. IV. V. V.

113"—[12½"

Straw Silppers
25 cm.—32 cm.
Straw Balkets

14"×14"×10" 2 pce. set

14"×4½"×11½" 3 pce. set

13"×5½"×9" 3 pce. set

14½"×4½"×11½" 5 pce. set
 草 拖 鞋
25公分至32公分
         整
14"×14"×10"二個套
14½"×4½"×1½"三個套
13"×5½"×9"三個套
         14克"×4克"×11克"五個套
```

扭 草 一號草 二號草 三號草 海草繩 一號手述束賴 函師: 北 公照軍 2 公庭 近機與末顧 直師: 北 公園至 2 公園 立師: 北 公園至 3 公園 立師: 2 公園至 2 公園 上 2 公園至 3 公園 本師: 2 公園至 3 一號手搓草繩 草 薦 18"×36", 24"×48" 12"×12" 36吋×40碼 白方階 全銀網幣 白密縣席 364×40 福 4551×40 福 程準雜花 2751×2 福 3661×2 2福 白密珠金色邊時在唐3851×2 4 4551×2 4 5451×2 4 5451×2 4 5451×2 4 5451×2 4 5451×2 4 5451×2 4 5451×2 4 5451×2 4 5451×2 5

Sengrass (Twisted) Nos. I, 2 & 3 Seagrass Cords Hand-twisted, No. 1 Diameter 2½mm—3mm
Nature colour machine-twisted, No. 3
Diameter 3mm—3½mm
Bicoloured machine-twisted, No. 2 2mm—2½mm Diameter 2mmAll coloured machine-twisted, No. 2
Diameter 2mm-2mm—2½mm Seagrass Mat and Matting Twisted oval fancy Rush square 108 warp satin (Jaspe) matting 12"×12"

24"×48" 
 IVM warp satin (Jaspe) matting brown/white
 36" × 40 Y ds.

 108 warp white (satin) matting
 36" × 40 Y ds.

 Twisted fancy
 2" × 2 Y ds.

 108 warp twisted inhald
 36" × 2 Y ds.

 Twisted inhald
 36" × 45"
 45"×40 Yds. 36"× 2 Yds. 45"× 2 Yds. 54"× 2 Yds.

\_ 32 \_

飲木風景片各種大小尺寸均可承製網傘傘面縮盤,36 楔竹骨,長38 公分

雨 拿 凝陽傘, 48 极竹骨, 油紙製, 顏色株面黃挺, 傘 身長 2.2 呎 包裝: 木箱裝,每箱 60 把

檀香扇 扇面用純絲織繪彩色藝術畫,長17至21公分

骨 腐 白骨和網製造,繪彩色,長17至21公分

**羽毛扇** 骨把長 19至 22 公分,羽毛鮮麓,長約 15 公分

紙 扇 白竹骨紙扇分小號、大號 包裝: 木箱裝, 海箱裝 280 把

手 提 包 羊皮描花及麂皮羰絲烧绣 19×115×8公分 20.5×12×7.5公分

Bamboo Combs 104, 115, 128 or 138 teeth on both sides of the comb, Ch'angchow

origin

Cork Scenery Piece

Can be made to order in any size

Silk Umbrella

Nicely painted, with 36 bamboo ribs and a handle of 38 cm. in length

"Ou-yang" brand made of oil paper in green colour, with 48 bamboo ribs,

length 2.2 feet
Packing: In wooden cases, each containing 60 umbrellas

Folding Fan (Sandal wood)

Mounted with silk surface which is beautifully painted in various colours.

17—21 cm. in length

Made of white bone and gauze, painted in various colours, 17-21 cm. in length

Feather Fan
With bone ribs of 19-22 cm. in length and flourishing feather of approximately 15 cm. in length

sper Fan
Folding printed paper-fan of small and big sizes with white bamboo ribs
Packing: In wooden cases each containing 280 pcs.

Lady's Hand bags
Made of sheep skin printed with flowery designs or imitation buck skin with petite-point tapestry

22.5×12.5×9公分 19.5×15×6公分

鏡 匙 袋 羊皮拷花,彩描,袋用拉鍊合口。

10×5×7 公分

銭 袋 羊皮拷花,彩描,用拉鍊合口

11.5×18.5 公分 13×20.5 公分 15×24 公分

手 套 棉棉的針手套

棉線網結手套

毛 筆 湖南及上海製小楷羊毫

包裝: 木箱裝,毎箱10,000 枝

墨 鏡 一兩裝至四兩裝

包裝: 木箱裝,每箱學重約25公斤

 $19\times115\times8$  cm  $20.5\times12\times7.5$  cm  $22.5\times12.5\times9$  cm  $19.5\times15\times6$  cm

Key Holder

Made of sheep skin, pressed and painted in various coloured designs, mounted with zip fastener

10 x 5 x 7 cm.

Purse

Made of sheep skin, pressed and painted in various coloured designs,
mounted with zip fastener

II.5×18.5 cm I3×20.5 cm I5×24 cm

Cotton crochet gloves Cotton filet gloves

Hair Net

Round 10/38 10/46 6/36 6/38 Long 32/34 38/40 44/46 Colour: Dark brown, medium brown, light brown, silvery white and black.

Chinese Writing Pen

mase Writing Yen

Made of fine wool in Hu-nan and Shanghai, for writing letters of about

one linch square in size

Packing: In wooden cases, each containing 10,000 pcs.

I ounce to 4 ounces per pce.
Packing: In wooden cases of about 25 kgs. net each

#### 藥 材 類

#### Medicines

車 東北產一級 口經:5美分以上 長度:最短2英尺 東北產二級 口經:3-5英分, 長度:最短2英尺 東北產三級 口經:15-3英尺 包裝:15-3英尺 包裝:約1.5英尺 包裝: 膺包裝,每包約重 60 公斤 十五支、二十支通底歸

當 歸

包裝:外職袋,內竹籬,每袋四套約重100公斤

東北產,天字號地字號各年 包裝: 木箱裝,每箱約重15公斤

分8、12、16、20、24、30、40 支 包裝: 慶舊裝、外套蘸袋、毎件約重100 公斤

Ist grade, North-east China origin
Diameter 5/8th inch min. 2 ft. min. Length 2 ft. min.
2nd grade, North-east China origin
Diameter 3,8th—5,8th inch
Length 2 ft. min. Length 2 ft. min.

3rd grade, North-east China origin

Diameter 3,16th—3,8th inch

Length 1.5 ft. approx.

Packing: In mat bales of about 60 kgs. each Ligusticum Acutilobum (Tangol)

15 pct. & 20 pct. per half kg.
Packing: In bamboo baskets, covered externally with gunny bags, 4 basket in one bale of about 100 kgs.

urgen" grade & "Di" grade, half each, North-east China origin Packing: In wooden cases of about 15 kgs. each

Scrophularia Lodhamia (Yuan-shen)

Each half kg. contains 8, 12, 16, 20, 24, 30 or 40 pcs. Packing: In bamboo baskets covered with gunny bags, each about 100 kgs.

沙 参 大把及小把 包裝: 木箱裝,每箱約重 25 公斤

大 養 西北產 包裝: 木箱裝,每箱學重 280 磅。

白 芍 亳州康 1-6等 包裝: 篾簧裝,外套攤袋,每件約 50 公斤

生 地 16 支(毎公斤 32-40 支) 24 支(毎公斤 48-60 支) 30 支(毎公斤 60-80 支) 40 支(每公斤 80 支以上)

小生地 包裝: 蓋袋包裝,每袋净重約100公斤

七 120、160、200頭,平均搭配 包裝: 紙箱裝,毎箱約重 2.5 公斤

防 **恩** 東北產 包裝: 鷹包,每包約重70公斤

Big bundle & small bundle Packing: In wooden cases of about 25 kgs. each

Conjestinum Univitatam (Chuen-hsiung)

Ist 2nd & 3rd grades
Packing: In bamboo baskets of about 100 kgs. each Rhubarb (Ta-huang)

North-west China origin Packing: In wooden cases of 280 lbs. each

Paeonia Albiflora (White)

I-6 grade, Pel-chow origin
Packing: In bomboo baskets covered with gunny bags, each about 50 kgs.

Rehmannia Glutinesa Libesch (Sheng-ti)

(48-60 pc., per kg.)
24 pc., (48-60 pc., per kg.)
30 pc.; (60-80 pc., per kg.)
40 pc.; (above 80 pc., per kg.)
5mall Sheng-t.
Packing: In gunny bags of about 100 kgs. net each

Gynura Pinnattifida (San-chi)
120, 160 & 200 pcs. per half kg., 1/3 each
Packing: In paper boxes of about 2.5 kgr. each

Siler Divanicatum (Fang-feng) North-east China origin
Packing: In mat bales of about 70 kgs. each **— 35 —** 

- 36 -金銀花 山東濟南產,一等、二等、三等 包裝: 潛包,每包澤重約 60 公斤 杞 特字、甲字、乙字 包裝: 木箱裝,每箱净重約50公斤 苓 包裝: 木箱裝,每箱約重 60 公斤 多 一等,二等 包裝: 木箱裝,每箱約重 100 公斤 术 一等,二等,浙江產 包裝: 篾套裝,外套攤袋每件重約 100 公斤

Lonicera Abonica Thumb (Chin-yin-hwa)

1st., 2nd. & 3rd. grades, Tsinan (Shantung) origin
Packing: in mat bales of about 60 kgs. net each

Luchum Chonens (Kou-chi)
Special, 1st. & Znd. gradés
Packing: in wooden cases of about 50 kgs. net each Pachyma Cocos (Fu-lfing)
"Pai-ling" (Selected quality)
Packing: In wooden cases of about 60 kgs. each Lirrope Grominifolia (Mai-tung)

1st. & 2nd. grades

Packing: In wooden cases of about 100 kgs. each Atractylic Lancea (Pal-chu)

Ist. & 2nd. grades, Cheklang origrn

Packing: In bamboo baskets covered with gunny bags, each about 100 kgs.

香料、芳香油

#### Spices and Essential Oil

帆船牌 水份(最高) 17% 4% 3% 灰份(最高) 4% 含油量(最低) 3% 包装: 滿席包裝,每包重約 80 쮕或 112 磅 Cassia Lignea "Junk" brand Moisture Ash Oil content 17% max. rioscure 17% max.
Ash 4% max.
Oil content 3% min.
Packing: In rush mat bales of about 80 lbs. or 112 lbs. each 桂 適 灰份(最高) 水份(最高) 包裝: 蕭蓆包裝,每包得重約112份

桂 碎 灰份(最高) 水份(最高) 包裝: 蕭薦包裝,每包章重約 112 切 17%

八 角 水份(最高) 灰份(最高) 包装:草袋包装,每袋母重約50公斤

小茴香 净貨 約 97 包裝: 藏袋包裝,每袋净重約 50 公斤 約97%

薄荷脂 白熊牌、類勒牌 包裝: 雞裝每蘸 5 磅, 12 蘸一箱

薄荷素油 50% 獲荷聯含量(最低) 比重(15.5°C): 0.897--0.912 類色 袋 包裝: 鐵橋裝,每桶爭重 220—380 磅

Ash 4% max.
Moisture 16% max.
Packing: In rush mat bales of about 112 lbs. net each Cassia, Broken

Ash Moisture Asn 4% max.
Moisture 17% max.
Packing: In rush mat bales of about 112 lbs. net each

Star Anisced Moisture Ash 5% max.
Packing: In straw bags of about 50 kgs. net each

Aniseed Seeds (Fennel)

Purity 97% approx. Packing: In gunny bags of about 50 kgs. net each

Menthol Crystal

"Polar Bear" & "Buddha" brands
Packing: In tins of 5 lbs., 12 tins in each case

Peppermint Oil, Dementholized

50% min. 0.897-0.912 Menthol content Menthol content 50% min.

Specific gravity (15.5°C) 0.897-0.912

Colour Slightly yellow

Packing: In iron drums of 220-380 lbs. net each

**—** 38 **—** 

- 38 - 楼 鵩 油 顏色 比重(20°C) 按葉醇含量(最低) 包裝: 鐵桶裝

白色 0.900-0,920 30%

Camphor Oil

Colour
Specific gravity (20°C)
Cineol content
Packing: In iron drums

White 0.900-0.920 30% min.

## 中國土產出口公司 CHINA NATIONAL NATIVE PRODUCE EXPORT CORPORATION

地址:北京虎坊橋大街四六號 電報掛號:"PROCHINA PEKING" Address: 46, Hu Fang Chiao Street, Peking Cable Address: "PROCHINA PEKING"

上海分公司

地 址:上海中山東一路十六號 電報掛號: "CHINAPROCO SHANGHAI"

天 津 分 公 司

地 址: 天津哈爾濱道三三號 電報掛號: "NCNPC TIENTSIN"

廣州分公司

地 址:廣州大德路二八二號 電報掛號:"PROCANTON CANTON"

靑 島 分 公 司

地 址: 青島天津路十號 電報掛號: "CNPCO TSINGTAO"

北京市特種工藝公司

地 址:北京前門區抄手胡同二號

電報掛號: "PEKARTCO PEKING"

SHANGHAI BRANCH

Address: 16, Chung Shan Road East I, Shanghai Cable Address: "CHINAPROCO SHANGHAI"

TIENTSIN BRANCH

Address: 33, Harbin Road, Tientsin Cable Address: "NCNPC TIENTSIN"

CANTON BRANCH

Address: 282, Ta Teh Road, Canton Cable Address: "PROCANTON CANTON"

TSINGTAO BRANCH

Address: 10, Tientsin Road, Tsingtao Cable Address: "CNPCO TSINGTAO"

PEKING ART AND CRAFT COMPANY

Address: 2, Chiao Shou Hutung, Chienmen District, Peking Cable Address: "PEKARTCO PEKING"

Sanitized Copy Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009-5

# 廣川星群藥厰 中藥製劑商品目録

中國工產出口公司廣州分公司經營出口地址:中國廣州市大德路282號 電話:13966 電報掛號:4333



用渗漉法提煉中藥 Percolation process



蒸餾及蒸發工段 Distillation and evaporation



打 廾 Compressing tablets



製成品在一間中際聯合診所的 調劑室裡使用着. The preparations are used in a dispensary of a Chinese physicians' union clinic.



用數片機數片 Accounting tablets with a tablet counting machine.



研究試驗工作在進行中 Researching



华製品和成品的化驗工作 Examinations of semi-products and preparations.



製 成 品 Preparations



用旋光計檢驗押發油 Examination of essential oil with a polarimeter.



動物試驗 Biological assny

## 中藥製劑 PREPARATIONS I. 流漫膏

	Extracta Liquidus			
品 名 Subject	功效與用途 Actions and Uses	倉削量 Alcohol Content	例 版 Dose	包 装 Supply
大黄流谷音	青珠剂,下海剂	43%	0.5—1.0 cc.	500 cc.
Extract Rhei Liquid.	Bitter, cathartic		(四分/cc.)	100 cc.
川貝母統設官 Ext. Fritillariae Liq.	ılt. ા≨ For cough	41 %	1-4 cc. (一獎/cc.)	100 cc.
川市就設行 Ext. Conioselini Liq.	通經,用于月經 图 舉 及 婚 科 按 息 Emmenagogue, for menstrual and other female complaints	21%	1-4 cc. (-\$\xi /cc.)	250 cc. 100 cc.
川木瓜流泛行	ul: मह्म	18%	2-5 cc.	250 cc.
Ext. Cydonini Liq.	For emesis		(托分/cc.)	100 cc.
正加皮液没行	速 雅 例,用 于 風 湖	21%	1-4 cc.	250 cc.
Ext. Acanthopanacis Liq.	Roborant, for rheumatism		(一缕·cc.)	100 cc.
巴 载 液 浸 行	強 肚 樹, 用 于 性 神 經 哀 弱	18%	1-4 cc.	250 cc.
Ext. Bacopae Liq.	Roborant, for sexual neurasthenia		(一級/cc.)	100 cc.

Sanifized Copy Approved for Release 2010/08/19 CIA-RDP81-01043R000700240009-5



研究試驗工作在進行中 Researching



半製品和成品的化驗工作 Examinations of semi-products and preparations.



製成品 Preparations



用旋光計檢驗揮發油 Examination of essential oil with a polarimeter.



動物試驗 Biological assay

#### 中 葉 製 劑 PREPARATIONS

I. 流 浸 膏

Extracta Liquidus				
品 名 Subject	功效與用途 Actions and Uses	含醇量 Alcohol Content	例 域 Dose	包 装 Supply
大黄流浸膏 Extract Rhei Liquid.	苦味剂,下瀉剤 Bitter, cathartic	43%	0.5—1.0 cc. (四分/cc.)	500 cc.
川貝母流設膏 Ext. Fritillariae Liq.	ıl: □© For cough	41 %	1—4 cc. (一錢/cc.)	100 cc.
川芎液浸膏 Ext. Conioselini Liq.	通經,用于月經困難及歸科疾患 Emmenagogue, for menstrual and other female complaints	21%	1-4 cc, (一錢/cc.)	250 cc.
川木瓜流沒膏 Ext. Cydonini Liq.	此 概 For emesis	18%	2-5 cc. (五分/cc.)	250 cc.
五加皮流浸膏 Ext. Acanthopanacis Liq.	強 壯 劑,用 于 風 選 Roborant, for rheumatism	21%	1-4 cc. (一袋/cc.)	250 cc.
巴戟流泛音 Ext. Bacopae Liq.	強壯州,用于性神經衰弱 Roborant, for sexual neurasthenia	18%	1-4 cc. (一錢/cc.)	250 cc.

品 名 Subject	功效及用途 Actions and Uses	含醇量 Alcohol Content	樹 埴 Dose	包 裝 Supply
火麻仁流设膏 Ext. Seminis cannabis Liq.	級 下 例 Mild cashartic	42%	1-4 cc. (一後/cc.)	250 cc.
甘草流浸膏 Ext. Glycyrrhizae Liq.	緩 和 州 Demulcent	20 %	1—4 cc. (毛分/cc.)	500 cc.
白虎流浸膏 Ext. Atractylis ovatae Liq.	健 胃 Stomachic	27 %	1-4 cc. (一錢/cc.)	250 cc. 100 cc.
白頭翁根流浸膏 Ext. Potentillae Liq.	治痢疾(阿米巴痢) For amebic dysentery	47 %	1-4 cc. (-簽/cc.)	250 cc. 100 cc.
半夏流沒膏 Ext. Pinellae Liq.	止嘌, 止咳 For emesis and cough	19%	0.5-2.0 cc. (一發/cc.)	250 сс.
肉 襚 蓉 流 沒 膏 Ext. Cistanches Liq.	強影劑,用于精溢及月經困難 Roborant, for spermatorrhoea and menstrual difficulties	18%	1-4 cc. (一级/cc.)	250 cc 100 cc
何首島流沒膏 Ext. Polygoni multifori Liq.	強 別 例,用于月經 困 離 及 腹 瀉 Roborant, for menstrual difficulties and diarrhoea	31 %	1—3 cc. (—錢/cc.)	500 cc
佛手流浸膏 Ext. Citri medicae Liq.	祛痰、健胃、下气 Expectorant, stomachic, carminative	18 %	1—3 cc. (一錢/cc.)	500 cc

				. 3 .
品 名 Subject	功效及用途 Actions and Uses	含剂量 Alcohol Content	利 油 Dose	包 装 Supply
使 君 子 流 接 膏 Ext. Quisgualis Liq.	縣 虫,治 ቃ 虫 Anthelmintic, for round worm		1-8 cc. (五分/cc.) (海歲 1 cc.)	500 cc.
郁李仁流授膏 Ext. Pruni japonicae Liq.	緩瀉,利尿 Mild cathartic, diuretic	18%	l-4 cc. (一錢/cc.)	250 cc.
枳壳流没膏 Ext. Poncini corticis Liq.	社 货, 利 尿, 健 胃 Expectorant, diuretic, stomachic	18%	0.5-2.0 cc. (一镂/cc)	500 cc.
枳實流浸膏 Ext. Poncini fructus Liq.	袪痰,利尿,健胃 Expectorant, diuretic, stomachic	18%	0.5—2.0 cc. (一錢/cc.)	250 cc.
柏子仁流浸膏 Ext. Thujae seminis Liq.	颔 静 樂 Sedative	18%	0.5—2.0 cc. (—錢/cc.)	250 сс. 100 сс.
枸 杞 子 流 浸 膏 Ex'. Lycii Liq.	強 壯 樂 Roborant	18%	1-4 cc. (一錢/cc.)	250 cc.
香附流 浸膏 Ext. Cyperes Liq.	通 經, 鎮 瘡 Emmenagogue, analgesic	22%	1—3 cc. (一艘/cc.)	250 сс.
桔梗流没膏 Ext. Platycodi Liq.	袪 援 Expectorant	50%	2-5 cc. (五分/cc.)	500 cc.

Sanifized Copy Approved for Release 2010/08/19 CIA-RDP81-01043R000700240009-5

品 名 Subject	功效與用途 Actions and Uses	含醇量 Alcohol Content	例 版 Dose	包 裝 Supply
金 卑 市 流 浸 膏 Ext. Leonuri Liq.	用于產後子宮出血及歸科疾患 For postpartum hemorrhage and other female complaints	17%	1—4 cc. (一錢/cc.)	500 cc. 100 cc.
益智仁流浸膏 Ext. Zingiberis nigri seminis Liq.	強 壯,刺 激 Roborant, stimulant	43%	0.5-2.0 cc. (一錢/cc.)	250 cc. 100 cc.
斯貝母流設膏 Ext. Fritillariae (Xi-pei) Liq.	此 場 For cough	41 %	1—4 cc. (一發/cc.)	500 cc.
高良羌流浸膏 Ext. Galangae Liq.	健 胃 Stomachic	42 %	1-2 cc. (-鍰/cc.)	250 cc. 100 cc.
陳皮液浸膏 Ext. Citri corticis Liq.	祛痰,鱧胃 Expectorant, stomachic	53%	0.5—1.5 cc. (一錢/cc.)	250 cc.
麻黄液没肯 Ext. Ma-Xuang Liq.	此 哮喘,發汗 For asthma and diaphoretic	55%	1−2 cc. (一號/cc.)	500 cc 100 cc
黄蓍液浸膏 Ext. Astragali Liq.	強 ी、利 床 Roborant, diuretic	18%	1-4 cc. (一發/cc.)	250 cc
常丸流浸膏 Ext. Omphaliae Liq.	羅 蠑 虫 Anthelmintic for tape worms	16%	15 cc.	100 cc

				. 5
師 名 Subject ·	功效與用途 Actions and Uses	含醇量 Alcohol Content	利 量 Dose	包 製 Supply
舊歸流浸膏 Ext. Tang-kwei Liq.	通 經,強 壯 Emmenagogue and roborant	38%	2-8 cc. (元分/cc.)	500 cc.
選 志 流 没 答 Ext. Polygalae Liq.	往 褒 Expectorant	40%	0.5-2.0 cc. (一從/cc.)	500 ec.
香 龙 流 没 膏 Ext. Atractylodes Liq.	健 胃,驅 風,利 尿 Stomachic, carminative and diuretic	43%	1-4 cc, (一錢/cc,)	250 cc. 100 cc.
酸聚仁流浸膏 Ext. Zizyphi seminis Liq.	鎮 靜,治 失 眠 Sedative, for agrypnia	18%	1-4 cc. (一餐/cc.)	250 cc. 100 cc.
劉 寄 奴 流 浸 膏 Ext. Solidago Liq.	ılt. m∫u Hemostatic	20%	2—5 cc. (五分/cc.)	250 сс. 100 сс.
廣木香流浸膏 Ext. Saussureae Liq.	健 胃,宣 氣,止 痛 Stomachic, carminative, analgesic	27%	0.5—1.5 cc. (一錢/cc.)	250 сс.
獨活流沒膏 Ext. Angelicae grosserratae Liq.	解 熟,止 箱 Antipyretic, analgesic	21%	1-3 cc. (一錢/cc.)	250 сс.
羌活流浸膏 Ext. Angelicae sylrestridis Liq.	發 汗,解 熱 Diaphoretic, antipyretic	43%	0.5-2.0 cc. (-\$\%/cc.)	500 cc.

品 名	功效與用途 Actions and Uses	含醇量 Alcohol Content	州 遺 Dose	包 裝 Supply
Subject 鬱金流淺管 Ext. Curcumae longae Liq.	健胃, 宣氣, 通 經 Stomachic, carminative, emmenagogue	43%	1—4 cc. (一後/cc.)	250 cc. 100 cc.
		1		
		. 84		-
manufacture () 419				-

### II. 漫 膏 溶 液

#### Soluta Extractorum

品 名 Subject	功效與用途 Actions and Uses	含醇量 Alcohol Content	州 景 Dose	包 裝 Supply
山茱萸浸膏溶液	強壯、收斂,用於神經衰弱、遺精		2-6 cc.	500 cc.
Ext. Corni Solutum	Tonic, astringent for neurasthenia and night emission		(五分/cc.)	100 cc.
山梔子浸膏溶液 Ext. Gardeniae floridae Solutum	消炎、解熱,用於 咸 冒 發 熱、胃 腸 炎 Antiphlogistic, antippretic for common cold and gastro-enteritis		2—6 cc. (五分/cc.)	500 cc.
山楂浸膏溶液	能 胃		1-3 cc.	500 cc.
Ext. Crataegus Solutum	Stomachic		(一錢/cc.)	100 cc.
大小蓟浸膏溶液	利 尿, 止 血, 解 熱		2—8 сс.	
Ext. Cirsii spicati Solutum	Diuretic, hemostatic, antipyretic		(五分/cc.)	250 cc.
大棗浸膏溶液	強壯劑		2-6 cc.	500 cc.
Ext. Zizyphi vulgaris Solutum	Roborant	1	(五分/cc.)	100 cc.
川草藍浸膏溶液	利尿,用於風溫病者		1-4 cc.	500 cc.
Ext. Dioscoreae tokoro Solutum	Diuretic, for rheumatism	12%	(一錢/cc.)	100 cc.

Sanifized Copy Approved for Release 2010/08/19 . CIA-RDP81-01043R000700240009-5

品 名	功效與用途 Actions and Uses	含醇量 Alcohol Content	例 员 Dose	包 裝 Supply
Subject			0.5-2 cc.	500 cc.
三稜港膏溶液	通 輕,鎮 箱 Emmenagogue, analgesic	12%	(錢/cc.)	100 cc.
Ext. Scirpi maritimi Solutum	The second section is a second		1-3 cc.	500 cc.
女贞子没膏溶液	強 址 州 Tonic		(一錢/cc.)	100 cc.
Ext. Ligustri lucidi Solutum			2-8 cc.	500 cc.
士茯苓沒膏溶液	變 實 樂, 用 於 梅 蒂 選 婚 Alterative, used for Syphilid		(五分/cc.)	100 cc
Ext. Smilacis chinae Solutum			2-8 cc.	500 c
天多陵膏溶液	滋養強計,用於聚弱熱病之咳痰無力及口虧舌燥 Dietetic roborant, for febrile diseases with weakness and dryness of tongue and mouth	1	(五分/cc.)	100 c
Ext. Asparagi lucidi Solutum			1-3 cc.	250 c
天麻没膏溶液	鎮痛解壞,用於咸冒性或神經性頭痛,頭暈,痙攣 Analgesic and antispasmodic for neuritic headache and dizziness due to cold		(一镂 cc.)	100 c
Ext. Gastrodiae elatae Solutum	健胃、止痛,用於胃痛、腹部冷峻、消化不良		0.5-2 cc.	500 c
天台島難禮音溶液	能官、止痛,用於目標、或品牌及 Stomachic tonic, anodyne, for stomachalgia, abdominal coldness and digestive disturbances.	12%	(一錢/cc.)	100
Ext. Linderae strychnifoliae Solutum			1-4 cc.	500
牛藤浸膏溶液	神経炎之鎮痛消炎藥, 並治月經困難 Analgesic and antiphlogistic, for neuritic used for difficult menstruation	16%	(一發/cc.)	100
Ext. Achyranthei bidematae Solutum		-	2-8 cc.	250
元 参 後 各 溶 液 Ext. Scrophulariae Solutum	利 尿, 強 射, 及 恢 復 利 Diuretic, tonic and restorative		(五分/cc.)	100

品 名 Subject	功效與用途 Actions and Uses	含醇量 Alcohol Content	利 量 Dose	包 装 Supply
丹皮投作溶液 Ext. Paeoniae moutan radicis Solutum	治神經病,出血,頭流,月經困難 For nervous disorders, hemorrhage, headache, difficult menses	12%	2-6 cc. (五分/cc.)	500 cc.
王不留行技育溶液 Ext. Saponariae vaccariae Solutum	通 經,催 乳 Emmenagogue, and milk-secretion promotor		2-6 cc. (:1i 分/cc.)	500 cc.
自 芍 没 洿 溶 液 Ext. Paeoniae albiflorae Solutum	鎮 痛,利 尿 Anodyne, diuretic	12%	2—8 cc. (五分/cc.)	250 cc.
白芷设育溶液 Ext. Heraclei lanati Solutum	感冒頭痛及治經痛 For common cold, headache, painful menses	12%	0.5—2 cc. (一級/cc.)	500 cc.
自前浸膏溶液 Ext. Cynanchi japonici Solutum	鎮暖,治支氣管炎及肺結核之咳嗽 Anticough in bronchitis and tuberculosis		1—3 cc. (一錢/cc.)	500 cc.
白薇设育溶液 Ext. Cynachi atrati Solutum	解熱,利 旅 Antipyretic, diuretic		2-6 cc. (北分/cc.)	500 cc.
石菖蒲浸膏溶液 Ext. Acori graminei Solutum	能胃,黑瓜 Stomachic tonic, carminative		2-5 cc. (五分/cc.)	250 cc.
瓜 藍 仁 漫 膏 溶 液 Ext. Trichosanthes seminis Solutum	往振,緩下,鎮咳 Expectorant, emollient, anticough	12%	1-3 cc. (一般/cc.)	250 cc.

Sanitized Copy Approved for Release 2010/08/19 CIA-RDP81-01043R000700240009-5

品 名	功效與用途 Actions and Uses	含醇量 Alcohol Content	利 量 Dose	包 裝 Supply
Subject	通 經,饋 痛	12%	0.5-2 cc.	500 cc.
三稜浸膏溶液 Ext. Scirpi maritimi Solutum	Emmenagogue, analgesic		(錢/cc.)	500 cc.
女贞子浸膏溶液	強 壯 網 Tonic		( <b>一</b> 鍐/cc.)	100 cc.
Ext. Ligustri lucidi Solutum			2-8 cc.	500 cc.
土茯苓浸膏溶液	變 質 樂, 用 於 梅 澤 惠 掩 Alterative, used for Syphilid		(五分/cc.)	100 cc
Ext. Smilacis chinae Solutum	滋養強壯,用於衰弱熱病之咳痰無力及口乾舌燥		2-8 cc.	500 co
天多漫膏溶液	遊養強壯,用於於朝熱州之及成熟 Dietetic roborant, for febrile diseases with weakness and dryness of tongue and mouth		(五分/cc.)	100 ce
Ext. Asparagi lucidi Solutum	鎮痛解瘦,用於咸冒性或神經性頭痛,頭暈,痙攣		1-3 cc.	250 c
天麻搜膏溶液	鎮涌序型,用於政旨性級等學程度 Analgesic and antispasmodic for neuritic headache and dizziness due to cold		(一發/cc.)	100 c
Ext. Gastrodiae elatae Solutum	健胃、止痛,用於胃痛、腹部冷域、消化不良		0.5-2 cc.	500 c
天台島藥浸膏溶液	Stomachic tonic, anodyne, for stomachalgia, abdominal coldness and digestive disturbances.	12%	(一錢/cc.)	100 c
Ext. Linderae strychnifoliae Solutum	神經炎之鐵痛消炎藥,並治月經困雜		1-4 cc.	500 0
牛膝浸膏溶液	神經炎之鎮州田安宗 s. a. Translation  Analgesic and antiphlogistic, for neuritic used for difficult menstruation	16%	(一键/cc.)	100 c
Ext. Achyranthei bidentatae Solutum			2-8 cc.	250
元參沒膏溶液	利尿,強壯,及恢復剂 Diuretic, tonic and restorative		(五分/cc.)	100

品 名 Subject	功效與用途 Actions and Uses	含醇量 Alcohol Content	劑 量 Dose	包 裝 Supply
丹皮浸膏溶液 Ext. Paeoniae moutan radicis Solutum	治神經病,出血,頭痛,月經困難 For nervous disorders, hemorrhage, headache, difficult menses	12 %	2-6 cc. (五分/cc.)	500 cc.
王不留行泛膏溶液 Ext. Saponariae vaccariae Solutum	通 經,催 乳 Emmenagogue, and milk-secretion promotor		2—6 cc. (五分/cc.)	500 cc.
白芍浸膏溶液 Ext. Paeonjae albiflorae Solutum	鎮 痛,利 尿 Anodyne, diuretic	12%	2—8 cc. (五分/cc.)	250 cc.
白芷沒育溶液 Ext. Heraclei lanati Solutum	越冒頭痛及治經痛 For common cold, headache, painful menses	12%	0.5—2 cc. (一锭/cc.)	500 cc.
白前浸膏溶液 Ext. Cynanchi japonici Solutum	鎮暖,治支氣管炎及肺結核之咳嗽 Anticough in bronchitis and tuberculosis		1-3 cc. (一缕/cc.)	500 cc.
白 薇 没 宵 溶 液 Ext. Cynachi atrati Solutum	解 熱,利 尿 Antipyretic, diuretic		2-6 cc. (五分/cc.)	500 cc.
石菖蒲浸膏溶液 Ext. Acori graminei Solutum	继 胃,騙 風 Stomachic tonic, carminative		2-5 cc. (五分/cc.)	250 cc.
瓜 蓑仁 浸 膏 溶 液 Ext. Trichosanthes seminis Solutum	柱 疾,緩 下,鎮 咳 Expectorant, emollient, anticough	12%	1-3 cc. (一錢/cc.)	250 cc.

品 名	功效與用途 Actions and Uses	含醇量 Alcohol Content	例 量 Dose	包 裝 Supply
Subject			2-8 cc.	500 cc.
瓜蟹皮浸膏溶液	解 熱, 鎮 咳, 祛 痰, Antipyretic, anticough, expectorant		(五分/cc.)	100 cc.
Ext. Trichosanthes corticis Solutum			4-8 cc.	500 cc.
冬瓜仁 浸膏溶液	消炎、緩下,用於腎臟炎、支無管炎 Antiphlogistic, emollient, for nephritis and hypochitis	12%	(五分/cc.)	100 cc.
Ext. Benincasae seminis Solutum		1	2-8 cc.	500 cc.
<b>压竹砂膏溶液</b>	滋養強壯,治結棲病及消耗熱之煩 渦 咳嗽 Dietetic tonic, for tuberculosis and hacking cough	1	(五分/cc.)	100 cc.
Ext. Polygonati officinale Solutum	高熱、心臟亢奮時用為滋養解熱劑		2-8 cc.	500 cc.
生地 黃 淩 裔 溶 液 Ext. Rehmanniae glutinosae (Shan-ti)	高熱、心臓儿質時用加速などが Tonic and antipyretic for fever and cardiac excitement		(右分/cc.)	100 cc.
Solutum	止血、收斂、治腸炎、腸出血、月經過多	1	1-3 cc.	250 cc
地權浸膏溶液	Hemostatic, astringent, for intestinal hemorrhage		(一錢/cc.)	
Ext., Sanguisorbae officinalis Solutum	The second section is a first property of the second section in the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the section		1-3 cc.	500 cc
百部沒膏溶液	鎮 咳 袪 康, 用 於 支 氣 管 类 Anticough, expectorant, for bronchitis	12%	(一級/cc.)	100 co
Ext. Stemonae japonicae Solutum	發行、鎮塵,用於歐胃發熱		2-8 cc.	500 c
防風發膏溶液	Diaphoretic, antispasmodic, antipyretic in catching cold.		(五分/cc.)	100 c
Ext. Siler divaricati Solutum	滋補	1	1-3 cc.	500 c
防黨 磐 浸 膏 溶 液 Ext. Campanumaeae pilosulae Solutum	The size		(—錢/cc.)	100 c

				- 11 -
品 名 Subject	功效與用途 Actions and Uses	含醇量 Alcohol Content	劑 量 Dose	包 装 Supply
谷精草浸膏溶液 Ext. Eriocaulon Solutum	治屬頭緒與一般性頭痛,亦可治療角膜漏濁 Used in hemicrania and other headaches, also for opacity of cornea.		I −3 cc. (一畿/cc.)	250 cc. 100 cc.
吳茱萸浸膏溶液 Ext. Evodiae rutaecarpae Solutum	慢性消化不良、胃腸衰弱用禽類吐淀胃藥,胃腸性症 新禽類維藥 Anti-vomitting, stomachic tonic for chronic indiges- tion, and analgesic for gastro-intestinal colics.	12%	0.5 - 2 cc. (一錢/cc.)	500 cc.
皂角刺浸膏溶液 Ext. Gleditschiae Solutum	社赛、排股,外科用作消炎解毒 Expectorant, pus-drainage and as antiseptic in surgery.		1-2 cc. (一號/cc.)	500 cc.
赤 芍 浸 膏 溶 液 Ext. Paeoniae Solutum	解熱、消炎、利尿、並用為月經痛的鎮痛劑 Antipyretic, antiphlogistic, diuretic and analgesic for dysmenorrhea	12%	2-8 cc. (五分/cc.)	500 cc.
杜仲浸膏溶液 Ext. Euonymi ulmoides Solutum	遊養、強壯、鎮靜,用於靜經衰弱,腰痛及高血暖 Tonic and sedative, used for neurasthenia lumbago and hypertension		0.5-2.0 cc. (一錢/cc.)	250 cc.
延胡索浸膏溶液 Ext. Corydalis Solutum	鎮痛劑,用於胃腸神經痛、經痛 Analgesic, used for gastro-intestinal neuritic pain and dysmenorrhea	12%	1-3 cc. (一級/cc.)	250 cc. 100 cc.
旱蓮草没膏溶液 Ext. Ecliptae albae Solutum	收 飲,止 血 Astringent, hemostatic		1—4 cc. (→錢/cc.)	250 cc.
忍多藤浸膏溶液 Ext. Lonicerae Solutum	宿 炎,解 熟 Antiphlogistic, antipyretic		2-8 cc. (五分/cc.)	500 cc.

名 稱		含醇量 Alcohol Content	例 量 Dose	包 装 Supply
Subject 金銀花设育溶液	解熱、消炎,用于腸胃炎,瘡瘍		2-8 cc.	500 cc.
Ext. Lonicerae foliae Solutum	Antipyretic, antiphlogistic as in gastro-enteritis, and ulcers		(五分/cc.)	100 cc.
金狗脊疫脊溶液	強壯劑,並治風濕性關節疼痛	12%	2-8 cc.	100 cc.
Ext. Ciboti Solutum	Tonic, and used for rheumatic articular pain	-	(五分/cc.)	
金櫻子沒膏溶液	收 斂,利 尿		2-8 cc.	250 cc
Ext. Rosae laevigatae Solutum	Astringent, diuretic		(五分/cc.)	500 cc
枇杷葉沒膏溶液	祛痰、鎮咳,治急慢性支氣管炎之咳嗽氣促者		1-3 cc。 (一錢/cc.)	100 cc
Ext. Eriobotryae Solutum	Expectorant, anticough as in bronchitis		2-6 cc.	500 cc
知母没膏溶液	解熱、鎖靜、利尿		(五分/cc.)	100 cc
Ext. Anemarrhenae Solutum	Antipyretic, sedative, diuretic		2-6 cc.	500 cc
佩關沒膏溶液 Ext. Supatcrii Solutum	發汗、解熱,用于頭痛,及去惡臭气 Diaphoretic, antipyretic as headache and foul breath	1	(五分/cc.)	100 c
青蒿没行溶液	解熱、發汗,用于各種熱性病及肺結核之發熱	i	2-8 cc	250 c
Ext. Artemisiae apiaceae Solutum	Antipyretic, diaphoretic for febrile diseases and feve due to pulmonary tuberculosis	-	(五分/cc.)	100 c
附子沒資溶液	與喬強壯及治腹痛、關節風濕痛	12%	1-4 cc.	250 c
Ext. Aconiti Solutum	Stimulant, tonic, for bellyache and rheumatic	1 3-70	(一錢/cc.)	100

				- 13
品 名 Subject	功效與用途 Actions and Uses	含醇量 Alcohol Content	劑 量 Dose	包 岁 Supply
明 黨 (壽 克) 浸 膏 溶 液 Ext. Adenophorae Solutum	社壞,用于急性氣管炎、咽喉炎及傷風咳嗽多痰 Expectorant for acute bronchitis, pharyngitis and cough with expectoration		l — 4 cc。 (一後/cc。)	500 cc.
骨碎補設膏溶液 Ext. Polypodii fortunei Solutam	治外傷痛,骨折傷,運動神經嫌痛 Troumatic pain, bone fracture, motor neuroplegia		1-4 cc. (一袋/cc.)	250 cc. 100 cc.
苦學 泛青 溶 被 Ext. Sophorae Solutum	利 尿、解 熱,治 發 熱、黃 疸、痢 疾 Diuretic, antipyretic, and for jaundice, dysentery		2-6 cc. (五分/cc.)	500 cc. 100 cc.
前 胡 浸 膏 溶 液 Ext. Peucedani Solutum	鐵 暖, 祛 摄 Expectorant, for cough	12%	2-8 cc. (五分/cc.)	500 cc.
胆 离 星 没 膏 溶 被 Ext. Arisaemae Solutum	祛痰、鎮痙,適用干咳嗽氣喘 Expectorant, antispasmodic, and used for asthma and cough	1236	2-6 cc. (右分/cc.)	250 cc. 100 cc.
茅根 浸膏 溶液 Ext. Imperatae Solutum	清 熟,利 小 便 Antipyretic, diuretic		2-8 cc. (元分/cc.)	500 cc.
紅花沒膏溶液 Ext. Carthami Solutum	鎮靜, 變質, 調經, 消散剂 Sedative, alterative, emmenagogue, discutient	12 %	1-4 cc. (五分/cc.)	250 cc.
紅條紫草浸膏溶液 Ext. Lithospermi Solutum	消毒,用于麻疹及恶猪 Antiseptic for measles and ulcer		2-8 cc.	500 cc.

Sanitized Copy Approved for Release 2010/08/19 CIA-RDP81-01043R000700240009-5

品 名	功 效 與 用 途 Actions and Uses	含醇量 Alcohol Content	利 量 Dose	包 裝 Supply
Subject	止血, 淯 犇, 縣 風		2-6 cc.	250 сс.
新艾浸膏溶液	Hemostatic, antiseptic, carminative		(五分/cc.)	100 cc.
Ext. Artemisiae Solutum	發汗、鎮痛、利尿、治風濕關節痛、神經痛、外傷痛		1 3 cc.	250 сс.
威强仙没膏溶液	發汗、鎮痛、利尿、治風濕腳即加、 Diaphoretic, analgesic and diuretic, used for articu- lar rheumatism, neuralgia and pain of injured area	12%	(一錢/cc.)	100 cc.
Ext. Clematis Solutum			2-6 cc.	500 cc.
前杏浸膏溶液	鎖 咳,潤 肺 For cough	12%	(五分/cc.)	100 cc.
Ext. Armeniacae (Nan Xing) Solutum		-	1-3 cc.	500 cc
草决明浸膏溶液	清炎,治 脹 病 Antiphlogistic for diseases of eye		(一錢/cc.)	100 cc
Ext. Cassiae torae Solutum		-	2-6 cc.	250 cc
荆芥浸膏溶液	治療發熱,頭痛 For fever, headaches		(五分/cc.)	100 ce
Ext. Nepetae Solutum		-	1-4 cc.	500 c
裝 蔚 子 没 齊 溶 液	適用於發熱, 月經過多, 產後出血 For fever, menorrhagia, post-partum hemorrhage	12%	(一錢/cc.)	100 c
Ext. Leonuri sibirici Solutum	The second secon		1-3 cc.	250 c
海金砂港青溶液	利尿,防結石,鐵靜 Diuretic, antilithiatic, sedative	12%	(五分/cc.)	100 c
Ext. Lygodii japonici Solutum	治器亂,赤白塌,疥癣及牙痛		2-6 сс.	500 0
海桐皮没膏溶液 Ext. Erythrinae Solutum	管理 就, 所 日 %, 50 For cholera, dysentery, scabies taenia infection and toothache	. !	(五分/cc.)	100

品 名 Subject	功效與用途 Actions and Uses	含醇量 Alcohol Content	州 址 Dose	包 裝 Supply
海藻浸膏溶液 Ext. Sargassi Solutum	消炎,變質,治頸淋巴蒜腫,一般炎腫 Antiphlogistic, alterative, used for common inflammation	12%	2-8 cc. (右分/cc.)	500 cc. 100 cc.
桑葉禮膏溶液	利 尿, 簽 汗, 解 熱		1-4 cc.	500 cc.
Ext. Mori foliae Solutum	Diuretic, diaphoretic, antifebrile		(一發/cc.)	100 cc.
桑白皮漫術溶液	消炎、鎮咳、利尿,治療支氣管炎之咳嗽痰多,氣喘 Antiphlogistic, anticough, diuretic, used for cough	,	2—8 сс.	500 ec.
Ext. Mori corticis radicis Solutum	of bronchitis	1 1	(五分/cc.)	100 cc.
桑寄生浸膏溶液	強 壯,鎮 靜		2-8 cc.	500 cc.
Ext. Loranthi Solutum	Tonic, sedative	12%	(五分/cc.)	100 cc.
桑枝浸膏溶液	袪 風,通 絡,治 關 節 痛		2-8 cc·	500 cc.
Ext. Mori ramuli Solutum	Anodyne, and for arthralgia		(五分/cc.)	100 cc.
秦皮没膏溶液	治卡他性發熱及炎脹		1-3 cc.	250 сс.
Ext. Fraxini bungeanae Solutum	For catarrhal fever, inflamed eyes	12%	(一錢/cc.)	100 cc.
秦艽浸膏溶液	鐵 痛, 用 於 風 濕 痛	·····	2-8 cc.	500 cc.
Ext. Justiciae Solutum	Analgesic for rheumatic pain	12%	(五分/cc.)	100 cc.
神精浸膏溶液	健 胃, 消食		1-4 cc.	500 cc.
Ext. Spiritleavenis Solutum	Stomachic tonic	21%	(一發/cc.)	100 cc.

Sanifized Copy Approved for Release 2010/08/19 CIA-RDP81-01043R000700240009-5

品 名	功效與用途	含醇量 Alcohol	州 債 Dose	包 装 Supply
Subject	Actions and Uses	Content	1-3 cc.	500 cc.
烏梅浸膏溶液	解熱,健胃		(五分/cc.)	100 cc.
Ext. Pruni mume Solutum	Antipyretic, stomachic tonic		1-4 cc.	500 cc.
樂 胡 接 膏 溶 液 Ext. Bupleuri Solutum	解 熟 Antipyretic		(一錢/cc.)	100 cc.
桃仁沒行溶液	通 經,鎮 垓 Emmenagogue, anticough	12%	2-5 cc. (五分/cc.)	500 cc.
Ext. Persicae seminis Solutum 夏枯草没育溶液 Ext. Brunellae Solutum	消炎,解毒,利尿,用于淋巴腺發炎,目痛 Antiphlogistic, diuretic in lymphadenitis, optic pain		1 - 4 cc. (一發/cc.)	250 cc.
浮小麥浸膏溶液 Ext. Tritici sativi leve Solutum	止 汗, 退 康 熱, 生 津 Antidiaphoretic, antipyretic, salivant		2-8 cc. (五分/cc.)	250 cc.
麥冬沒膏溶液 Ext. Liriope Solutum	為 鎮 嚎, 袪 振, 緩 和 滋 養 稍 Anticough, expectorant, tonic		1-4 cc. (一毅/cc.)	100 cc
侧柏葉沒膏溶液 Ext. Thujae Solutum	用作婦人血崩及吐觀之止血藥 Hemostatic for menorrhagia and hemoptysis		1—3 cc. (—發/cc.)	250 cc
雅 苓 浸 膏 溶 液 Ext. Pachmae Solutum	利 尿 Diuretic		1-4 cc. (一錢/cc.)	500 ce

品 名 Subject	功·敦 與 用 途 Actions and Uses	含醇量 Alcohol	州 量	包装
ale de la	Actions and Uses	Content	Dose	Supply
麻黄根没膏溶液	止 汗、用 於 自 汗、鉴 汗		1-4 cc.	500 cc.
Ext. Ephedrae radicis Solutum	Antidiaphoretic, for night-sweat	12%	(一錠/cc.)	100 cc.
淡豆豉浸膏溶液	後 汗		2-8 cc.	500 cc.
Ext. Bean velish Solutum	Diaphoretic		(五分/cc.)	100 cc.
淡 竹 葉 浸 膏 溶 液	解熱,利尿		2-8 cc.	250 сс.
Ext. Lophatheri Solutum	Antifebrile, diuretic		(五分/cc.)	100 cc.
程羊帶浸膏溶液	奥香強壯,治神經衰弱性之陽養、健忘、足部無力等		1-4 cc.	250 сс.
Ext. Epimedii Solutum	Tonic, for impotency due to neurasthenia, and lack of strength of feet, etc.	12%	(一發/cc.)	100 ec.
黄柏浸膏溶液	消炎,解熱,健胃		1-3 cc.	250 сс.
Ext. Phellodendron Solutum	Antiphlogistic, antipyretic, stomachic tonic		(一錢/cc.)	100 cc.
黄速浸膏溶液	健胃、解熱、消炎,可治赤痢、腸炎、眼結膜炎等 Stomachic tonic, antipyretic, antiphlogistic, and for		1-4 cc.	250 cc.
Ext. Coptis Solutum	bacillary dysentery, enteritis, and conjunctivitis of eye, etc.		(-38/cc.)	200 cc.
蒐絲子技膏溶液	強 壯、收 獻, 用 於 性 神 經 袞 弱		1-4 cc.	250 сс.
Ext. Cuscutae Solutum	Tonic, astringent, for sexual neurasthenia			
莱菔子浸膏溶液	健胃,祛痰		(一錠/cc.)	100 cc.
Ext. Raphani Solutum			1-4 cc.	500 cc.
	Stomachic, expectorant		(一錢/cc.)	100 cc.

Sanitized Copy Approved for Release 2010/08/19 CIA-RDP81-01043R000700240009-5

iii 名 Subject	功效與用途 Actions and Uses	含醇量 Alcohol Content	科 量 Dose	包 装 Supply
菊花浸膏溶液	治頭痛,炎眼 For headaches, inflamed eyes		2-8 cc. (五分/cc.)	500 cc.
Ext. Chrysanthemi Solutum 補背脂浸膏溶液 Ext. Psorateae Solutum	強 牡 樹, 治 莨 弱 症 Tonic for weakness	12%	1—4 cc. (一錢/cc.)	500 cc.
約 藤 禄 仟 溶 液	治小兒波胃發熱,態額抽搐 Used in infantile fevers and the nervous disorders of children		1-4 cc. (一錢/cc.)	250 cc
數多花沒膏溶液 Ext. Tussilago farfarae Solutum	錄暖,往獲用於中風,務暖,氣喘等 Anticough, expectorant, for apoplexy, phthisis coughs, and asthma, etc.		2-6 cc. (五分/cc.)	500 cc
常見受作常被 Ext. Aster tatarici Solutum	赛 咳、祛 痰 Anticough, expectorant	10%	2-8 cc. (五分/cc.)	500 cc
葉花地丁浸膏溶液 Ext. Violae Solutum	治審疽疗આ,頭部淋巴腺結核 For carbuncle, scrofula		2—8 cc. (五分, cc.)	500 c
紫蘇葉沒齐溶液 Ext. Perillae frutescens foliae Solutum	往 褒 语,解 熟 Expectorant, diaphoretic, antipyretic	12%	2-6 cc. (五分/cc.)	500 c
為根於许溶液 Ext. Puerariae Solutum	止 渴、解 熱,止 吐 Thirst-relieving, antipyretic, antiemetic		l—4 cc. (一雙/cc.)	500 c

				· 19 ·
品 名 Subject	功效及用途 Actions and Uses	合酵量 Alcohol Content	州 遺 Dose	包 装 Supply
茵陳没膏溶液 Ext. Artemisiae capillaris Solutum	利尿,消炎,治腸胃炎性之黃疸病 Diuretic, antipyretic, for jaundice in gastroenteritis	10%	1-4 cc.	500 cc.
葦 菫 褄 膏 溶 液 Ext. Phragmitis Solutum	解 熱,利 ki Antipyretic, diuretic	_	2-8 cc. (:fi.分/cc.)	500 cc.
稀 簽 草 按 青 裔 液 Ext. Siegesbeckiae herbae Solutum	徒風溫,及作癥瘍藥 Antirheumatic, and as a mild stimulant in ulcers		2-6 cc. (近分/cc.)	500 cc.
銀柴胡浸膏溶液 Ext. Bupleuri sacchalinense Solutum	解 熱,生 津 Antipyretic, salivant		2-8 cc. (五分/cc.)	500 cc.
澤蘭 没 宵 溶 液 Ext. Eupatorii Solutum	治月經囲難,小腹脹痛 For difficult menstruation		2-6 cc. (五分/cc.)	500 cc.
關沙苑(沙苑羨綦)浸音溶液 Ext, Guan-sha-yan Solutum	強 壯 樹, 用 於 性 神 絕 衰 弱 Tonic for sexual weakness		1-4 cc. (一發/cc.)	500 cc.
熟地黄凌膏溶液 Ext. Rehmanniae glutinosae Solutum	強 壯 Tonic		2-8 cc. (五分/cc.)	500 cc.
薤白浸膏溶液 Ext. Allii bakeri Solutum	為和緩性祛痰劑,健胃 Weak expectorant; stomachic tonic	1236	2-8 cc. (元分/cc.)	250 cc. 100 cc.

包 装 Supply

500 cc.

100 cc.

500 cc.

100 cc.

劑 揖 Dose

1-4 cc.

(一錢/cc.)

(五分/cc.)

2-8 cc. (五分/cc.)

含醇量 Alcohol Content 鎮咳 能利業沒濟溶液 Anti cough Ext. Lung-li-yeh Solutum 發 汗、鎮 痛, 用 於 傻 麻 質 斯 缩 葉本港膏溶液 Diaphoretic, analgesic, for rheumatic pain

• 20 •

250 сс. 1-4 cc. 100 cc. (五分/cc.) Ext. Ligustici sinense Solutum 500 cc. 2-8 cc. 利尿,用於水脈、淋病 瞿麥沒膏溶液 100 cc. (五分/cc.) Diuretic, for edema, gonorrhea Ext. Dianthi chinensis Solutum 2-6 cc. 250 сс. 強 壯、鎮 痛, 用 於 關 節 性 風 濕 痛 納斯浸膏溶液 100 cc. (毛分/cc.) Tonic, analgesic, for articular rheumatism pain Ext. Dipsaci Solutum 2-8 сс. 500 cc. 利尿,用於腹瀉 雞蛋花浸膏溶液 100 cc. Diuretic, for diarrhea (五分/cc.) Ext. Chi-dan-xua Solutum 500 cc. 2-8 cc. 健胃、退熱,用於結核性病熱 糯稻根浸膏溶液 (五分/cc.) 100 cc. Stomachic, antipyretic, for tuberculosis fever Ext. Oryzae glutinosae radicis Solutum 用於胃痛,產後積血,月經不調 For gastrodynia, retention of blood in postpartum, 2-6 cc. 500 cc. 蘇木浸膏溶液 100 cc.

功效與用途 Actions and Uses

Ext. Caesalpiniae sappan Solutum	and irregular of menses
藿香浸膏溶液 Ext. Kogostemon Solutum	健胃、養育、用於急性胃腸炎之消化不良 Stomachic, stimulant, for dyspepsia of acute gastro-enteritis

品 名 Subject	功效奥用途 Actions and Uses	含醇量 Alcohol Content	劑 量 Dose	包 \$ Supply
遺根浸膏溶液 Ext. Phragmites radicis Solutum	利 尿,解 熱,消 炎,清 凉 Diuretic, antipyretic, antiphlogistic, temperantia		2−8 cc. (Æ∱/cc.)	500 cc. 100 cc.
				0
		-		
		-	-	

#### III. 酊 劑 TINCTURAE

品 名 Subject	功效與用途 Actions and Uses	含醇量 Alcohol Content	例 量 Dose	包 弘 Supply
丁香町 Tinctura Caryophylli			0.5-2 cc. (一钱/cc.)	500 cc.
五味子們 Tinctura Schlzandrae	用於高血壓 For hypertension	42 %	0.5−1 cc. (三分/cc.)	250 cc. 100 cc.
白芥子町 Tinctura Sinapis albae	袪痰,健胃 Expectorant, stomachic tonic	41%	1-3 cc. (三分/cc.)	250 cc. 100 cc.
白 荳 蔻 酊 Tinctura Cardamomi fructi	健胃,用於嘔吐及胃酸過多 Stomachic, for vomitting and hyperacidity of stomach	54%	2—5 cc. (五分/cc.)	250 cc. 100 cc.
生 甏 fil Tinctura Zingiberis	健胃,鎮吐: Stomachic tonic, anti-emetic	85 %	1—4 cc. (一餐/cc.)	500 cc.
柱 仲 哲 Tinctura Euonymi	用 於 高 血 驟 For hypertension	41%	1 cc. 毎日三次	500 cc.

品 名 Subject	功效與用途 Actions and Uses	含醇量 Alcohol Content	例 版 Dose	包 3 Supply
乳香所 Tinctura Pistaciae	消炎 i: 痛, 內限用於消解癰疽瘡瘍 Antiphlogistic, analgesic, also for carbuncle, ulcers, boils by oral administration	85%	0.5—2 cc. (一從/cc.)	250 cc.
表遊削 Tinctura Curcumae zedoariae	鍵 胃、祛 痰、遜 經,並 用 於 喘 急 Stomachic tonic, expectorant, emmenagogue and for asthma	41%	2-5 cc. (五分/cc.)	250 cc.
黄連 削 Tinctura Coptis	維胃、消炎 Stomachic tonic, antiphlogistic	56%	2-5 cc. (四分/cc.)	500 cc.
乾 藍 削 Tinctura Zingiberis (dry)	鮭 胃、止 嘔 Stomachic, anti-vomitting	85%	25 cc. (五分/cc.)	500 cc.

#### VI. 糖 漿 SYRUPI

品 名	功效興用途	州 量	包 装
Subject	Actions and Uses	Dose	Supply
大棗糖漿	強 兆 蝌	2—6 cc.	500 cc.
Syrupus Zizyphi inermis	Roborant	(五分/cc.)	100 cc.
天多糖漿	滋養強壯	2-8 cc.	500 cc.
Syrupus Asparagi lucidi	Dietetic roborant	(五分/cc.)	
防黨 磐 糖 漿	強 壮 剤	1—3 cc.	500 cc.
Syrupus Campanumaeae	Roborant	(一般/cc.)	
麥冬糖漿	為鎮咳、祛痰,緩和遊養劑	1-4 cc.	500 cc.
Syrupus Liriopes radicis	Anticough, expectorant, and mild dietesic tonic	(一錢/cc.)	100 cc.

#### V. 漫膏片及片類 Extract-tablet and Tablet

	and rablet		
品 名 Subject	功效及用途 Actions and Uses	剤 量 Dose	包 装 Supply
人参三七禮符片 Tabellae Panacis ginseng Extracti	止血	1-3 Tablets	
山豆根没膏片	Hemostatic	(一鍰/片)	20's
Tabellae Euchrestae Ext.	解析,用於咽喉炎	1-2 Tablets	1000's
川楝子設香片	Antidote, for laryngitis	(一錢/片)	100's
Tabellae Meliae seminis Ext.	羅 虫,鎮 箱	1-4 Tablets	
天竺黄绫膏片	Anthelmintic, analgesic	(一錢/片)	100's
Tabellae Tabasheer Ext.	袪 痰,鎮 痙	1-4 Tablets	
木通 没音片	Expectorant, antispasmodic	(一錢/片)	100's
Tabellae Akebiae Ext.	利 尿, 消 炎	1-3 Tablets	1000's
牛蒡子 後 音片	Diuretic, antiphlogistic	(一錢/片)	100's
Tabellae Arctii lappae Ext.	利尿、消炎,解毒,用於急性資疹性傳染病 Diuretic, antiphlogistic, antidote, for measles	1-4 Tableis	1000's
	infectious diseases	(-38/14)	100%

品 名	功效及用途	例 量	包 製
Subject	Actions and Uses	Dose	Supply
升麻没膏片	解毒,用於發疹性的傳染病	1—4 Tablets	500's
Tabellae Cimicifugae foetidae Ext.	Antidote, for rash infectious diseases	(五分/片)	100's
丹參设育片	強 壯、通 經,用 於 月 經 不 調	1-3 Tablets	500's
Tabellae Salviae multiorrhizae Ext.	Roborant, emmenagogue, for irregular of menses	(一級/片)	100's
白 芨 片 Tabellae Bletillae Ext.	止血,用於肺結核出血	1-3 Tablets	500's
	Hemostatic, for tuberculosis hemorrhage	(一分/片)	100's
白 爽 藜 没 膏 片	解熱,消炎	1-4 Tablets	100's
Tabellae Fribugi Ext.	Antipyretic, antiphlogistic	(一锭/片)	
石决明没膏片	鎮瘦,降血縣	1-4 Tablets	100's
Tabellae Haliotis Ext.	Antispasmodic, vasodilator	(一錢/片)	
伽 鹤 草 楽 片	止血,用於一切出血	1-2 Tablets	100's
Tabellae Agrimoniae	Hemostatic, for all hemorrhage	(一錢/片)	
地骨皮没膏片	解熱,用於衰弱的	1—4 Tablets	500's
Tabellae Lycii chinense corticis Ext.	Antipyretic, for weakness	(一錢/片)	
防己没膏片	利 尿、止 痛,用 於 稲 風	1-4 Tablets	500's
Tabellae Cocculi Ext.	Diuretic, analgesic for gout	(一錢/片)	

品 名	功效與用途	剤 造	包 装
Subject	Actions and Uses	Dose	Supply
牡蠣浸膏片	胃 酸 過 多, 鎮 靜, 收 戲	1-4 Tablets	100's
Tabellae Ostreae Ext.	For gastric hyperacidity and for sedative, astringents	(一錢/片)	
車前子後育片	鎮 暖, 利 尿	1—4 Tablets	1000's
Tabellae Plantago seminis Ext.	For cough, diuretic	(一錢/片)	
沙 參 没 膏 片	鎮 咳、祛 痰, 用 於 氣 管 枝 炎	1—4 Tablets	500's
Tabellae Adenophorae Ext.	For cough, expectorant, for bronchitis	(一級/片)	
杜仲浸膏片	鎮靜,用於高血脈	1-2 Tablets	100's
Tabellae Euonymi Ext.	Sedative, for hypertension	(一錢半/片)	
金 餐 草 浸 濟 片	利 尿,用 於 淋 疾	1—3 Tablets	100's
abellae Glechomae hederaceae Ext.	Diuretic, for gonorrhea	(一號/片)	
板畫根沒含片 Tabeliae Polygoni tinctorii Ext.	消炎、解毒,用於發疹性傳染病 Antiphlogistic, antidate, for measles infectious diseases	1—4 Tablets (一錢/片)	100's
苦棟皮资膏片	樂 虫	1-4 Tablets	100's
Tabellae Meliae corticis Ext.	Anthelmintic	(一銭/片)	
厚 樸 浸 膏 片	鍵胃,用於急性胃腸炎之痙攣	1-2 Tablets	1000's
Tabellae Magnoliae Ext.	Stomachic, antispasmodic for acute gastro-enteritis	(一級//j;)	100's

Britan .

品 名	功效與用途	例 量	包 裝
	Actions and Uses	Dose	Supply
Subject	利尿,殺虫	1—3 Tablets	500's
當舊沒膏片		(一號/Jii)	100's
Tabeliae Polygoni aviculare Ext.	Diuretic, anthelmintic 利 城,用 於 胃 腸 炎	1 - 4 Tablets	1000's
茯苓浸膏片 Tabellae Poriae cocos Ext.	Diuretic, for gastro-enteritis	(一錢/Jf) 1—2 Tablets	100's
馬齒莧沒膏片	解 毒,治 痢	五 錢	100's
Tabellae Portulacae Ext.	Antidote, antidysentery	(新鮮品)/片	
馬兜鈴浸膏片 Tabellae Aristolochiae Ext.	鎮暖,用於急慢性氣管枝炎	1—4 Tablets	500's
	For cough, and for acute and chronic bronchitis	(一锭/Ji)	100's
海螵蛸凌膏片	收 斂、制 酸,用 於 胃 酸 過 多	1—4 Tablets	100'
Tabellae Sepiae esculentae Ext.	For astringents, antacid gastric hyperacidity	(一錢/片)	
射干疫肾片 Tabellae Belamcandae Ext.	解 熱, 袪 痰, 用 於 嘅 我, 氣 管 枝 炭 Antipyretic, expectorant, for laryngitis and bronchitis	1—4 Tablets (一钱/片)	100
常山沒膏片	治 應 疾	2-5 Tablets	100
Tabellae Dichroae Ext.	For malaria	(一錢/片)	
推山接音片	滋養,健胃,強計,例	1—4 Tablets	1000
Tabellae Dioscoreae Ext.	Nourishment, stomachic, roborant	(—級/片)	

品 名	功效與用途	利 量	包 装
Subject	Actions and Uses	Dose	Supply
黄芩浸膏片	消炎,解熱,利尿	1—3 Tablets	1000's
Tabellae Scutellariae Ext.	Antiphlogistic, antipyretic, diuretic	(一錢/片)	
當歸沒育片	鎮部、關經,用於月經不調	1—2 Tablets	100's
Tabellae Tang-kwei Ext.	Sedative, emmenagogue for irregular menses	(三分/片)	
夢 巌 没 答 片	往 痰, 利 尿, 緩 下	1-4 Tablets	1000's
Tabellae Drabae seminis Ext.	Expectorant, diuretic, laxatives	(一袋/月)	100's
循 黄 浸 符 片 Tabellae Typhae Ext.	消炎、利尿、止血、用於各種出血 Antiphlogistic, diuretic, hemostatic for all hemorrhage diseases	1—4 Tablets	500's 100's
槐 花 没 膏 片	止血,消炎	2-4 Tablets	1000's
Tabellae Sophorae Ext.	Hemostatic, antiphlogistic	(五分/片)	100's
澤蘭技育片	利 尿,用 於 腎 病 水 願	2—6 Tablets	500's
Tabellae Alismae plantago Ext.	Diuretic, for edema of nephrosis	(モ分/片)	100's
臺 剩 子 浸 膏 片	鎮 痛,消 炎	1—4 Tablets	100's
Tabellae Viticis fracti Ext,	Analgesic, antiphlogistic	(一級/片)	
鴉胆子浸膏片 Tabellae Bruceae fructi Ext.	用於聽獎、賴褒、阿米巴痢 For malaria, dysentery, amebic dysentery	治州1-2 Tablets 治光1-4 Tablets 一克/Ji	100's

Sanifized Copy Approved for Release 2010/08/19 CIA-RDP81-01043R000700240009-5

品 名	功效與用途	利 量	包 蓼
Subject	Actions and Uses	Dose	Supply
薏苡仁没育片	利 尿, 健 胃, 消 炎	1—4 Tablets	1000's
Tabellae Coicis seminis Ext.	Diuretic, stomachic, antiphlogistic	(一錢/片)	100's
蘇子後膏片	鎮 咳,平 喘	1-3 Tablets	100's
Tabellae Perillae fructi Ext.	For cough, asthma	(一锭/片)	
強 祉 浸 膏 片	驅虫藥,用於蠕虫、蟾虫、蛔虫	2-4 Tablets	100's
Tabellae Carpesii Ext.	Anthelmintic, for tape worms, pinworm and round worms	(一發/片)	
	the part of the second of the	1	

#### VI. 浸 膏 EXTRACTA

	DATE THE																											
品 名 Subject	功效異用途 Actions and Uses	例 造 Dose	包 裝 Supply																									
大腹皮浸膏 Ext. Arecae corticis	104 13 7 Mar 204			M2 117 MA 24	JX (X PI	12 (1) WE 24	DC DC PA	14, 17) Ma 24	12 177 WE 24	100, 117 994 200	14, 117 ma 24	12) Ma 24	IX PI	八波 及 仅 日	人服及食品	( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	人服及仅有	要 及 仪 自	K K K M	膜及仪片	及 及 仅 円	12, 17, 182 24	LIX X H	.服及农用	MA /X (X PI	放及区内	X H	56 g.
水 翁 花 设 青 Ext. Shuei-weng-xua			56 g.																									
白頭翁役膏 Ext. Potentillae	解 梅、淯 爽,用 於 瘌 疾、胃 陽 炎 Antidote, antiphlogistic, for dysentery, gastro-enteritis 解 熱,鎮 靜 Antipyretic, sedative	ntillae Antidote, antiphlogistic, for dysentery, gastro-enteritis (一 支資 解熱,鎮節 0.6	0.3-1.2 g. (一疑/0.3 g.)	56 g.																								
石 斛 浸 膏 Ext. Dendrobii			71 71 71 71	0.5-2.0 g. (一錢/0.3 g.)	56 g.																							
百合浸膏 Ext. Lilii	祛寒,此咳 Expectorant, for cough 解熱,止咳 Antipyretic, for cough		56 g.																									
竹茄浸膏 Ext Phyllostachys corticis			56 g.																									

M 名	功效與用途	例 id	包 裝
Subject	Actions and Uses	Dose	Supply
全 蠍 凌 管	銷 蕸, 鋳 箱	0.3—0.9 g.	56 g.
Ext. Babli	Antispasmodic, analgesic	(五分/0.3 g.)	14 g.
各事發音	健胃,用於消化不良	0.3-1.2 g.	56 g.
Ext. Rice matt	Stomachic, for dyspepsia	(一鍰/0.3 g.)	
化粉没膏	消炎,此讽,消凉	0,3—1.2 g.	56 g.
Ext. Trichosanthis	Antiphlogistic, to quench thirst, temperantia	(發/0.3 g.)	
尚 常 根 浸 汽	消炎、止血,用於一般出血	0.3—1.2 g.	56 g.
Ext. Rubiae radicis	Antiphlogistic hemostatic, for all hemorrhage	(一錢/0.3 g.)	
賽事資料	能 胃、用 於 消 化 不 良	0.3-1.2 g.	56 g,
Ext. Malti	Stomachic, for dyspepsia	(一餐/0.3 g.)	
旋覆花液剂	社後、蘇 戦	0.6-2.0 g.	56 g.
Ext, Indae britannicae	Expectorant, for cough	(五分/0.3 g.)	
许好磨纸	解熟, 消炎 Antipyretic, antiphlogistic	0.3-1.2 g. (一段/0.3 g.)	56 g.
Ext. Forsythiae 密蒙花浸膏 Ext. Buddleae	服科樂,用於視覺辯礙 Ophthalmic medicine, for dysopsia	0.3−1.2 g. (-£, 0.3 g.)	56 g

品 名 Subject		與用途 and Uses		州 虽 Dose	包 型 Supply
龍 胆 没 膏 Ext. Gentianae		们化不良,增進食慾 pepsia, increase the appeti	ite	0.1-0.5 g. (油分/0.3 g.)	250 g. 100 g.
强 監 接 膏 Ext. Bombicis		己瘿 颦,氣 管 枝 炭 m of child, bronchitis		0.3-1.2 g. (五分/0.3 g.)	56 g.
蟬 蛻 疹 答 Ext. Graptopsaltriae		t,鎮 瘦 antispasmodics		0.3-1.2 g. (一鍰/0.3 g.)	56 g.
				-	
	- 10-				3 1
				-	
					i

Sanifized Copy Approved for Release 2010/08/19 . CIA-RDP81-01043R000700240009-5

#### VII. 濃 水 類 Aqua Concentratae

品 名 Subject	功效與用途 Actions and Uses	含醇量 Alcohol Content	劑 量 Dose	包 岁 Supply
小茴香濃水 Aqua Foeniculi Concentrata	健胃、宣氣,用于腹痛 Stomachic tonic, carminative, for bellyache	59%	0.5-2.0 cc. (一钹/cc.)	500 cc.
香薷设水 Aqua Elscholtziae Concentrata	簽 汗、解 熱,用 于 皎 冒 Diaphoretic, antipyretic, used in cold	59%	0.5 -2.0 cc. (一袋/cc.)	500 cc.
草果濃水 Aqua Amomi medii Concentrata	態胃、宣藥,用于腸胃脹氣及應疾 Stomachic tonic, carminative as in gastro- intestinal distension and malaria	50%	0.5-2.0 cc. (一簑/cc.)	500 ec.
*			1	
		1		

#### VIII. 濃 浸 INFUSA

品 名 Subject	功效與用途 Actions and Uses	含醇量 Alcohol Content	利 量 Dose	包 掌 Supply
人参議设 Infusum Panacis ginseng Concentratum	強壯樂,用于神經衰弱、貧血,等。 Tonic for neurasthenia, anemia	18%	2-6 cc. (三分/cc.)	100 cc. 40 cc.
五味子濃器 Infusum Schizandrae fructi Concentratum	強 壯, 收 飲 Tonic, astringent	16%	1-4 cc. (五分/cc.)	250 cc.
地能設證 infusum Perichaetae Concentratum	退熟、鎮瘦, 又有舒展支氣管作用 Antipyretic, anti-spasmodic	17%	2-5 cc. (五分/cc.)	250 cc 100 cc
砂仁濃沒 Infusum Amomi xanthioides Concentratum	態胃、驅風,用于嘔吐、腹泻 Stomachic, carminative for vomitting and diarrhea	55 %	0.5 - 2.0 cc. (一錢/cc.)	250 cc
桂枝濃沒 Infusum Cinnamomi ramuli Concentratum	發汗、解熱,用于咸胃、惡寒等 Diaphoretic, antipyretic, for cold, chilliness etc.	22%	2-5 cc. (三分/cc.)	500 cc
河子浪设 Infusum Terminaliae Concentratum	收飲、止血,用于久賴、脫肛、子宮出血 Astringent, checking bleeding for chronic dysentery, prolapse of anus and uterine bleeding	18%	2-6 cc. (五分/cc.)	250 c

#### IX. 醑 類 SPIRITUS

品 名 Subject	功 效 與 用 途 Actions and Uses	含醇量 Alcohol Content	剣 量 Dose	包 ≸ Supply
網 辛 精 Spiritus Asari sieboldi	解熱、發汗,用于顏面風痛、及風樂咳嗽 Antipyretic, Diaphoretic for cough	68%	0.5-2.0 cc. (一髅/cc.)	250 cc. 100 cc.

#### X. 水 類 AQUAE

品 名	功效興用途 Actions and Uses	含醇量 Alcohol Content	州 量 Dose	包 章 Supply
Subject 杏仁水	 鎮 咳 Anticough	20%	0.5—2.0 cc. 五分/cc.	500 cc.
Aqua Armeniacae 海 荷 水 Aqua Menthae	 芳 香 鎌 珠,騙 風,發 汗 Aromatic, carminative, diaphoretic		10-50 cc. 三分/10 cc.	500 cc
			_	
				1

#### XI. 其他製劑 MISCELLANEAS

品名	功效與用途 Actions and Uses	例 量 Dose	包 裝 Supply
Subject 芒 豬 (精 製) Natrii Sulfas (purified)	輕 谐 Laxatives	2-15 g. (四分/g.)	500 g. 100 g.
牽牛子脂瀉片	輕 瀉 Laxatives	1-3 Tablets	100 s.
Tabellae Pharbitidis resinae 複方鴉胆子片	此 病 Anti~dysentery	1 Tablet	500 s. 100 s.
Tabellae Bruceae Compositae 路 丁 片	預防高血壓患者的毛細管出血 For prophylaxis of capillary bleeding in hypertension	1 Tablet	100 s.
Tabellae Rutini 鹽酸黃速素片	消炎、止痢,用于細菌性损疾 Antiphlogistic and for bacillary dysentery	1-3 Tablets (一袋/片)	100 s.
Tabellae Berberini hydrochloridi 硫酸黄浊素 Berberini sulphas	消 炎 Antiphogistic	60-300 mg.	250 ք

	动 效	A	途	刺量	包装	2 %	荆	型	<b>3</b> /2		效	A)	進	剣	¥	包裝
名 劇 型	青熟,消炎,發			1-4cc (一銭/cc) 2-6cc	500cc 100cc	昆布浸	青洁	液	20.15	及務等	簡雜, ,亦用: ,的利用	於各權4	泉腫,淋巴 興鉄之症			500cc 100cc
2 4 1	·追精带下。		- 9 1	(五分/cc) 2-5cc	100cc	黄精 3	26.70	2 18	沿着	強壯善			弱及脾结	2-		500cc
節提膏溶液	為止血劑,適/ 陽出血等症。	引於喉血 并	0.000000000000000000000000000000000000	(一級/cc)	100cc				核患		. W. W. S	7 59 . F	用於破血。	- 0	Vcc	5f 0 ·c
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	客同陳皮,尤.	用於「化温痰」	J.	(一張/cc)	100cc 500cc	當歸尾			-	,解毒					4cc	500c
	畧同床皮。 利瑭·止痛胃	推動,用法型	- 在答。	(五分/cc) 2-5cc	500cc	<b>於耳子</b>			為曹操	风梅。	<b>新</b> ,治	风温痛	,忌痊,水		8ce	50 c
K	消骸,止血;非			(一錢/cc) 2-6cc (五分/cc)	500cc	<b>发生</b>					用於類	冯,尤/	用於解酒毒	(五)	-ticc	800d
	為清凉解熱素 汗,並汗,泄液	H,用於炭鞘也 B痢疾等。	生溯热,自	2—6cc (五分/cc	500cc 100cc	<b>木賊</b>			治療	疾,目 设汗。	告,多	庆,骑行	下血等,並		_4cc 獎/cc	500 100
白鮮皮漫青溶液	用於黃疸諸語		,產後餘	1-8cc (一线/cc	500cc 100cc	蛇东-	子没有	溶液香水)	強	<b>比赛,</b> 月	1於性柱	祖教引	,並外用止	1-	- 4cc 分/cc)	50 <b>0</b> 100
石榴皮浸膏溶液	用於驅擊虫。			1-3片 (一类/cc		Ht	+	fig	-					(E	−2cc 銭/cc)	250 100
枝苓皮浸膏溶液	利尿。			1-4cc (一級/cc	100cc	62	芨	ħj						(E	—3cc 分 /cc)	
花椒浓浸	车標性健胃.			(一级/00	100cc	桂	皮	Ą	_					2	-4cc	100 500
鎖陽混膏溶液	為腎壯藥,用 便祕。	<b> 於性神维衰</b>	弱及老人	(五分, 0	100cc	-	志	fr:	-					1-	分/cc	500
能眼肉浸膏溶液	滋養,強壯。			2-8cc (五分/c	(a) 100cc	-	· 浸								缓/片' —3片	500 100
青天装没膏片	解毒止痛。			2-8cc		10	暑	35. /	- -					軽減	1-2	# 50
覆盘于浸膏溶液		於性神經衰弱 操,用於額症		(五分/0	500cc	*	柳		4							
辛夷浸膏溶液	英等。 有止呢之效			(一級/c 1-4c (一級/c	c 500cc											

		古	方 成 築	7
			处 方 (每數量)	每次用量
品 名 縣 十金大構丸	<b>现格</b>	應 用 耗 四 活化不良,營養不足,病後衰弱,精神 不振。	罗參 一錢 施貨 五分 質裝 五分 川芎 二分平 白京三分 白芍 三分 旅祭 二分平 甘辛 二分平 向独油 0,005毫升 當牌 三分	成人每次 12 片 每日1次从B次
十二太保片	96片	<b>派任期間,</b> 疑度職痛。	母於 1.3分 新之 1.3分 當歸 2.8分 期舊 2.8分 散芪 1.5分 利苓 1.5分 貝母 1.9分 积壳 1.1分 烹活 1 分 甘萃 1 分 白芍 3.8分 生質 1.9分 蒐絲子 1.9分	成人每次 8 片
五苓散片	48片	因務胃蓄水而小仮不利 煩渴 嘔吐發 飲,或傷鳴腹泄。	澤寫 八分 豫答 五分 茯苓 五分 白龙 五合 桂皮 三分	成人每次 6 片 每日2次汽 8次
<b>六味地黄片</b>	96片	神程虚性充管,預暈目眩。	准山 6.4分 枝苓 4.8分 地黄 1.28类 丹皮 4.8分 溶瀉 4.8分 山萸肉6.4分	
<b>六君于</b> 片	96片	胃陽衰弱, 營養障碍, 體力不足, 排痰 固難。		成人等改 8 每日 2 次 成 8 成人每次12毫升
止哦糖聚	500cc	或罪性咳嗽,急性及慢性氣管支炎,肺 支,氣傷,乾咳,百日咳,及原因不明之 咳嗽,排痰不臭訪症。	本 作 水O. 8 元升 申前年沒季次在1.5毫升 结极流漫等O. 6毫升	四小時一次小戶并輸比例的成月用開水稀釋。
甘露消毒片	48 %	夏日將胃止發熱,及黃疸恨是, 年下際 更等之發熱, 倦怠, 偽問, 脫滿枝瘦, 唱 趣口渴 小便報告。	永遠2.1号 在日本.19   11   12   13   14   15   15   15   15   15   15   15	每12次表3
生化湯片	96 A	直後子宫帶血,小児服漏。	月考流沒膏 3 意升	-4k :: 2 × × ×
仙方洁命飲	100毫升	@恋之急性炎症恐痛。	衍生 3.3 今 移風 2.3 令 花岭 3.3 分 会符 1.6 分 時尾 5分 因者 3.3 分 复制 1.6 分 甘草 3.8 分 銀花 6.6 分 橡皮1.4、 穿山甲 8.8 分	
四物片	100 №	月超不調,病後疾药。	死费 1 级 雷约 1 线 白的 6.5 分 川芎 5 分	名目2次数 <sup>2</sup>

								_							ď							方			(谷秀	量	)		·#	决 .	M)	Ī
1 2	. 1	#	F .	规	格	ñ	-		/H		ž.	[2]	44	_	-		A +		4.7	57		冷	3.	3 %	1	上草	2	分	成每	人每:3 日2:次	(8 18,3	片次
ı A	1	- #		96	)†	消化	<b>不</b> 3	. • 食	卷 次:	ß,			7. 9	-	_	7X 				-				分		1-24	2	分	成	人每月日2次	K 4	片
ř	Ħ	)	1	48	Pi-	消化	停平	1,4	沙,想	(B)	後荒り	Æ.	务7	ħ.	8	分	陳日	ţ	4									3.2分	-4)			
血粒		味	片	96	井	营養	不!	· · ·	程表	性亢	E .		地黄	根柱	1 3	2848		住家	海	8.4% 4.8%	<i>-</i>	枝北	答皮	4.85	}	山萸	肉	5.4分	_			_
料 植	_			-18	片	12. 17	4	<b>5</b> . 6	1亿套	<b>万之</b>	汝瀉;	1.病。	乾雪	30		3.34			白廿	龙草	3.8		分分		計 书		2 67	分分			_	_
#1 #8	: 5%	4	4					_					,B <sub>2</sub>	梅	3	42%		0 4	2.	30分84分				13分				42分 13分	1	人每		
,tr	梅		片	96	P.	久井		性	跨百大	. ) =	57. 3 A	过;完8		椒枝	1	16分 28分		5 3	1 3	42 %						_				日2次		_
EE.	ф		) <del>‡</del>	96	12	W 83	· ·	丽之	腹痛。	生瀉。			室	参		一线		ŧ	札	一线		乾	充	七分	٢			一銭	4)	H 2:)	Ć Á	3
122	-		т_	-			_					灰灯.,和	1 克		ş.	2.6%	- 3	P-	4.	1 %	-	4.	抢1	2.6%	r i	ž.	4	1.6分	1	人名		
計	ت	At-	rş	9	计	1			创作1 客足,				1 60	2.	仁	2.6分 5.2分 2.6分		6	*.	1.3%	r	Ť	歸	1.3%	r i	हे	校	1.8分		± n 2 a		_
		_		-		85	9 53	4年4	- M	- to 6	世間	75.	7 52 A	j.	忧	1 6	1	党		6 5		廿升	草麻	5 5			机奶	2分	1 2	发人每 每日29	次 大章	(3
情	4 5	£	ħ	1	90 片	180	李舜					取之貧:		- 58	皮托	2 5	Ę.	iE.	Đợi.	1 4	iù.	74	荷	6 3	7	淡蓝	鼓棋	5分分4分	1 1	人 長 日	次	12
sq.	Ą	q	)÷	1 9	3 片	M	1	手吸	道之	助刑:	义距。			4	-	6 5	<u>-</u>	竹廿	单	5 .96	'n_			1,48		非	<b>X</b> 4	.48分	-	战人等	_	
63.	脐	:9.	12	1	6 1	2	100	度	神相	表明	任仲	,健忘, 建倦,盗	泽蒂	b-	*	2 . 24 4 . 48 1 . 12	5	党政章	1=4	48 24	à	(a	九	.4B		廿	早1	.125°		美日2.	次章	<u> (</u> 3
29			_	- -	_	症	0					支之族		を作り		2	· 分	管台	45. 37.	2	55°	神林	粒抄	2	57	挨棟	谷皮	2 37		成人省	次次	8 £3
15	香。	E 3	1 1	1	13 )	1 15	29	34	版 : F	L real	1, 109			答	7	2		注	I	2	n	大人	庭皮	2	分						-	

2 E	现格	Æ	用	乾	22	点		2	(毎)	削量)	每步	用 .登
李莉钦合剩	100cc	治感冒發热	咳嗽。			泰葉1.25與 杏仁1.00錢			筹荷0.40线	甘草0.40线		每次10cc   用二次
温煌湯合劑	100ec	治月經不調	子宫冷症	•			當歸 1.5錢 丹皮 1.0錢		白芍 1.5线	重参 2.0线		技用16c 大分服
進退散合劍	100cc	血虚火旺颈 脑痛腹痛。	病目眩烦	赤口苦	美熱咳嗽		5歸 1錢 白: 海荷 5.0分	· 1线白东!	錢 茯苓   錢	. 甘草 1线		卡次用12g 1用三次
<b>把葫芦黄含劑</b>	100cc	肝腎不足目	赤胜痛頭	痛盗汗	的热钴症	拘祀于0.7线 徒 答1.0线	約花0.7銭 澤瀉1.0銭		山萸 向1.4线	淮山1.4线		长次用15c 1用二次
白頸翁湯片	48 #	用于热性下 症。	痢赤痢危	性大陽	<b>支腹瀉諸</b>	白颜新 2.5克	黄速 2.5月	<b>支柏 2.5</b>	克 黄芩 2.5	ė		*
益母丸片	48 p	月極不調理	痛腰痛疼	病诸症。		益母草 3.2点	<b>告締 0.8</b> ;	<b>表 赤芍 0.9</b>	克 木香 0.8	£.		t用六片 有次分服
五债散片	96 A	成冒頭痛身 調諸症。	疼恶寒腹	痛呕吐	及組血不	養术 6.5分 厚朴 3.2分 白芷 2.5分	桔枝 5.0分 乾簧 3.2分 白芍 2.5分	麻黄 4.0分 半下 2.5分 當歸 2.5分	<b>茯苓 2.5分</b>			事次用六 ) 丙次分服
大柴胡陽合劑	100cc	寒熱往來胸 下痢諸症。		高雪氣	大便秘结	恭朝 8.6分 白芍 3.2分		生蔓 5.3分 大黄 2.1分		黄芩 8.2分		. 每 <b>读</b> 5 c c 一 <b>重</b> 三 读
小华胡湯合樹	100cc	傷寒惡風寒 咳嗽瘡無發		命苦满	食慾不振	杂胡 8.6分 生薑 3.2分	黄芩 3.2分 半下 6.4分	重参 6.4分	甘草 3.2分	大東 3.2分		,,
1 青霞褐合樹	100cc	用於咳鳴頭 炙赭疸。	<b>煮蚕熬煎</b>	管交交	百日喉肿		白芍 1.0克 五味子 1.6	乾蓮 1.0克 7克 辛下 2.	甘草 1.0克 0克	桂枝 1.0克		,,
参蘇飲合劑	100cc	用於底質 ai 抽稿 w 所無			恐惧度热	军祭 4.6分 结板 .55分 生苗 邀号		赤茯苓2.35 紫蘇 2.3分	分 陳皮1.55分 葛根 2.3分	甘草 。55分 半夏 2.3分		,,
香 連 片	96 A	赤白痢及泄	*海站在。			黄連1.6銭	玄胡索5,5分	未看5.8分	白芍2.7分	吴茱萸0.7分		每次六片 的次分服
附桂八味片	48 p	神经衰弱耳	鸣目住夜	奶质数	堵在。	熟地赞 1.00 茯苓 0.33克	)克 山茱萸 , 牡丹皮 0。	0.50 准山 38克 桂枝 C	集 0.50克 .27克 附于	澤瀉 0.8 <b>3</b> 克 0.27克		每次四片 日三次
酸氧仁湯片	48 A	鎮靜劃適用 別在。	1於類峰7	: 眠增眠	等种粮衰	酸東仁 2.56 川 芎 0.26	5线 甘草 0,0线	10獎 知母	0.20级 夜	券 0.20錢		每次二片 日三次

#### 勘誤表

İ	貢數	品	名	Œ	誤
	2	白頭翁根	流浸膏	1-3 cc.	l-4 cc.
	2	半 夏 流	後 膏	Pinelliae	Pineliae
	3	柏子仁	<b>流 浸 膏</b>	1-4 cc.	0.5-2.0 cc.
	3	枳壳流	没膏	250 cc.	500 cc.
	3	枳實流	港 膏	500 cc.	250 сс.
	5	光 活 流	浸 膏	1-4 cc.	0.5-2.0 cc.
	9	王不流行	麦膏溶液	2-8 cc.	2-6 cc.
	14	荆芥浸1	膏 溶 液	2-8 cc.	2—6 сс.
	26	丹参陵	育溶液	浸膏溶液 2−6 cc.	浸膏片 1-3 片

## 廣州星群葯販 中葯製劑介紹 INTRODUCTION OF THE PREPARATIONS OF CHINESE DRUGS

## 星群

# 中國土産出口公司廣州分公司經營出口

EXPORTED BY THE CHINA NATIONAL NATIVE PRODUCE EXPORT CORPORATION CANTON BRANCH OFFICE.

電話:13966,16967

.在,是的、使数23.2Y

質問: 4333

Telephynes: 18866. 18987 Oakla Address PROBANTON 488

### 星群中藥製劑介紹

#### 一、概 說

我國際樂事業有悠久的歷史,歷代出現了很多名醫對醫樂學術作了很多重要的 貢献,釋獎方面如公元後二百年(後漢時代)的華陀是世界歷史上最初使用蘇門樂的 第一人,公元前春秋戰國時代的扁鵲是發明用脈學診斷的始祖,漢代的張仲景總結了 淺以前的醫學,並加以發展,寫底傷寒論及金匱要畧。金匱至角經傳書,後入稱之寫 「答聖」又葛洪發明密虫病及最初採用含強植物治甲狀腺腫,在明代時報國首先盛行 以中痘方法傾防天北。樂學方面在讓代即 布斯康本 存經的重要典籍,五世紀時,樂學 專案暫敬著炮系論,奠定了中藥生藥加工的基本方法,此製藥方法其後不斷改進,明 代(公元—五一八—一五九三)的李時多組著了樂學巨著,「本草綱目」此書其後傳 人名國澤成英、俄、德、日藝國家文字對各國樂學的研究給予很大的影响,這些都是中 國際樂者對世界的寬大貢献。

我國中藥具有顧著療效,從幾千年特別是最近五年來臨床經驗,實可証明,近年 來有些思乙型腦脱炎病者,用中醫中藥治療有顯著的效果,患者身心亦能恢復正常, 以中藥醫療不用刀制,亦無痛苦。

中臀師使用的中藥一般是經過修治好的生藥,即所謂熟藥,這些羔藥依照處方配 育後要經過發煎才供服用,這些由生藥製成熟藥的修治,即所謂這方法製,是多年經 驗累積而來的生藥修治方法,是有一定的科學根據的,治療功效也在日金提高。

中藥的治療功效雖然很顯著,但因體積能大,運輸不便,常用的賴型亦僅有煎劑, 樂調和丸,散、等頓,在使用上常越不便,如煎劑在使用時要經貨煎,不便於在霧院及 工廠中大規模使用,因此中醫藥界早有改良中難製劑的要求。

我歐灣醫學界人士所創辦,廣华技術人材,對改良中樂製灣作大規模和深入的研究,目前已製成單球中樂 247 種,本年夏初將再增加 26 種,古方成樂目前看 21 種,本年夏初將再增加 14 種。單味中樂 64 如下侵點;可代用原網,可依處方調劑,又能保存,使用方便,規格統一等;古方成樂的優點是:體積少,可溶解,功效一定等優點,經過五、六年來隨床實驗,延明本廠創製的中樂製劑,功效良好,且價格低廉,優點甚多,為餐節及解院所樂用,故成品已暢銷國內外。

我嫁製品因為含量標準是根據照例的分析而來,原料經用切片,染色後,在顯微鏡下檢視及含量测定方法,檢驗半製品,製品均經化驗合格始行出瞭,故能保証製品 有良好的質量,在臨床使用上也獲得好評。

例如: 杜仲訂,不僅可用於治筋骨痿顿無力,衰弱性腰痛等,而且為器治高血壓的 實效票,經臨床試驗,結果在53人中,血壓降低在原來的血壓者10%以上,最高血壓

Sanitized Copy Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009-

過程中,不但使患者極易忍受,並且絕對無毒。

我確製造的釜埠草流浸膏是用 28% 的較抽出,成品含醇 18%,賴量一次一至四 毫升。好些釋界人士。倡議試用益時草以代用麥角,因此,我廢製造的金串草已經好些 釋院和診所採用。「金串草的水浸膏與乙醇浸膏對鄉體子宫與雞體子宫均有與新作用、(對於在位子宫,與舊爾先有一起時間的却制作用,但經乙醛提取後的水溶液,則無此觀抑制作用,因此,益保草可能含兩種成份一資抑制性,一為與新性;又建設存 的與條作用,因此,益保草學對繫體施子宮的作用。「利用家见鰈體子宮有顯沒的與條作用,因此,不能代表益時學對繫體統子宮的作用。「利用家见鰈體子宮質驗的與條作用,因此,不能代表益時學對繫體統子宮的作用。「利用家见鰈體子宮質驗(靜脈注射給樂)及子宮被管實驗。証明益時有是子宮與新樂。——益保中菜肴與新子宮作用,加強稅虧力與緊張力,加快節律,而善性甚勝,通於賦定利上又提來消下(中樂之科學原理)即「益學流浸膏對於直接刺家原子宮的作用,在雌體子宮濱加少量的金串草流浸膏,則是子宮收縮的類度增加,張力亦見上升。綜觀我國學者的研究均証明發達費

牽牛子脂瀉片(又名黑白土)我國中醫人用禽瀉下藥,印度醫師亦用為瀉藥,功效 卓蓄,故英國藥典於一九一四年即採用溶藥與法定樂品,現列入英國藥方集(B.P.C.) 我國對此藥與英國、日本兩國一樣同樣別為法定樂品,本啟於一九五一年後中國樂典 規格之牽牛子脂製成戶賴甚得醫界好評,此樂片為強力瀉藥,倘服用少數量可於數小 時通大便,便時無痛苦,亦無副作用。

驗酸賣退案片,為一種有效的治細菌性痢疾藥物,在試管中,黃連煎虧對亦搞桿菌,大腸桿菌等十種細菌均有抑制作用,據余介玉氏報告用黃連治菌類 327 例中謂黃連用於細菌性痢疾(異型痢疾桿菌所引起)的治族,特別是成人是有肯定的效果,比碳酸赎更住,並且不但沒有線險度頻藥物那樣有官的刺激现象。相反的,凡使用黃連的顏例,食慾均狠快恢復正常,並無副作用,杭州市懷逸病蕊亦被作用黃連的蒸鄉爾權 獨疾, 124 病例,一般於三日內退熱,五日內大便培養縛爲陰性,第七日大便恢復正常,用法是用相當生藥一克的醉製浸膏每日 4-6 次,未見有副作用。

#### 二、中藥製劑製造前的研究工作

在設計中獎獎例製造方法之前,先對該中獎的化學成分作必要的研究。認明該獎的主成份如何,並研究其化學性質及含量,測定方法,因為中獎契賴的主要用途在於代用中獎的煎劑,因此,也對中獎的煎賴的含量。求出其平均量,作為中獎契賴含量的參及標準,中獎成份的分析係利用植物化學的方法,特別看直有蘋用功效的化學成份,如生物驗 (alkaloids) 配辦體 (glycocides) 皂素 (Saponin) 黃鹼素 (flavones) 有機 (ovganicids) 精油 (Essential oils) 等對這些成份的分析和研究,已應用到現代科學方法和機器。

#### 三、中藥製劑的方法

中藥製劑的製造原則上是儘量應用藥劑學的一般原理,並考慮中醫藥的特點來

設計製造方法,其製造的過程分為提出 (Extract) 其成份尤其有效成份 (Active Principle) 和製成適當的製劑兩個步驟,提出成份所用的製劑一般是水或不同濃度的節,溶解的選擇,配主成分的溶解性質,經詳細的研究後,首先考慮用熱水提出,符合中際師歷來的範驗。但用水提出並將結液質 (Malcilage) 澱粉糊 (Starch) 等什實 便成各種料型。

有芳香性的藥製成水製浸膏後並加入其芳香水以保存原樂的芳香性成份。

一部份適宜用醇提取的中藥,(此係根據藥物含有的有效成份的溶解性質而擬 定)則用醇提取。

用簡提取所取得的醇被蒸濃,氨成流浸膏,源浸等製劑,或將醇液全部蒸去酒,將 所得的醇製浸膏製成其他的類型,所以雖然用醇提取生藥,但製成品却不一定會含 所

有好些中္產業與 (Pharmoacopoea) 上已有法定的契賴 (official Preparation) 一般可直接使用這種藥典製劑。

用於製造製劑的原料,係選用上等的地道獎材,並且經過化驗室用現代生樂學的 技術加以檢驗,有些中獎品種,如黨參、有防黨, 淺黨等,使用何種原料並在抵標上加 以註明。

中樂原料依習慣有用溫製,炒製, 灰製等處理者, 製造時對此習慣及其原理亦加 考慮, 如認為有必要者,依法泡製,如認為無必要者,則加以省畧。

我廠製品因在製造過程中採用科學的技術管理,原料, 半製品, 製成品均輕化驗 家化驗, 製造操作亦有一定的操作規程,因此,可以保証成品符合規定的規格,有良好 的質量。

#### 四、劑型解說

中獎製劑的劑型大別為液體製劑及固體製劑兩類。液體製劑有流浸膏,而劑,讓 沒,糖漿 醋,讓水及浸膏溶液鲱劑型;固體製劑有片劑,浸膏(粉)等劑型。

各種製劑,都註明係單位(每窓升或每片或每若干克)相當以代用原藥若干的煎

流浸膏,一般係用醇膏溶剂,用渗漉法提取,生藥一克製成洗浸膏一毫升,流浸膏的合醇量一般在20%左右,<藥典製網含醇量一般較高約在40%左右;。</li>

2. 前賴,用稀醇作溶媒,生樂一斤製成製賴5斤或10斤,含酒精量較高,一般在40% 左右。

3. 徽技, 徽楼一般是每 400 克的生薬製成 1,000 毫升, 多是稀醇渗渍, 製料合醇 約 16-20%。

4. 擦浆,係由一定量浸膏(水製浸膏或醇製浸膏)加入一定量的常糖漿而成的製料。

5. 淚水及醑, 淚水及醑都是一定量揮發油溶於醇中的製劑,醑的含醇量較高, 淚

• 3

. 2 .

Continued Comp. A processed for Palance 2040/09/40 - CIA PDP04 040/42P000700240000

水的含醇量較低,濃水及縮除含原藥提出的揮發油外,不含其他的浸出物。

不即這的 羅皮區) 逐不及如即至日 無來但出出了。 6. 沒音溶液,保指一定量的水製液膏或醇製浸溶用水或芳香水或糖醇溶解製成 的製劑,一般不含醇;少數含少量的醇,這是特為中醫師使用的中藥製劑而設計的一 種類的刺製。

7. 浸膏,係將一定量的水製浸膏或削製浸膏加入一定量的賦形藥(澱粉等)製成的粉狀製劑。

S. 浸膏片,係將浸濟製或片劑,每片含有一定量的浸膏或一定量的有效成份。 有些頁劑司時有兩與劑型,這樣可便於使用者選擇,但將來仍擬淘汰其中之一, 而保留一種較適用的劑型。

#### 五、含酒問題

植物藥品的製劑因為要使較多的成份溶在少量的液體內,不能不加入多少消精 以幫助溶解。但當使用的藥品種類及數量較多時,含劑總量也會達到令數酒有敏威的 人(尤其小孩)發生輕微反應,這反應多是面紅及微覺週幣,為班處這個的關作用,處 方的中醫師要注意出品目錄上註明的各藥的含醇量,並計算在處方中酒的含量其達 著干,述詢問賴人對酒會不會過敏,假如會過敏,則將擊液改再適當加數、如用壞或蒸)。 使所含的酒揮發,再行服用、(對嬰發更須如此)。或在十五分續內分次服用,亦可減輕 酒的關作用。較常用的液體變用於常用的處力時,(一般是 10 餘種樂),合節的藥常 只有三、四種,總的仓酵量不會超過三、四應升,對於一般病人是不會有影响的。

對盡量減低製劑中的含醇量問題,我廠已極為注意,當繼續研究,加以改進。

#### 六、劑量問題

我廠所製的中樂製劑都記明了劑量、(標記的劑量都是一次量,一天可服二次或 三次)使用時一般希望不超過規定的最大量,尤其是印有紅色"刺"字的藥如杏仁水, 麻黃流泛汽等劇樂更絕對不要超過劑量,但如該樂並非劇青樂,而中醫師使用該項中 藥製劑已有經驗,認為必須用較大劑量並無危險時,得由中醫師次定的量提高劑量。

如大黃流浸膏是藥與製劑,其劑量為 0.5-1.0 毫升,但藥與使用本製劑的目的多 用作苦味劑,少用作下劑,而每毫升的大黃流浸膏相當於四分大黃的煎劑,故中灣師 使用大黃流浸膏時可酌用 1-4 毫升的劑量,機據經驗, 2-4 毫升的大黃流浸膏可 有瀉下的功效,而無副作用。

杏仁水雖然每毫升相當杏仁五分的煎劑,但因為是劇樂,賴量不要超過二毫升。

凡劇樂、無標上用紅字註明)如照中醫師的處方換算已超過最大的賴量時,處方 的中醫師應減低處方的用量,或調配人員應通知中醫師的量減低處方的用量,以免服 樂過量,發生危險。

如白芨片,原藥不代用煎劑,故不列明相當煎劑若干,可照规定的用量處方。 在這裡並附帶說明一下容量及衡量的單位: 依中國樂典例,容量用毫升為單位,每市斤的水約為 500 毫升 (ml), 溶升亦為 公摄或面图 (c.c.),可用玻璃量标量度;衡量用克為單位,克 (g.) 亦稱公分或瓦,何市 斤相當 500 克,每錢(市秤)相當 3.125 克,可用天秤或厘戥秤量。

#### 七、調劑方法

調網方法是按照中層師的處方,將液體的藥和粉片類的藥分別調配,所有液體的 藥可合併置入一藥瓶內,大多數成體的藥是每毫升相當原藥一發或五分的煎劑,極少 數是每毫升相當原藥三分煎劑的,如柴胡浸育溶液修逐升相當於原藥一發的煎劑,別 處方柴胡一錢可用柴胡浸膏溶液一毫升代替,如黃冬浸膏片每片相當於黃冬一錢的 煎劑,則處方黃冬一錢可用黃冬浸膏片一片代替,(調劑人員對各製劑代用煎劑的量 紹加注章)。

量液體樂是用玻璃量杯或量節量,均有 10 毫升、20 毫升、25 毫升、50 毫升、100 毫升……等,一般以用 20 毫升的量坏较適宜。每量好一種樂液後最好即何入條裝的藥瓶中,然後量另一種樂液,這已是過上一種樂液的量杯不一定要洗過,但如由樂瓶如歌樂次量不應傾取過量,以避免將過量的樂液與同樂瓶中,致影响樂瓶樂液的實量。

兩種樂液相說和時可能有混濁生成的現象,這多半不是禁忌的問題,而是兩種樂液的含劑量不同,當樂液的含劑量有變化時,有些成份變為雜溶而析出,如乳香稻,當加入水時因含劑是降低,所含的乳香析出,可使全液變禽乳白色,但絕不影响使用效能,可關煙服用。

當液體樂者干賴已量齊後,要檢查有沒有忘配量的,或量錯的,然後加蒸器水或 沙畫水或冷開水至經量達一定的容量,即達到樂瓶中一定的格數然後在瓶標上註明 用法及用量。

同一處方中如另有藥粉或藥片,最好不要加在藥液內,因為藥粉藥片在藥液中不 易溶解,應該另包,註明在服藥液時同時服用。

中樂測配時有沒有禁忌呢;這問題現在還沒有發現,因為中樂絕大多數都是植物 樂,植物鄭與植物藥之間較少禁忌的問題,極少數兩種樂沒相遇時有法衙或沉透的現 象,但這主要是酒精的濃度改變,有些原來溶解的東西變為不溶解。(如乳香門,黃迪 們等),而不是禁忌問題,中藥契賴的禁惡,目前還沒有發現問題,一般中樂契賴的禁 急,可依照中藥的與賴情例。中樂製賴因為是個別提集契賴的,被沒有"先煎""後下" 的問題,即不論處方有無註明"先煎""後下",都是一樣調配。

中與製料的調劑至一般與其備下列設備,這些數量確出售化學鐵器的店或較大的藥房均有出售。計開:10毫升至50毫升的量析,或量無三、四個,玻璃棒三、四支,100克的天平一架,骨匙二、三支,沙磁缸一個,或有下口的蒸溜水瓶(約500毫升容量)—個,中型的(120mm,180mm)玻璃漏斗二個,濕的及乾的毛巾各一方,此外最好還有網的水溶鍋一個,鉄架,鉄環各一、清個。250毫升的燒怀兩個,火溫灯一個,以便必要時可以蒸去含酸較多的製料中的酒精。

• 5

#### 八、製劑保管問題

粉片賴皮要密好(必要時後木塞),以免藥粉或藥片吸收空氣中的水份變成糊溢, 如有潮溫現象,可隨即烘碗。

如樂房中自備有砂塞的硬質玻璃瓶,可轉換至硬質瓶中,液體藥用小口的瓶,粉片類用廣口瓶,但瓶子應先洗淨、焙乾。

聯液存放一些時候,常會有沉澱析出,這是植物藥液體質劑的常有現象,一般不 影响樂效,可自行認過,繼續便用。

樂被國保存不善而致有浮面的白裝或發電、發氣泡等現象;樂片、樂粉如有發點 現象,創表示樂品已有變質:不可再行使用。

中樂製劑的有效期限,像一般植物業的樂典製劑一樣沒有規定,依經驗,一般原 庄劑品在衛华內仍可保持療效。

#### 九、結語

以上簡單地對我條的中藥製劑作了紙括的說明,有些中醫師會提出的問題已在 此說明書上作了簡單的答閱,但最近亦有些中醫會提出清熱房藥經提媒後是否會影 吶樂效,經臨床試驗結果証明不但不會被低藥效而且增大清涼退熱的效能,轉在此作 補充答覆,最後要提出的是:中藥製劑還在發展和擴大製造階段,技術主控問題還 沒有百分之一百解段,沒剩有什麼缺點,請不客氣的指出,各藥劑之臨床上功效如何, 請各醫部醫院時常提出假告,以便我家能參考研究並改進,不斷提高中藥製劑的質 做。

本廠出品之中樂發劑,不僅在國內已為各中腎師醫院診所樂用,而且暢銷於新加坡、馬來亞各地,均獲僑胞好評,緬甸、暹羅、溫水等地的中醫亦樂意使用及推廣,目前 在新加坡設有總代理,專事馬來亞、英醫婆羅洲的供應工作,特在此加以介紹。

### CHINESE MEDICAL PREPARATIONS OF SING KYN DRUG HOUSE, CANTON, CHINA.

#### I. INTRODUCTION

Chinese medicine has had a long history. Generations after generations, noted physicians had made important contributions to the medical science. At about 200 A. C. (Hou Han dynasty) Hua To was the first man to use narcotic. Before the Christain era during the time of Chun Chau Chin Kwok there was a man named Pien Chiao who discovered feeling pulse as a means of diagnosis. In the Han dynasty Chang Chung-ching summarizing the medical theories before his time enriching them by his own originality wrote such books on medicine, as Essay on Typhoid, Chin Kuei Yao Lueh and Chin Kuei Yu Shen. Hereafter he was known as the "medical sage." Later Ko Hung discovered the disease, Japanese riverfever, and was the first man to use drugs containing iodine to treat exophthaimic goiter. As far back as the Ming dynasty, the use of humanvaccine for the prevention of smallpox was invented.

As to pharmacy ever since the Han dynasty, we had the Shen Nung Pen Tsao Ching, an important writing on materia medica. At the fifth century a pharmacist named Tsao Ching wrote a thesis on the heat treatment of herbs, which had laid down the fundamental methods for the treatment of crude drugs, which had been improved from time to time. In the Ming dynasty, Li Shi-chen compiled a magnificent work on materia medica, called the Great Herbal. This book had since been translated into English, Russian, German, Japanese and other language, swhich had greatly influenced the research on pharmacognocy in many countries. Such are the many contributions, Chinese medical men made to the world at large.

That for thousands of years, we had maintained a large and ever increasing population, we must give credit to the part Chinese medicine, our valuable national heritage, play in the preservation of national health.

Chinese medicine is very effective. In the past thousands of years and especially for the past five years, clinical experiences had proved that hopeless cases of menigitis had been cured by Chinese physicians with Chinese drugs in a very short time without mental or physical defects. Chinese physicians in the treatment of hemotrhoid need not resort to operation, and the patients

. 7

Sanitized Conv Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009-5

suffer no pain in the course of treatment.

The medicines which Chinese physicians used are generally crude drugs that have been treated and are talled refined drugs. The treatment of Chinese drugs is the consumation of long years of experiences having due empirical ground. But at the present time when sciences have advanced by leaps and bounds, in order to render greater service to the preservation of health of our people, changes need be made in many cases in the way of treatment in Chinese drugs.

In as much as Chinese drugs are very eminent in their medicinal effect, but being too voluminous are difficult to handle in transportation. The preparations generally used are in such forms as decoction, tincture, pill, and powder, some of which are very incovenient to use. As for example most of the decoctions are to be prepared by boiling just before taking. These forms of preparations when used extensively in hospitals and factories are very inconvenient. Therefore for some times Chinese physicians have urged for a change to be made in the methods of preparation in Chinese drugs.

The Sing Kyn Drug House was organized by noted physicians, getting together technical men to investigate intensively as well as extensively on the improvement in the manufacturing of Chinese medical preparations in large scale. At present we have succeeded in preparing 247 single drug preparations and expect at the beginning of the summer session to add 28 to this list. We have prepared 21 kinds of ancient patent medicine and expect to increase this number by 15 this summer. The single drug preparations are advantagous in that they can be used in peace of decoctions and can be dispensed according to prescriptions, are convenient to use and standardizing in quality and can be preserved. The advantages of our ancient patent medicines are definite in medical effect and are compact in size and soluble. Five to six years of clinical experiences demonstrated that the preparations prepared by our drug house are potent in effect, standardizing in quality and low in price. They are well welcome by physicians both at home and abroad. By way of example we may dwell briefly on a few preparations as prepared in our drug house.

For example, Tincture of Euonymus is not only effective in the treatment of skeletal weakness and Lumbago, it is also an effective remedy for high blood pressure. The preparation is easy to take and is not at all toxical.

The Fluidextract of Leonurus can be used in place of ergot, and has been used by many physicians, hospitals and clinics. The therapeutical functions of Leonurus have been substantiated by many specialists. Lu Fu-hua's experiments by means of isolated rabbit uterus and uterine sistula, have proved that Leonurus

is a uterine stimulant. Leaf of Leonurus has a stimulating effect on the uterus increasing uterine contraction, tension and rhythmic frequency, it is only slightly toxical and suitable for clinical purposes. Chui Ni-se found that on addition of a small amount of Fluidextract of Leonurus to the isolated uterus of confined rabbit contractions increased in frequency and tension raised. Research of specialists all over China, pointed to the fact that the Leonurus in place of ergot is pharmacologically sound.

Pharbitis has long been used as an effective laxitive in China, and in India it has been used also for the same purpose. Therefore in 1914 the British pharmacopoeia listed Resin Pharbitis among the official drugs and it has since entered the B. P. C. It is also an official drug in the Chinese pharmacopoeia. Our drug house prepared Pharbitis Resin in tablet form. It has met with good approval as an effective laxitive. Only a small amount when taken induces evacuation of the bowel in a few minutes.

Berberine Hydrochloride (Berberine being the active principle of coptis) is an effective remedy for bacterial dysentery. Yue Kai-yoh's report in 327 cases of bacterial dysentery proved that Coptis is very effective as a remedy for bacterial dysentery, especially in the case with adult. It is even more effective than sulfaquanidine. Patients taking coptis do not suffer from any side effects, and appetite is easily restored. Hospital for Infectious Diseases in Hangchow reported that in using coptis for bacterial dysentery, in 124 cases fever reduced usually in three days, and in five days stool culture being changed into negative and stool became normal in seven days.

### II. INVESTIGATION MADE PRECEDING MANUFACTURING OF PREPARATIONS

Before deciding upon the method we are to use in the preparation of any one Chinese drug, we first make a detail study of its chemical composition, determine its active principle, and study the chemical properties of the latter, and decide upon the method of determining it quantitatively. Since the main purpose of the preparations in Chinese drugs is to use them in place of the ingredients of a decoction, therefore it is important to find out the average quantity of the active principle of a drug contained in a dose of decoction, and use it as a standard in the preparation of the same drug.

For the analysis of Chinese drugs, we employ methods of plant chemistry. Special stress has been made on the analysis of those parts in Chinese drugs that have medicinal effect. We have made use of the most up to date methods

. 9

and apparatus for the study and analysis of such chemical compounds as alkaloids, glycosides, saponins, flavones, organic acids and essential oils.

#### III. METHODS OF PREPARATION IN CHINESE DRUGS

In determining the methods used in the preparation of Chinese drugs beside adhering closely to the principles of pharmacy we at the same time paid
due regard to Chinese medical traditions. The process of preparing Chinese
medicine is devided into two steps. The first step is extraction especially the
extraction of the active principle. The second step is to prepare the extract
into proper form for use. For extraction the solvents in general used are either
water or alcohol in different concentrations. In determining what solvent to be
used for the extraction of the active principle of any one Chinese drug we first
make a detail study of its solubilities in different solvents. Extraction by water
is in coherent with Chinese medical tradition. But extraction by water foreign
matters such as mucilage, starch are also extracted out together with the active
principle. Therefore foreign matters must be removed by proper means from
the extracted solution after concentration. After determining the quality of the
active principle in the extraction we use it to make different preparations.

In preparing aromatic drugs, after being made into aqueous extracts, we add to each of them the particular kind of aromatic water, so as to restore the aromatic nature of the original drugs.

In accordance with the solubilities of the active principles of some Chinese drugs, we determine to use alcohol for their extraction. After extraction by alcohol, we concentrate the extracted solutions into such forms as fluidextract and concentrated infusion. We may drive away all the alcohol from an alcoholic extracted solution and obtain an alcohol extract and use it in different preparations.

There are some Chinese drugs already included in the Pharmacopoeia as official drugs, and can be used as such.

The raw materials we used in our preparations are the best kind of natural drugs. They are tested in the laboratory with modern technique in pharmacognosy before being used.

Some of the Chinese drugs are of different species such as Tang-shen. We have the Fang-tang and Lu-tang. As to which species we used indicate it in the label.

In the treatment of crude drugs, Chinese medical practices usually employ the following method. Frying or roasting as such treating with alcohol or treating with honey. In preparing the crude drug for use we take into consideration of the traditional practices, and retain those processes which we

considered essential.

Since we analyze our raw materials, semi-products as well as the finished products, we guarantee the quality and standard of our products.

#### IV. FORMS OF PREPARATIONS

The form of Chinese medical preparations may be devided into two main classes, the liquid form and the solid form. To the liquid form belonged: fluidextract, tincture, concentrated infusion, syrup, spirit, concentrated water and extract-solution. To the solid form belonged: extract-tablet, extract (powder).

In every one of our preparations we indicate each unit's (1 c.c. 1 tablet or so many grams) equivalence for a certain quantity of the original drug in a

- Fluidextract: In general we prepare fluidextract by percolation using alcohol as solvent. For every c.c. of the finished product one gram of the crude drug is used. The alcohol content of a fluidextract is generally 20% (the alcohol content of a fluidextract in the Pharmacopoeia is higher being 40%).
- 2. Tincture: In preparing tinctures we use alcohol as solvent. One katty of the crude drug is used in preparing 5-10 katties of a tincture. The alcohol content of a tincture is comparatively high generally being 40%.
- 3. Concentrated infusion: In the preparation of concentrated infusion, we use 400 grams of the crude drug to make 1000 c.c. of the finished product using dilute alcohol for percolation. The alcohol content of this kind of preparation is about 16-20%.
- 4. Syrup: Syrup is a preparation made by adding a definite quantity of either the aqueous extract or the alcohol extract to a definite quantity of simple
- 5. Concentrated water and spirit: Both concentrated water and spirit preparations contain only those essential oils extracted from crude drugs, without any impurities. The alcohol content in spirit is higher than that of concentrated water preparation.
- 6. Extract-solution: Extract-solutions are made by dissolving a definite quantity of either the aqueous extract or alcohol extract in water, aromatic water, or dilute alcohol. They contain little or no alcohol. Extract-solution is a new form of preparation made to meet the demand of Chinese physicians.
- Extract: An extract is a preparation in powder form prepared by adding a definite quantity of excipient such as starch to a definite quantity of either the aqueous extract or alcohol extract.
  - 8. Extract-tablet: Extract-tablet is a preparation made by putting an ex-

- 11 -

Sanitized Conv Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009-

tract into tablet form. Each tablet contains a definite quantity of an extract of an active principle.

#### V. ALCOHOL CONTENT

In preparing Chinese medicine from herbs, in order to reduce the volume of the finished products, we are often obliged to use alcohol as a solvent.

If the preparations called for in a prescription are numerous and big in quantitities the total algobol content in a dose of medicine may be so high as to cause slight drunkenness in patients susceptible to alcohol especially in the case of children. Physicians in prescribing, in order to avoid the side effects of alcohol, should take notice of the alcohol content of the different preparations as indicated in our catalogue and calculate the total content of alcohol in their precriptions. If the patient is susceptible to alcohol, the alcohol should be driven off by such means as steaming before administrating, especially with children. Deviding a dose of medicine into portions to be taken 15 minutes at a time may also reduce the side effects of alcohol. As a rule the total alcohol content in a dose of Chinese medicine would not be more then 3-4 c.c., the alcohol effect of which is negligible with most patients.

We have paid much attention to the reduction of alcohol content in our preparations. For further improvements in this matter we are still making investigations.

#### VI. DOSAGES

The dosages of the preparations of our drug house are indicated in the labels. (the quantity indicated is for one dose and 2-3 doses can be taken in one day) We expect physicians not to use our preparations exceeding the upper limits of their dosages, especially those marked with the red character, "drastic". Such preparations as almond water. Fluidextract Ephedra and the like should not in any case be used in excess. Preparations that are not drastic experienced physicians may use their own discretion in regard to their dosages. For example the dosage for Fluidextract Rhei in the Pharmacopoeia is 0.50-1.00 c.c. But in the Pharmacopoeia it is used as a bitter tonic rather than a laxitive. Every c.c. of our preparation of Fluidextract Rhei is equivalent to 0.04 oz. (1 tael=3.125 gm) of Rhei in a decoction. So physicians if preferred may use a bigger dose of Fluidextract Rhei between 1-4 c.c. From experience 2-4 c.c. of Fluidextract Rhei would have a laxitive effect with no side effects. Although every c.c. of almond water is equivalent to only 0.05 oz. of almond

in a decoction, but being a drastic drug it is not to be used beyond 2 c.c.

#### VII. DISPENSING

In dispensing a prescription it is best to prepare the liquid parts and the solid parts separately. The liquid parts can be mixed in one bottle. 1 c.c. of most of our preparations is equivalent to 0.05 0.10 oz. of the original drug in a decoction, very few of them contain the equivalence of 0.03 oz. of the original drug. For example 1 c.c. of extract-solution of Bupleurun is equivalent to 0.10 oz. of the original drug in a decoction if the prescription called for 0.10 oz. of Bupleurun, one can use 1 c.c. of the preparation, extract-solution of Bupleurun, in its place. If one tablet of Extract-tablet of Scutellaria is equivalent to 0.10 oz. of Scutellaria in a decoction and the prescription calls for 0.10 oz. one can use one tablet instead (the dispensor ought to be conversed with the equivalence of each preparation to the original drug in a decoction).

For measuring liquid preparations, one may use either a measuring cup or a graduate. A 20 c.c. measuring cup usually would serve the purpose. When one has finished measuring one liquid, empty it into the bottle and then measure the next. If one has emptied an excess amount of a liquid preparation, it is not advisable to empty the excess back into the original container so as not to contaminate the medicine in question.

When two liquid preparations are mixed the mixture may become turbid. This condition as a rule is not to be feared. This is due to the change of alcohol concentration in the solution causing the precepitation of some of the constituents. For example when water is added to the Tincture of Pistacia on account of the lowering of the alcohol concentration, Pistacia is precepitated, causing the solution to become milky, but the mixture can be taken just the

After having checked up the number and quantities of preparations used, add distilled water, filtered water or boiled water (that has been cool) to make up the required amount, and then write down the direction for taking of the prescription on the label. If in the same prescription powder and tablet are called for they are not to be added to the liquid portions, as they are difficult to dissolve and they are to be put up in separate packages, with direction given to be taken together with the liquid portion at the same time.

#### VIII. STORAGE OF PREPARATIONS

Chinese medical preparations as a rule should be kept in dark cool place

and should not be exposed to direct sun-light, have to be stopped up right after using. If the preparation comes with a plastic screwed, it is best to use a longer soft wood stopper instead. To prevent powders and tablets from absorbing water stoppers may be changed if necessary. It is advisable to rebottle the preparations in ground glass stopper bottles, if one has any. If powders and tablets have absorbed moisture, it is best to drive the water away in a desiccator.

After standing for some time a slight precepitation may occur in liquid preparations. This is often the case with preparations prepared from herbs. This is not a matter of much importance. The preparations may be used afterfiltered.

In case of a liquid prepartion, if there is a layer of white mold on the top and bubbles are being given off, and in case of powder and tablet having evidences of molding the preparations are not fit for use.

Chinese medical preparations like other medicine in the Pharmacopoeia made from herbs, have no definite limit of time of effectiveness. With our preparations in general, they can retain their medicinal effect for two years if they are not opened.

#### IX. CONCLUSION

We have given a general description of the preparations of our drug house. Many questions that have been brought up by Chinese physicians have been answered in this pamphlet. Recently some Chinese physicians have inquired whether that class of the so called "cold drugs" (drugs having the power of reducing fever and inflamation) after undergoing the process of preparation, change their medicinal effect. We hereby take the opportunity to give them a respond. Clinical stations using our preparations have demonstrated that the so called "cold drugs" increase rather than decreese their medicinal effect after going through the process of preparation.

In closing we want to say that although our drug house is developing rapidly, it is only on its formative stage. Many technical problems are still to be solved. We welcome critizisms as well as clinical advices and informations in regard to the effect of our preparations, which would do a great deal toward helping us to improve the quality and method of production of our products.

Our products are not only welcomed by physicians, hospitals and clinics at home, but they are also highly esteemed by our oversea brothers in Singapore and other places in the Malay Peninsula. They are also demanded by physicians in Siam, Indo-China and Indonesia. To meet the demand for our products in the Malay Peninsula and North Borneo, we have established a special agency in Singapore.



- 14 -



# PRICE LIST OF SHIWAN **EARTHENWARES**



廣州土産出口公司工藝品部 CHINA HATE: NAL HATIVE PRODUCE EXPORT CORPORATION (CANTON.) ADT 80 CRAFT DEPARIMENT

ADJ. PESS: 109 I LEW CHENG ROAD CANTON CABLE ADDRESS: \$55537 ARTICRASET A

# 美術陶器

# 舒建更正表

百种山	7 d v	大义止	支			
夏灾行。	大桶	31	錯	談	更	
2 30	小相鄉改表	坐	16 66		1865.	正
2 3/	h		14 90	-		
1 , , , , , , , , , , , , , , , , , , ,	,				1480	
	,	-	1800		18 50	a collection and all the
3 7 3 8	3		3段		3 60	
3 8	2		6 16	_ T	3 23 6 44	
3 33	4		\$ 60	1	146	
			4 66	1	4.63	
3 15	单海		6 43			-
	半 使	12	87= 10.50		6 40	
13	林箱龍丝便				全册去	
\$\frac{1}{5}0	4	7	1/2		7歳 7歳 1天	
	竹笠装海		+致 >翰		786	
6 32	木箱線文冊		+ 25	1	186	
14 \$ 3			> 14	7	173	· !
14 to 18	in to	1 3	广牛岛公	T	24	
1 64	1	量	生馬		III	_ /
		183	- Land	1	14000000000000000000000000000000000000	i
16 £ 9	1	- 1 45	建全种)公	(V)	金金)公	
	h		堂公	13	名公	- 1
17 21	7	797	剩鐵	10	木桶公	1
17 54	The second livery was a second livery with the second livery was a second livery was a second livery was a second livery with the second livery was a second livery with the second livery was a second livery with the second livery was a second livery was a second livery with the second livery was a second livery was a second livery with the second livery was a second livery was		1		TOIM Z	1 3
17 左6	,	1	1		n	
20 23/	3	技生	2等公		6	1 1
20 /2 /	*	The second	2 X X	灰	三公	
20 to 1	1	TIE	家艺	么	鹤	3
21 もり	4	-	7			
みをなり	the second section is a second section.	獅魚山	とか	Yo	z	Ĵ.
23 左16	3	原山	黑力	原在		
23 左34	2	於三彩	上重一	X LL	毫	i i
23 61	-1	岭平上沿车	生是十一	自毛	<b>分</b> 生	1
23 63	1		12/	1195	14	(C)
- \	1			,	,	45
三三百131任	格			7		35
狂 的器列星至	年八十五十	4050		40.00		9
- , 1	传O. 1. F香港個	重额	单位:港之	<u>' _ ` _</u> ر ر	, ]	STORY OF THE PERSON OF THE PER

# 目 绿 表

2000000: 1 2/l <b>2/l</b> 0000000	
1.石灣美術陶器	2
2.石灣陶器玩具	9
①各式亭類(彩釉)	9
②各式塔類(彩釉) 201-231	0
③各式橋類(彩釉)301-327	-
⊕各式寮類(彩釉) 401-427	Ì
⑤ 合式屋、廟、寺、樓 ( 彩釉 ) 501-561	2
⑥其他(包括關、殼牌店、城 檀 廠)(彩釉)…601-62812	2
⑦各式車類(彩釉)	3
⑧谷式船、艇、排類(彩釉)801-834	3
⑨各式山公類(彩釉) 901-922	4
⑩牛馬為獸類(彩釉)	4
①化釉各款公類(%釉)101-11/271	ō
⑫其他化釉公類 (化釉)1201-126317	7
③各式烟具類(化釉)1301-132318	3
<b>④</b> 各式标签石山類(    (	
⑤易獸鱗甲類(化釉)	9
⑥原釉各式茅簝類 (原釉)1601-16222	
<b>⑰原胎人物、傷獸、公療(原胎)1701-17812</b>	2

# 石灣陶器 ( 廣州人民美術社出品 ) 報價單單位: 个

	1			Т			規	+4	E C	SF AB	7
貸 號	6		名	和	Ť.	Ð		格		等元) 信	- 11% - 21 <sup>+</sup>
FIOI	Ŧ	席	僚	白		Z-1-	尺(公分) 度		1111111111	木箱籐茅	*
F101 A	-	/ft	IA.	+		和	23X30XI3		6.70	+	ļ
F102	+-			石		胎釉	"	0.0	8.50		
F102A	+-			台石		胎	17X 20 X 11	<del> </del>	3,63		
5 104			125	+			"	и	2.96		
\$104c	-		原	白	製	粒				20,30	
5116	+-	11		+-	70.		"			25,60	
S116C	+			白壁	250	釉	12 X27X10	<del></del>		13.70	-
S117	+	 太		+	叔	釉				1740	
S117C	姜			自	Eil		20X28X15			1800	
S117C	*	. "		壁	殺	釉	r	- 11	-	2200	
S118 S118.c	李	- 太	日	白	TP.	釉	25X14X11	1.25		1530	
5119	┼	"	بي-	壁	殺	釉	"	,1		1910	
	杜		市	白		釉	12X26X9	1.0		14.6Q	1
S 119C	A255	"		壁	彩	袖	и	"		16 80	
\$ 120	鐘		虺	自		釉	10/,15/,28	1.30	-	1507	,
5 1 2 0 C	-	٠.		-	裂	釉	"	n		1665	
5122	張		. 良	白		釉	23 X 23 X 14	1.25	15.00	16.50	
S122C	L	и			裂	·	, n	**		20 70	
5 126	王泰		灵鸡			釉	32 X 14 X 13 13 X 12 X 9	2.25	26 30	2790	單位:套(共2個)
5126C		p			젟	釉	n	1.0	3.3 <u>80</u>	35 <u>40</u>	",
5129	岳	寺 東	一辈			釉	11 X22X15	1.1	21 30	2290	
5129C		"		壁	鮤	釉	р	-0	27 <u>30</u>	28 <u>90</u>	
F130 A	魯		迅	白		釉	35X14X10	1. 25	1000	1110	
F130A		n		丣		胎	- 11	9	გ <u>90</u>	1000	
S 13 OB		"		白	油紅	頭		a °	13 80	17 50	
5132	營	智	深	白		釉	29×22×12	2.0	23.80	2540	
3132C		н		聲	裂	釉	n-11	"	30 50	3210	
5 13 3	陶	淵	明	Ħ		釉	33X2OX9	1. 25	18 10	2050	
31330		n		壁	鮤		"		24.60		~
3134,	ž	浩	紅	台		釉	32 X 9 X 19	1.375	1350	14 90	
3134C		и		壁		釉			1720		
-139	衠	<i>1</i> 6,	藻	包		74	36 × 17 × 17	1. 50			
=139A		н	1	石		胎	,,		760		

													- 1			
ſ		Γ														
貨	號.	55		名	和	) 1	ř	規	- 1			單 (i	& F 客元)	價	備	
F 139	a R	荷	花	舞	形	<u>.                                    </u>		尺(公尺)	度	重(公开	)量 :	饭装	價木箱原	娄	115	
\$ 140		貴	-NU	奴			由	36 1.17/					145			
5140		"		//	壁		抽	30X13X	10	1. 0			223			
F14		喓		鴿	-	7,	抽	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	$\dashv$	. 0			30 2			
F 14 1	A		,,	PAG	石		- 16	22X18X1	1	1.0	. 1		80			-
F 142		朝	鮮	- 2	+		曲		+	"			72			
F 14 2	A	1.4	//	<i>7</i> #	石		台	23X12 X	9	0.75			37			
F142	-		1.0		形		-		+		-		64	_		
F 143		苗家		葷	白		#		+	,,			36	- 1		
F [43		- 10	"	#	石	- A	-	28X19X13	2	1. 25	1	20	11 10	7		
S 145		李	時	珍	fi fi	- 和	+	27/14 //	+	- 1	+			1		
S 145		,	,,	-7		裂 和	+	37×14×14	+	н			201			
5147	_	曾		行	台	和和	+	22./	+				25 10			
5147		<u> </u>	))	10		製和	-	32 X 11 X13	+	n			14 50	. i		
S 148	$\top$	遊		施	É	和	+	11x9½x20	+	0 60	-+		18 50			
5148	c			-0		2 釉	+	11/45/5/5	+			-	10 ∞	-		
F 150	ź	生 吾	爾	舞	白	釉	+	21×8× 5	╁	0,25	1	82	10 00			
F150,			"		石	胎	+-	"	+	,	-	38	304			
F 150	В	,	1)	7	彩	釉	+		+			52	2 59 3 72	1		
F 15 I	亲	f 5	E 3	肂	Ħ	釉	t,	20X18X9	+	0.5		16	378	-		
F151A	4		1	-	石	胎	t	"	-	<u> </u>			3.29	-		
F151	3		4		<del>-</del>	釉	t		+				512	-		
15.2	D.	ž	ê	-	f	釉	12	ZIXIBXIO	1	O 937	4:		4.93	-		
152		p			<del>-</del>	胎	r	"	<del> </del>	"	4	+	4-2	_		
= 152E	3	n		1	*/	釉	-	n	-		-	+				**********
205	4	` .	Ť,	售	Ħ	釉	2	3 X16X1O	-	75	64	-5	702			
205	+	11		T	Ti	胎	_	"		,			684			
208	蚁	與	1 8	55 )	胎	₹,	16	5X23X10	ı,				40			-
310	+		1	Sp.		1		Kirk Y	97.00				00	- 1900	-1	
213	16		4	-			20	5X13X11	Ç	8/5						
316	1/1	厝	Ę	宜	白袖家					),6		9 4			-	
217	4		Ť	E	1			X17/8		.,62		0 4				
221		鸭		2	j	-		X22712	_	62			66			

		-					`-						
	40	1			4	~ <del>*</del>			規				備 註
5 2 2 3	質	號	ŭū		看	并影	1	5	尺(公分) 度				/
5 2 2 3	S 22	2		鴨		胎	¬ :	ŧ	12X22X12				
			帯		367		h		12×25×13				
5227     畫 看     22XI7XI4     ○ 5     26 ○ 27型       5228     丁 哥 (黒) 23XI2XI3     ○ 875 (690) 1720       F229     大 綿 羊 白 釉 27XI8XI4     1.375 2090 2380       523     大 鴻 話 モ 26X2XI4 125 29 3040       5231     大 鴨 話 モ 26X2XI4 125 29 3040       5232     脇 耽 移 色 18XI4XI7 075 248 320       5233     鷹 肪 モ 22XI8X 7 075 14 50 16 40       5233     鷹 肪 モ 22XI8X 7 075 14 50 16 40       5234     湾 券 色 12XI7XII 07 25 259 319       5235     白 亮 白 筋 6XI8XI8 04 212 259       5237     小 猫 18XIXXI 07 04 149 173       5238     松 泉 跨 釉 18XIXX 04 192 214 269       5239     楊 務 袖 18XIXX 04 192 215       5240     小 熊 粉 詹 16XI2X 04 142 192 215       5240     小 熊 粉 詹 16XI2X 04 142 192 215       5241     子 母 3 18XIXX 04 14XIX 05 220 274       5242     京 白 釉 13X4 X8 015 115 126       5244     糖 魚 10XI2X 04 142 169       5244     糖 魚 10XI2X 04 142 169       5244     糖 魚 10XIX 05 220 274       5242     京 白	522	24	鶴		鶉		4		19X11 X17		25 90	2720	
5228       丁 哥	523	27	書				ä		22XI7XI4				
F 229       大 稿 手 白 釉 27X18X14 1.375 209C 233C         5 23       大 稿	522	28			哥		ı. (	黑)	23X12X13		1690		
5231         大鴨	F 21	29	大	綿		台	7	胂	27X18X14		2090		
5231     大 鴨 貼 モ 26X20XIA     IZ5 2900 3000       5232     船 耽 移 色 相 I8XIAXIT     ○ 75 248 300       5233     席 貼 モ 22XI8XT     ○ 75 1480 [640]       5234     湾 券 色 相 I2XITXII     ○ 7 259 313       F235     白 亮 白 形 6XI0XIB     ○ 4 2.12 2.59       3236     雄 鶏 砂 色 相 I8XIXXY     ○ 7 214 2.62       5237     小 插 " I4XIXT     ○ 4 149 1.73       \$238     松 扇 鈴 釉 I4XIXT     ○ 4 149 1.73       \$239     鴉 粉 簡 I8XIXXY     ○ 6 209 241       \$240     小 照 形 色 I6XI2XT     ○ 4 142 159       \$241     子 母 鴉	5 23	3	t				11		37 X 28 X 15	20			
5 2 3 3			大			胎		ŧ	26X20XI4	l			
S 2 3 4         等         等         等         時         は 2 X 1 7 X 11         O Z         2 59         3 13           F 2 3.5         白         売         白         売         白         売         白         2 1 2 2 59         3 13           S 2 3 6         雄         糖         砂         台         日         2 1 2 2 59         3 13           S 2 3 6         雄         糖         砂         日         0 2         2 1 4         2 62           S 2 3 7         小         糖         沙         田         1 4 X 17 X 7         0 4         1 49         1 73           S 2 3 8         板         駒         競         柚         14 X 17 X 7         0 4e         1 92         2 15           S 2 4 9         糖         粉         糖         18 X 9 X 7         0 4e         1 92         2 15           S 2 4 0         小         糖         粉         6 8m         16 X 12 X 7         0 4e         1 42         1 59           S 2 4 1         子         毎         16 X 12 X 7         0 4e         1 42         1 59           S 2 4 2         寮         白         13 X 4 X 8         0 12         1 12         1 12           S 2 4	52	32	駱		駝	彩	色	釉	18X14X17	0.75	248		
	5 2	33		麃		胎		毛	22XI8X 7	075	14 60	1640	·
F235         白 亮 白 元 柏 らxi8xi8         〇生 2.12 2.59           3236         雄 鶏 彩 色 和 i8xi2x9         〇 ス 2 世 2.62           S237         小 徳 " i4xix7         〇生 149 173           S238         松 泉 約 和 i4xi7x7         〇生 192 2년           S239         楊 稲 i8x9x7         〇 6 209 2년           S240         小 照 彩 6 和 i6xi2x7         〇 4 142 159           S241         子 母 獨 " i4xi1x7         〇 5 220 2½           S242         家 白 釉 i3x4x8         〇12 15 126           S244         額 " i0xi2x7         〇 34 123 i37           F 7 日 房 " i6x2x9x9         〇 32 29 312           S 4 全 陽         I6xi4x8         〇 5 i35 i70           S 生 陽         8xi4x8         〇 4 i26 i25           S 全 陽         13xi7x6         〇 25 i27           F 4 第 8 9xi4xi5         〇 25 i27           F 4 第 8 9xi4xi5         〇 2 073 081           S 304			1	.,-	鴦	彩	色	釉	12X17X11	07			
3236     雄 鶏 彩 色 釉 18x12x9 〇 ブ 2 14 2 52       S 2 37     小 徳 " 14x11x7 〇 4 149 173       S 2 38     松 泉 鈴 釉 14x17x7 〇 4 192 2 15       S 2 39     瑞 稿 編 18x9x7 〇 6 209 2 41       S 2 40     小 照 彩 色 袖 16x12x7 〇 4 142 159       S 2 41     子 母 端 " 14x11x7 〇 5 220 274       S 2 42     家 白 釉 13x4x8 〇 15 115 126       S 2 44     糖 熊 " 10x12x7 〇 34 123 137       F 7 日 馬 " 15x23x9 ○ 32 259 313       S 4 全 陽 16x14x8 ○ 5 135 170       S 生 陽 8 814x8 ○ 4 126 125       S 2 48     17x14x8 ○ 34 186       F 4 第 8 13x17x6 ○ 25 127       F 4 第 8 13x17x6 ○ 25 127       F 4 第 9 x14x15 ○ 2 073 031       S 303 第 日 11x17x11 ○ 876 418 466       S 305 龍 瓶 " 11x2x11  " 720 7 66       S 306 有耳方振 " 13x2x11 " 745 855       S 307 獅 頭 職 " 11x2x11 " 745 855       S 308 教 頭 職 " 11x2x11 " 454 502			<del> </del>			Ħ		釉	6X18X18	04			
S 2 3 7     小 糖     " I4XITX 7     〇 生     1 42 1 73       S 2 3 8     松 角 約 釉 I4XITX 7     〇 性 1 92 2 15       S 2 3 9     務 稿 紙 相 I8X9X 7     〇 6 2 0 9 2 11       S 2 4 0     小 照 形 色			雄			彩	色	釉	18,112,19	07			
S 238     松 期 約 細 14×17×7 〇 40 192 215       S 239     稿 稿 編 18×9×7 〇 6 209 241       S 240     小 照 物 6 細 16×12×7 〇 4 142 159       S 241     子 母 編 " 14×11×7 〇 5 220 274       S 242     家 白 釉 13×4×8 〇 15 115 126       S 244     糖 館 " 10×12×7 〇 34 123 137       F 7 日 局 " 15×23×9 ○ 32 259 313       S 4 全 稿 16×14×8 ○ 5 135 170       S 生 稿 8 17×14×8 ○ 4 106 125       S 企 稿 17×14×8 ○ 34 186       財 編 13×17×6 ○ 25 157       F 4 第 9 ×14×15 ○ 2 0.73 0.81       S 303 翰 樹 新 11×17×11 ○ 876 4.16 4.66       S 304 寶 縣 新 20 釉 12×24×12 1 ○ 542 6.42       S 305 糖 瓶 " 11×2×2×11 " 745 8.55       S 307 獅 頭 職 " 3×2×4×13 " 745 8.55       S 308 教 頭 職 " 11×2×2×11 " 4.54 502			<del></del>			1	,,		14x11x 7	04	1 49		
5239     鴨 陽 編 相 18 x 9 x 7 〇 6 209 2 ± 1       5240     小 照 形 色袖 16 x 12 x 7 〇 4 1 ± 2 1 59       5241     子 母 鴨 " 14 x 11 x 7 〇 5 2 20 2 7 ±       5242     家 白 釉 13 x 4 x 8 〇 1 5 1 ± 6       5244     糖 熊 " 10 x 12 x 7 〇 3 4 1 2 3 1 3 7       F 7 日 馬 " 15 x 2 3 x 9 ○ 3 2 2 2 9 3 1 3       S 4 全 鴨 16 x 14 x 8 ○ 5 1 5 1 7 0       S 生 鴨 8 8 x 17 x 14 x 8 ○ 4 1 0 1 2 5 1 7 0       S 全 鴨 13 x 17 x 6 ○ 2 5 1 5 7       F 4 第 9 x 14 x 15 ○ 2 0 7 3 0 3 1       F 4 第 9 x 14 x 15 ○ 2 0 7 3 0 3 1       S 303     繁 衛 新 11 x 17 x 11 ○ 876 4 1 6 4 6 6       S 305     糖 瀬 11 x 2 x x 11 · 7 2 0 7 5 6       S 306     有 耳 方 熊 " 13 x 2 4 x 13 " 7 5 8 8 5       S 307     獅 頭 熊 " 11 x 2 2 x 11 " 4 5 4 5 0 2       S 308     教 頭 熊 " 11 x 2 2 x 11 " 4 5 4 5 7 2 2			松		氟	鈞		釉	14,817,87				
5240         小 照 物 密袖 I6X12X7 〇生 142 159           5241         子 母霧 " I4XIIX7 〇 5 220 274           5242         家 白 釉 I3X4X8 〇 15 115 126           5244         糖 館 " I6X12X7 〇 34 123 137           F 7 日 局 " I6X23X9 ○ 32 259 313           S 4 全 鴨 I6XI4X8 ○ 5 135 170           S 生 鴨 8 8 17XI4X8 ○ 4 126 125           S 企 總 17XI4X8 ○ 34 186           F 4 第 9 XI4XI5 ○ 2 073 031           F 4 第 9 XI4XI5 ○ 2 073 031           S 303 新 費 新 11X17XII ○ 876 4.16 4.66           S 304 寶 縣 第 11X2XII  ○ 876 4.16 4.66           S 305 糖 瓶 " I1X2XII  ○ 745 8.55           S 307 獅 頭 瓶 " 3X2XII	<u></u>					-		釉	18 X9 X 7	06	209		
S 2 4 1     子 母 霧     "			+			彩	F	釉	16X12X7	04			
5242     家 自 勘 13X4X8     ○15 15 126       5244     糖 魚 " 10X12X7 ○34 123 137       F 7 日 馬 " 15X23X9 ○32 259 313       S 4 全 鴨 16X14X8 ○ 5 135 170       S 至 鴨 8 8X14X8 ○ 4 126 125       S 企 總 17X14X8 ○34 186       ★ 第 9X14X15 ○ 2 0.73 0.81       F 4 第 9X14X15 ○ 2 0.73 0.81       S 305 龍 熊 11X2X11 ○ 542 6 43       S 307 獅 頭 熊 " 13X2X13 " 745 85       S 308 教 頭 熊 " 11X2X11 " 454 502	-		+	母		1			14X11X7	0.5	220		
5244 糖果     10人12人7       F     7'白馬       6     15人23从9       7     15人23从9       16     135       16     135       16     135       17     135       13     135       13     135       13     135       13     135       13     135       13     13       14     13       15     13       15     13       15     13       15     13       15     13       15     13       15     13			Ť		/	甘		釉	13 X4 X8	015		1	
F     7 白 馬     15×23×9     O 32     2 59     313       S     4 全 鴨     16×14×8     O 5     1 35     1 70       S     生 鴨     8×14×8     O 4     1 00     1 20       S     企 總     17×14×8     O 34     1 86       財     48     13×17×6     O 25     1 57       F     4 第     9×14×15     O 2     0.73     0.01       5 303     財     衛 財 財 11×17×11     O 875     4.15     4.66       5 304     等 原 航 釣     物 12×24×12     1 ○ 542     6 43       5 305     糖 瓶     11×22×11     720     7 59       5 306     有 耳 万 振     13×24×13     745     8 25       5 307     御 頭 撒     8×20×8     0 75     4-22     4-57       5 308     教 頭 紙     11×22×11     4-54     502	52	44	猫		餓	T	11		10X12X7	034		1 '	i
S 4 全 鴨 I6XI4-X8 ○ 5 I 35 I Z○ S 生 鴨 S XI4-X8 ○ 4 I Q6 I 25 S 企 陽 I7XI4-X8 ○ 34 I 86 F 編 I3XI7X6 ○ 25 I 57 F 4 象 9XI4-XI5 ○ 2 0.73 ○ 031 S 303 財 債 財 計 IIXI7XII ○ 875 4.18 4.66 S 304 雙原 麻 釣 精 I2X24XI2 I ○ 542 6.43 S 305 糖 瓶 IIX22XII 72○ 7.58 S 306 有耳方振 I3X24XI3 " 745 8.55 S 307 獅 頭 撒 3X24XI3 " 745 8.55 S 307 獅 頭 撒 3X24XI3 " 745 8.55 S 308 象 頭 撒 " IIX22XII 4.54 5.92	-					-	r		15 X23 X 9	032	2 59	313	
S     生 鴨     8x14x8     〇生 126       S     企 陽     17x14x8     〇立 186       黄 綿     13x17x6     〇立 187       F     4* 寮     9x14x15     〇立 0.73     031       5 303     財 債 財 財 11x17x11     ○875     4.18     4.66       5 304     笶 厚 旅 数 物 12x24x12     1 ○ 542     6 43       5 305     職 第 11x2x11     720     7 58       5 306     有 耳 方 旅     13x24x13     755     8 55       5 307     御 頭 徽     8x20x8     0 75     4.29     4.57       5 308     教 頭 旅     11x2x11     4.54     502	-								16X14X8	0 2	1	1	
5 全 聴	-					-		-	8X14X8	04	106	1 25	
黄編     I3XI7X6     O 25     I 5Z       F     4* 象     9XI4XI5     O 2     0.73     0.81       5 3O3     労 資 新 新 IIXI7XII     O 875     4.12     4.66       5 3O4     等 扇 競 労 精 I2X24XI2     I O 5 42     6 43       5 3O5     龍 流 IIX22XII     720     7 59       5 3O6     有 耳 方 流 13X24XI3     745     8 59       5 3O7     師 頭 徹 8X20X8     O 75     4.29     4 57       S 3O8     象 頭 ᇌ IIX22XII     454     502	-		_						17X14X8	0.34	186		
F     4*     象     9x!4x!5     ○2     0.79     0.81       5 303     労 債 労 財 IIX!7x!1     ○ 875     4.19     4.66       5 304     賃 厚 競 労 物 12x24x!2     1 ○ 542     6.43       5 305     糖 汽 IIX22XII     720     7.59       5 306     有 耳 方 振     13x24x!3     745     8.59       5 307     御 頭 徹 8x20x8     ○ 75     4.29     4.97       5 308     象 頭 旅 11x22x!1     4.54     502	-		黄		ෲ	7			13X17X6	0 25	1 57	7	
S 303     財 複 財 財 IIXI7XIII     O 875     4.19     4.66       S 304     寶 原 競 對 相 I2X24XI2     I ○ 542     6.43       S 305     龍 熊 " IIX22XII " 720     7.59       S 306     有 耳 方 振 " 13X24XI3 " 750     8.29       S 307     獅 頭 熊 " 8X24XI3 " 750     4.22     4.27       S 308     象 頭 熊 " IIX22XII " 4.54     502	E					_			9X!4XI5	02	1		
5304     獎 原 旅 對     和 12×24×12     1 ○ 542 643       5305     龍 旅     11×22×11     720 768       5306     有耳方振     13×24×13     750 825       5307     獅 頭 熊     8×20×8     0 75 429 427       5308     象 頭 振     11×22×11     454 502		103					黄	釉	11 X 17 X 1	0.875	4.18		
5305     龍 瓶     " IIX22XII " 720 7 55       5306     有耳方瓶     " 13×24×13 " 740 820       5307     獅 頭 撒 " 8×20×8 075 420 427       5308     黎 頭 識 " IIX22XII " 454 502						-			-	0			
5306     有耳方振     " 13×24×13 " 745 8 25       S307     獅頭 骶 8×20×8 0 75 4 22 4 27       S308     象頭 振 " 11×22×11 " 454 5 22						-					72	i	
S 3 O 7     獅 頭 概     8 × 20 × 8     O 75     4 29     4 37       S 3 O 8     象 頭 族     II × 22 × II     4 54     5 02			-		方前	Ř.	11		<del></del>		745	8 55	<u>i</u>
S3O.8 象頭	<u> </u>		-+			_	h		-	- 75	4.25	4 5	Z
2 20	-					+					45		
5310 白 荣 概 白 線 版 19×11×11 " 424 4-12	L		-+			-	絲	一	-	-	42	4 7	2

貸.	名	E		名	釉		色	規	榕	單 (港	F 價	備 計
	μ	0(1		-u	744		-	尺 (公分) 度	董 (公开) 量	竹笠券買	梳簾裝	備
5 3	12 .	松	鶴.	花插	鉤		釉	13 × 18 × 11	10	<u> 40</u>	4 88	
S 3	13	獅	7.	燈座		"		13×17×9	0.75	613	6 76	
5 3	13/		,,		<u> </u>				0.95			有燈頭和綫
5.3	14	鯉	魚	燈座		11		24 X 12 X 10	0.75	5 67	630	
53	1 4 A		,:			,,		. 0	O 95			有超頭和糕
53	15	蚧		籮	蚧	黄	釉	10 X 12 X 12	○ ē	3 17	3 <u>55</u>	
F 3	21	蓮	.禁力	西盅	绿		釉	15 / 5 × 15	O 35	153	1 75	
S 3		松	鹤	重量	绉		抽	12/21/8	1 0	507	607	
5 3	26	伊护	魚	掛壁		r		12 X 26 X 8	0 5	4 19	4 57	
5 3	29	魟	魚	烟盅		4		11 X12 X13	0 15	1 11	25	
53	31	無	魚	图盅		34		14×10×4		1 12	1 28	***********
53	32	楕	元力	迈盅		n		9/14/4	.,	1 12	28	
5 3	€ €	海	常	西皇				13 X (0 X 4	41.	1 12	112	
F 3 (	5_5	白	鴿	当 壁	台		釉	16X 18X 10	0 875	377	4.73	
53.	3.8	魚	筆	描	自強	京学	釉	15X15X6		3 79	4 33	
S 34	- 2	¥	頭	赤	鈞.		釉	EIXEIXEI	0 7	4 86		****
ŷ 34	14	小	花	歳		n		18X14X14	O 75	4 60	5 32	
£ 34	-5	雙	鷾	锿		"		29 X 14 / 14	1.4	10,20	11.70	(1)
F 34	- 7	元	彻	蛊	Ħ		雅	14X14X5	05	191	215	
F34	્રુ	牡	丹	瓶				22%I8XI8	1.2	690	9 50	
535	50	雙	龍棉	声	鈞		釉	23%.26%16	1.4	1200	14 80	
\$ 35	îf	鴉	糖	畫	Ė		釉	20X28X20	2 0		1	***************************************
S 51	53	卧	連	鴨				19×1-4×15	C) 875	970	0.50	
5 3	56	婱	角古	瓶	鲊		雅	31/26×8	1.6	1040		
		包	鈂	傅	7%		穑		ž.			
		層。	塵	俠		ń						
		將	相	ЯU.		,			-			
F 50	)	13	柅	瓶		雅		8 # # #		213	2 63	
F 50	2	青	栃	忝		ь		8 <sup>"</sup>		261	30g	
F 50	3	B	栃	氮		Pr .		8		2 37	2 68	
F 50	)4	青	杬	領		,	_	10"	100	5 50	6 58	
F 50	5	台	杬	额				10"	00	5 50	6 58	1 0
FŌC	6	青	菱	氖		,, .	4	8		261	309	

Ah DE	п		-			2	想	格	單(港	が慣	储	註
貨號	ΩÜ	,	各	釉		色	尺(公分)度	堂(公介)量		木箱簽裝	178	D-1-
F 507	白	· ·	瓶	-	釉		8"	· ·	2 38	286		
F 508			瓶	-	н		10"		4 84	5 94		-
F 509		-	瓶	-	1+		10"		4 37	5 红		
F510			瓶		11		12"	5	7 15	8 <u>70</u>		-
FOIL			瓶		u		12"	1 5	675	8 30		
F512	通花		瓶	Ħ		釉	- 8"		483	5 <u>36</u>		
F513	72.10	ъ	,	-	.,		10"					
F514	: ,.	4.			r		12"		8 55	1010		
F515	大霸	青筆	洗		釉		91"	0 95	3.80			
F516	大號		_		п		11		380	433		
F517	三號		-		n		8"					
F 5 18	三號				"		11					
F519	水	· · · · ·	壺	1	11		61"	125	450			
F520	慂	花	旅	白	-	釉	10"	O Zō	6 26			
F522	梅		笥		1)		8"	-	4.88	5 <u>36</u>		
F523		"			п		10"		648	713		
F524		,			p		12"	1	8 35			
	白通	龙魚	施	_	11		102"	050	500			
S 245	防	禦	鶏	彩		釉	(公分) 16以6以16	O 975	794	864	- ,	
5.246	海		鷗		11		26X16KII	0 4	729	805		
5247	雙		鸽		٠,،		23X16X2I	15	781			
5248	X		鷄		P		11 X12与X10	0 3	163			
\$250	駱.		駝		,1	-	16X13X8	03	27	313		
5251	隋		牛	Γ			15×10×4	0 01	9			
5252	1	0.	鴨	-			12 X 9 X 5	012	1 30			
5253	热		薦		-1		14X 10X 7	02	22			1
5254	唐	馬	(何)	-	. ,		27X72X15		8 <u>3</u>			
\$255	唐	馬	(俯)		.,		26X 12 X 17	10	8 3			
5243	胎	も	猫		. "		13×11×8	03	65	682		
5357	折	半	瓶	鈞		釉	15X 7x 7	O 26		20	1	
5358	肥		掖	+			21X10X10	0 35	24	3 290	5	1
5359	杬		能	5	Н	Ť.	20 XIOX I		24			
5360	大	方	前	ا	` n		25 X12 X12	2 10	59	3 65	2	

K)	號	80			名	釉	. *	色	規 .	1	格	單(港	力價	描	註
貝	7/17,	00			Ή	าพ		ō	尺 度	重		竹笠裝價		118	u <u>1</u>
00	ð i	刻	花	方	旅	箌		釉	2011017	0	<u>55</u>	3 <u>49</u>	383		
\$ 3	62	芽	台		瓶		п								
5 3	63	蔔	頭	[	瓶		н		25 X 9 X 9		375	345	3 <u>83</u>		
5 3	64	玉	移		瓶		0		30X23X23		25	9 32	12 <u>53</u>		
5 3	65	大	栍	ř.	瓶		,1		34X18X.18		25	927	(1 <u>97</u>		
ş, 3	67	刻	花蒜	(豆)	痲		,,		22X 16X 16		<u>75</u>	3 <u>97</u>	4 77		
5 3	71	F	Ti	7	瓶		,,		28×16×16	1	375	5 <u>88</u>	6 <sup>95</sup>		
5 3	75	雜	É	1	瓶		'n		27X27X4		25	724	7 88		
5 3	76	聖	賃	,	碟		11		27X27X4		3	702	7 56		
<del>5</del> Э	84	カ	焦	,	瓶		,,		17X12X12		625	325			
5 3	85	竹	5	Ę	捕		n		16½X11X11	0	625	303	342		
5 3	86	雙	材	ķ	振		"		15XIOXIO	С	5	347	3 36		
5 3	87	全	Æ			彩		釉	20X12X11		55	5∞			
S 3		通	花	筆	榧				21X10X10	0	875	4 22			
5 3	89	台			壁	彩		釉	73X151/63	0	32	4 14			
	90		-		壁		.,		15X4½X17	0	90	4 57	505		
S 3	98	壮	丹	爥	座		- 11		29116 2162	2	0	g 45	10 92		
<u> </u>	99		萄				,,		22XI5X 15	C	65	703	810	-	
	00	走	97	-	195,		,1		19×19×7	C	625	4.70			
5 4	04	雙	Ē	Ē	冼	鈞		釉	8 X 24 X 20	C	€	583	6.52		
	-05	漳		F.	虚	彩		釉	17X19X19	C	98	7.36	8 <u>95</u>		
5 4	-13	奏	花	和	鐘	F			3 X 8 ½ x 8 ½	0	2	0.68	0.74	- 7	
	-14	+	玉				.,		2×7×7	C	125	047	051		
5 4	-18	魚		ŠĮ.	瓶	Ħ		釉	19 X 16 X 16		0	4 32			-
	+19		耳儿			鈞		釉	112 X112 X173	C	90	308	3 56		
-	120	-	魚			-		釉			5	5 42			
	121	+	楚	-					15X5X62	To	12	1 79	192		*
	+ 22		隺				,		7X7X15	C	25	84	201		-
<u> </u>		1			70	1			-						
				_				×	1	1					
-		1-				1			1	1	,	T		1	
		+-		_		T-				1			1	T	

非二人们的

2. 等 10.00 (2.00) (2.0

The second secon

O	

	12	4		T	112 1	4.	覌	- 格	單(港	元) 價	偌	註
貨	號	品	. 7	1	釉	色	尺(公分)度	重(公介)量	竹笠紫檀	桥麓紫		
5		古	1	~	*/	釉	2"		<u> </u>			
 3	_			1	٠	n	3″			- 20		
5 5			n			11	4"	111	0.88	0 98		
S			4			ıl .	12"					
\$		方	1	塔		,1	1½" 2½"		0 33	0 37		
		1				'н '	1 1/2"					
S S		Ш	海	闚		11						-
S		T-	4			11	2"		0 65	0.72		
S .	<del></del>	斜	方	殿		и	× J." -	-	0 37			
S		<u> </u>	p	- 1		n	1½"		0 2	0.58	-	
5		欄	河	亭	-	4	1"		03			
5	7	7 700	1,1		-	n	12		04			
5		牌		坊	$\vdash$	. 11	u."		03			
S S S		117	,h		T	11	12"		04	2 0 4	2	
		檐	Ė	亭	-	h	11/2"		02	0 25	2	-
S S		166	- ;; -		$\vdash$	ji	2"		03	4 0 36	2	
5		方	21	亭	+-	11	1½"					
					+	' и	4"	×	06	9 07	3	
S .		紀	念	亭		"	2"	×	13	4 14	4	
S		一段	彦			11	. 5"	11 3	16	1 19	3	
S		雙		W	-	и:	1.9	- 5				
S		→ ×	- Jr. 4	Y Y	_	п	,,,	-	03	3 03	7.	-
\$		$+$ ^		/1	-	nī.	1"	1.		1		
5		無		1	-		112		05	06	9	
5		100			+	n	2"		0	72 07	4	
		Д		1/2	5	,,	5分	1	0	15 01	6	
S		一手	廊		3		1"					
		が		1			1"	-	0	25 02	7	
S		橋						-	_	_	1	
13		作			F		1½"		0	11 0.	3	
SF		1/1			1		2"			19 0	22	
3					+		- 2	-			84	
F.		/ //			<b>局</b>					-	+	

# 陶器玩具 Turnel and

1106 . 电重导

10 一方有雙小克。2章

4-1

1.6.301 1.6.2401 1.6.2401

		和	类頁		1.	各式	<b>亨 類</b>	編號	E E	i ii	名	規格	单	C.I.F.	T-
網號	1		1	15 規格	蝉位	C.I.F		1134	1 7	横	亭		16)	+	+
101	六	簏	X 1	7分	朝	11.50		135	5		,,	1寸5分	Ť	1	
102	"			·   1寸	-	13.90		136	5 ,		13	2寸	"	-	-
103	"			1寸5分	-	18.00		137	7 相	上	亭	15	١,,	13.10	
104	n			2‡	"	25.70		138	3 .		н	<b>时5分</b>	.,		
105	"			2寸5分	1	41.00		139	,		.,	2寸	h	23.30	
106	-			3寸	,,	68.30		140	, "		j.	2寸5分	,,	25.70	1
107			,,	5‡	-1	141.10		141	"		'n	3寸	.,	35.90	
108	ナ	角!	軍亭	7分	-	10.30		142	方	斜等	多亭	77	,,	10.30	
109	-11		"	17	"	12.80	!	143	,		"	17	,	10.80	
110	大 [	角三	曹亭	175分	,	23,30		144	-			1寸5分	7	15.70	
111	n'		n	2 🖠	n	31.30		145			,	2 <b>j</b>	"	23.10	
112	文	字	亭	1寸5分	u	23.30		146	1		•	2寸5分	п	33.30	
113	Ξ	角罩	亭	14	.,	10.80		147	1		^	3 <del>†</del>	,1	47.40	
114	n		п	1寸5分	"	15.90		148	方	斜單	亭	7分	,,	9,00	
115				2‡	"	35.90		149	11		h	1寸	,,	9.70	
116	n			2寸5分	"	43.60		150	石	柱	亭	11	,	10.80	
	雙	F	亨	7分		13.10		151	,			1寸5分	10	15.70	
811	11		,	17	12	14.10		152	"		.,	2寸	н	23.10	
119	"		10	1寸5分	"	18.20		153	古	産	亭	7分	"	12.80	
20	11		11	21	"	24.90		154	<b>13</b>	面紀念	亭	2寸	,	89.90	
21			n	2寸5分	"	41.00		155	檦	河長	亭	11	"	25.70	
22	r		٠,	3寸	n	66.70		156	н	-	,,	1寸5分	"	30.80	
-	方名	牛石	亭	1寸5分	"	16.90		157	Ż	字	亭	15		19.00	
24	п		•	21	"	25.70		158	雙	F	亭	<b>4</b>	п	148.00	
25	Ξ_	돗	亨	14	"	18.50		159	ナ	角雙	亭	45		28.20	
	"		11	1寸5分	1	24.60		160	Ξ	角雙	亭	2寸	-	41.30	
27	1)		- 11	2寸	μ	32-10		161	21		"	1753	.,	18.00	
28		•	-	2寸5分	•	41.00		162	ь			11	,,	13.90	
29 /	7 1	<b>手</b> 雙	亭	1寸5分	"	21.80		163	Ż	字	亭	2寸	,,	30.80	-
30			."	21	*	30.80		164	Л	角雙	亭	17	,,	16.90	
311	f	屋	亭	13	,	15.70		165	大厂	1000	亭	3‡		83.40	
	•		ات	月5分	"	19.80		166	,		.	4寸	- 1	50.50	
33			"	2 <b>†</b>	0	24.60		167	大角	雙水	亭	2寸		43.40	

# 觸器厉具

福號 品 名 規格 製 CIF		-																		-	-					1
信稿 即 ① ① 1	deer 15.	T-				zl	規格	<b>単</b> 位	C	TF			編	號	品			名	規格	郸						
169   三角 雙亭   3寸						4			-			-	-		も	層	殊	峼	3†	町	R	30	80			-
170   左字 写 3		-						-					2	10	Į,				3 † 5	6 "		37.	20			-
170									-	-			12	211	,,				215	分!	1	26	90			-
171   四百和念年   3寸   1890   213   157   23350   172   26350   214   22   15   182		-+-	Ζ.	- 子				1	<del> </del>				12	212	"			r	41	Ŀ		43	.60			-
172   四日かかで   33						_		-	+-			1	-		,				51		•	55	5.10			1
174   方 料 等 4寸		_	25 [	9 #T	58	-		-	+-		_		-		经	Ě	,	焙	91		" 1	233	3.50			4
174   方 料 亨 43			-					-+-	+		-		1	215	-			10	1尺2	过		269	3.30			_
175   大青 季								-	+-		-		-‡-		1	ī		焙	15		"	1	1.00			
176								_	+		$\vdash$		4		1	,		,,	付	分		1	1.50			_
177		-+		4	<u> </u>		+	-	-+-		+-		-4-		+			и	2	†	В	10	6.70			
220   31   2820   221   41   5640   222   37   57   13850   223   37   57   13850   223   37   57   13850   224   37   257   31   3080   225   31   3080   227   26   87   87   2130   228   31   3080   227   26   87   87   21290   228   31   3080   227   26   87   87   21290   228   31   3080   3080   327   26   37   37   3080   3080   327   26   37   37   37   38   38   38   38   38	-						+	-	+		+-		1		╁	,,		,	25	5分	n	Ē	9.80			
221   1   1   4寸   5640     222   1   5寸   13850     223   百 方 店   15分   1360     224   225   2150   2130     225   2150   2130     226   3寸   31   3080     227   鐘	1	78	彩		宁	15	37	4	+	1.20	+		-		+	h		,,	3	†	.,	2	8.20	_		
222   157   13850     223   百万   156   156   1360     224   257   2150   2130     225   257   2150   2130     226   331   3080     227   鐘	L		_				+	+	+		+		-		+	,,			4	寸	,,	5	6.40			
223 西方 宿   15号   1360   1780   124   1780   124   1780   125   1780   125   1780   125   1780   125   1780   125   1780   125   1880   188	-		-				+	+	+		+		1		+	_			. 5	4	,,	13	8.50			
224   17.50   21.75   17.50   225   17.50   225   17.50   225   17.50   226   17.50   226   17.50   226   17.50   227   22   18   31   30.80   227   22   17   17   16.90	_		_				+		+		+		-		+	74	方	Ħ	11	5分	"	1	3.60			
225   1259   21.30     226   31   30.80     227		_	L			-	+	-	+		+		-		+				. 1 2	2:1	,,	1	7.50	,		
226 · · · · 31   · · 3080     227 瓊 瑞 81   · · 212.90     228   · · ·   1元   · · 256.50     229 元 曆 第 41   · · 53.40     230   · · ·   51   · ·   68.10     231   · · ·   64   · ·   94.20     中山元参路   15号   · ·   23.10     平山元参路   15号   · ·   23.10     231   · · ·   64   · ·   23.10     231   · · ·   64   · ·   23.10     231   · · ·   64   · ·   23.10     231   · · ·   64   · · ·   23.10     231   · · · ·   21   · · ·   23.10     231   · · · ·   21   · · · ·   23.10     240   1   1   1   1   1   1   1   1     201   1   1   1   1   1   1   1     202   · · ·	L		1				-	-	+		+		٠		-+				. 2	5分		1	21.30	7		
227			1			-	-	-	-		+			<del></del>	+				-+-		1,	13	30.80	7		
228	L		1	_			+	-	-		+			1-	1	_					,,	2	12.90	5		
229 元 信 所 格 47	L		1				1		-		+				- 1	37 <u>E</u>					1,1	2	56.50	5		
230	L		1				_	_	_		+		_	-	-	- 17	屈	毋			١,	†	53.40	5		
231	-					_	4		_		-			-			- 13	111			1.	1	68.10	5		
中山紀念格   15分   23.10   中山紀念格   15分   23.10   平山紀念格   15分   23.10   平山紀念格   15分   23.10   14.10   15分   15	L		1						-		-			1	_	-			-+-	÷	1.	,	94.20	0		
深多末由美寶 2.合種培類 2寸 28.90 編號 品 名 既裕 粒 C.F.F 3寸 40.50 201 五層珠塔 1寸 既 11.30 4寸 76.60 202 1寸5份 14.10 5寸 105.00 203 2寸 1950 6寸 14.1.20 204 2寸 25份 23.30 7寸 221.50 205 3寸 25.60 7寸 221.50 206 1寸7份 16.90 方 百 塔 7寸 15.3.40 207 七層珠塔 2寸 21.90 8寸 214.10			1				+				-			12.		da	11.2	7 A	塔	15%	1	-+-		$\neg$		
編號 品 名 原格 粒 C,I.F	L		1		_				L	7 75		##F		1-		1	шл	O V	-+		+		28.9	0		
編號 品 名 茂帝 虹 (,1.1-1)			-ř	-	汗	曲			_	T		**		1		+-			_		+	-	40.5	đ		_
201 五層珠稿 17 以 11-30     - 、 5寸 、 105.00       202 · · · 175份 * 14-10     - 、 5寸 、 105.00       203 · · · 2寸 、 1950     - · · · 6寸 、 14-1.20       204 · · · · 25份 · · 23.30     - · · · · 7寸 · · 221.50       205 · · · 3寸 · · 2560     方 存 6寸 · · 130.30       206 · · ·   17万 · ·   16.90     方 方 塔 7寸 · ·   15.340       207 七層珠塔 2寸 · · 21.90     - · · · · · · · · · · · · · · · · · · ·	1	編章				•	-+		_	_		-		1	÷	+			_		Ť			_		
202     "   15份     "   14.10       203     "   21     "   1950     "   61     "   14.120       204     "   25份       2330     "   71     "   22150       205     "   31     "   2560       5   6   61     "   130.30       206     "   17份     "   16.90       5   5   6   71     "   153.40       207     七 / 7 / 7 / 7 / 7 / 7 / 7 / 7 / 7 / 7 /	1	20	1	Ŧ	層	殊	塔	11	币	+		+-		-		+			-+		+	-		-		
203 " 25" 1950       204 " 25% 2330       205 * 31 " 2560       206 " 17% 1690       207 七層珠塔 25 " 2190         31 " 2560       560       57 下 下 下 下 下 下 下 下 下 下 下 下 下 下 下 下 下 下 下	- 1	20	2	n				付5分	1"		_	+	_		_	+-			-		-+	-		-+		
204 " 25切 2330"       205 - 31 " 2560     古 塔 61 " 130.30       206 " 17万 " 16.90     万 百 塔 7寸 " 15.340       207 七 曆 珠 卷 2寸 " 21.90     " 35 " 214.10		20	3	n			٠		1	-		1	_	-		+-			-+		$^{+}$					
205 · 31 " 2560		20	4	n			,,	2寸5分	1	+	_	+-		-		+					-+					
206 * 1776 * 16.90   月 11.0   83 * 214.10		20	5				•	31	Ŀ	25.	60	4_		1		+-			-		-	-			-	
207 七層		20	06	٦			"	17万	1	16	.90		_	1		+	-	İ			$\neg$				-	
208 - 1759 17.20		20	7.7	t	層	艿	塔	25	Ŀ	. 21	.90			1		+	11		-"	85	Ч	-	214.	10	-	
		20	08	,			-	195	7	- 17	.20	이_		-	_	_				L_		L	1		<u> </u>	

	平:	深	[类]	Ħ	3.	各式檔	類		釆:	深	抄	Į ,	4.	各对寮	類
獨號	F		名	規格	单位	C.I.F		絹 號	n		名	<b>覌: 柖</b>	粒	C.I.F	
301	平		樽	7分	酹	6.90		401	彩	Щ	簝	5分	臤	10.30	
302	"		.,	11		7.40		402	"		41	7分	u	08.01	
303				1寸5分	μ	08.01		403	p		п	14	и	14.20	
304			r	2寸	n,	13.30		404	rs.			付5分	,,	21,70	
305	н		11	2寸 5分	11.	16.20		405			11	24	.,	32.20	
306	"			3†	n	23.30		406			.,	2寸 5分	,,	42.60	
307	п		μ	41		76.80		407				34	.,	68.10	
308	,,		"	57		103.00		408	"		н	1寸3分	"	19.90	
309	"			4寸5分	"	84.60		409	彩	*	寮	5分	"	13.20	
310	拱		橋	7分	"	6.90		410	"			7分	"	13.70	
311	,,		,.	1 \$		7.70		411	'n			Ιŧ	n	17.00	
312			,,	1月5分	"	11.00		412	"		0	すり分	,	28.40	
313			,,	24	,,	13.30		413			4	1 1 3 8	"	25.80	
314	.,		"	2寸5分	.,	17.20		414	,,			25	"	38.70	
315			.,	3‡	,,	23.90		415	,,		i.	2寸 5分	"	59.30	
316	Ξ	眼	檔	7分		6.90		416	"		.,	3†	"	101.00	
317	11		.,	15	"	7.70		417	新	戎	繁	7分		12.90	
318	-1		;	1寸5分	.,	11.00		418	"		."	14	"	16.50	
319	л			2\$	,,	13.30		419	."		11	1753	"	24.80	
320				2寸5分		17.20		420	,,		19	2†	1,	37.40	
321	,,			31	,1	23.90	-	421	百	施	寮	1寸5分	"	24.80	
325	栱		欘	45	"	39.20		422	n		.4	2\$		37.40	
326	v			5\$	19	53.90		423	"			14		17.00	
327	Ξ	15	欘	6 <b>†</b>		72.30		424	秽	水	寮	45	,	273.50	
								425	"		н	5 f	'n	44 I.OC	
								426	秽	山	寮	45	и	183.00	
								427	,,		и	5 寸	"	268.OC	
							-								
		-					,	-							
							-							1	
		,			Γ					,		. 1	i	,	

कं	来出	1 *	Ŧ	12	クナル	# # ++	455 74				T			т
	-VI,IT			_		府. 丁、佟	1177	+			-			
-			-	-	1		+				-		80.30	
۲÷		_		+		+	-	-	-	模	1155	) n	16.90	
			1	+	+		1	-		"	2寸	-	21,30	
	· 		20	+		+	+	+			-	"	25.60	
-	百		-	+-	18.50		538	移	雅号	子字		н	5.6C	
		,	17 59	+	24.40	<b>-</b>	539	雙	有	廟	3159	·   n	128.4C	
			2 1	li li	3210		540	) "		1)	45	j j	172.10	
雙		庫	7分	"	14.6C		541	龍	官	寺	2寸5分	10	42.30	
		н	13	31	21.30		542	育	華	寺	17	п	28.20	
, 12		*	付奶	"	25.9C		543	斜	右	腴	14	"	25.40	
11		11	21		33.30		544	雙	古	廟	2寸5分	n	56,40	
單		廟	7分	"	11.80		55C	"		"	3‡	п	101.60	
"		n	1=	"	16.90		551	角	華	寺	3‡	٠,	108.70	
			付5分	p	22.60		552	"		п	4寸	.,	197.50	
.1			2寸	11	26.90		553	雙		寺	2寸5分	,,	48.00	
雙		专	7分	"	14.90		554	,,		"	3†		70.50	
11			13	"	16.90		560	洋		樓	3±	-		
0 .		-	けつか	, 11	21.80		561	,,	×	"	4寸	-		
n *		и	2‡	,,	30.80							. •		
單		寺	7分	13	11.80			- 1				Н		
		n	19	"	13.60	,						H		
12			1寸5分	,	17.50							Н	-	
in .		۸	25	6.	24.40		7			7		-		
角	華	寺	1寸5分	-	34.40		彩	来由	类質	6.:	其他 類 (	每左:	随题 维拉	松桉果
и.		"	25	,,	40.00									<b>M·復、</b> 腐、
n e		d	2寸5分	-	46.40				i ili ster					
龍	官	寺	15		16.90			.,		UM/	-	-		
11		- 4"	1\$57		26.90			-		,		+		
n		,	25					-	小海	-+		1		
¥	10	模	-			-			म्य गर्न			-		
				,						-		-		
,		,	-	,,					+	-			-	
,		-	-	+					П			+	-	
	-	-	2寸 5分	-	59.30			牌		坊	24	"	41.00	
	一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一	后不 · · · · · · · · · · · · · · · · · · ·	后,不是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	本	田 名 現 特 報 報 本	田 名 規格 戦 CIF 本 屋 1寸 駅 15.7亿 " 1寸分" 26.90 " 2寸 " 32.10 で	田 名 規格 戦 CIF	田 名 現格 粒 CIF 534 木 屋 1	田 名 現格 転 CIF 534 洋木 屋 11 駅 15.70 535 碗 11 分分 26.90 536 列 15.70 537 洋 質 方 屋 11 の 18.50 538 列 15.40 539 雙 市 アラ 11.80 550 11.80 554 11.80 550 11.80 554 11.80 550 11.80 554 11.80 550 11.80 554 11.80 550 11.80 554 11.80 550 11.80	田 名	田 名	田 名 現格 粒 CIF 534 洋 換 3寸 木 屋 1寸 町 15.70 535 碗 填 155 碗 填 155 碗 点 1寸 町 15.70 536 碗 点 1寸 両 15 両 15 両 15 両 15 両 15 両 15 両 15 両	田 名 現格 粒 CIF 534 洋 換 3寸 取	田 名 現格 粒 CIF

編號	品		名	規格	單位	C.I.F.		絹號	K		否	規 格	郸	C.I.F	
609 <sup>2</sup>	牌		坊	14	臤	16.70		709	馬		車	付奶	臤	25.60	
610	h		11.	けり分	,,	21.30		710	單人	、車	*	刀分		20,50	
611	ņ		-	25	n	26.70		711	p		"	।इ	в	22.50	
612	雙	御	城	1寸5分	"	26.90		712	, 11			1寸5分	e	28.20	-
613	天		嬗	14	.,	16.40		713	.,		,,	2寸	u		
614	11		"	1寸5分	п	23.80	- 0	714	雙 /	車	水	7分	ņ	35.90	
615	I		厭	14	,,	; 9.80		715	#		-11	14	7	43.50	
616	"		4	1寸5分	"	24.60		716	и			付奶		51.40	*
617	雙	牌	坊	4\$		226.00		717	Ξ /	車	水	7分.		43.50	
618	*		煙	2寸	11	36.70		718	n		"	15	,	51.40	1
619	,		11	34	n	66.40		719	и		.0	1寸5分	п	59.00	
620	雙	牌	坊	34	"	158.00		720	汔		車	ांचे	"	9.20	
621	天		檀	4-5	,,	102.00								*	
622	斜	右	殿	215%		62.10									-
623	"		n	34	,,	113.00			采乡	田米	类	ţ	8.	<b>谷</b> 对船舶	天排類
624	-	-	п	41	10	226.00		編號	20		名	規格	单位	CI.F	
625	,,		٠,	5寸		367.00		801	無		公	5分	臤	:12.80	
626	雙	面山海	賜	3寸	1	101.00		802			31	7分	"	13.10	
627	+	山紀念		1353	,,	25.40		803	٧,,	-	10	11	"	14.10	
628	雙	物析	槭	25	,	29.70		804	"		•	1寸5分	"	17.50	
	1^	~ -		<del> </del>	1			805				2\$	. //	23.40	- (
	$\vdash$			1	T			806				25 57	,	28.20	
	$\vdash$	<del>-</del>		1	-	,		807				31	,,	35.90	
	╁			<b>†</b>	$\dagger$	1-		808	.,			3 5 5 7		51,40	
	255	彩地	125	耳 	7	各式車	類	809			h	51	,	76.90	
編號	-	-	名	1	-		[ ·	81 C	帆		敖	25	١,,	56.40	
701	1	t	車	1	E7	+	1	811	,,		"	2755	,	64.10	
702	+-			75	1.,	+		812	1.			34	. ,	76.90	
703	+			ti			-	813	麓		船	2寸5%		110.30	
704	-		-11	1152	. ,,			814	+		- 14	34	,,	126.00	
705			,	2 1	1,	+		81 5	.,			4寸	,,	13900	1
706	-			25 52	+-	1	<del> </del>	816	+			51	1,,	192.00	
				+	+		+	817	, .			61	1.	25100	7
707	馬		車	7分	1	118.00									

編 號	品		看	規格	異位	C.I F		稀號	ᇤ			衔	頹格	單位	C.I.F.	
819	紫	洞	妍	付5分	臤	26.70		906	釣	魚	Ь	公	713	臤	5.90	
820	ļ ,,			-24	,	32.10		907				,,	.11	н	6.90	
821				2寸5分	à	37.20		908	騎	4:	Æ	公	5∄	п	9.00	
822	排		公	7分	"	6.70		909	",			,,	7分	-1	10.00	
823	n		11	15		6.70		910					14	"	11.20	
824	ינ			寸5分		12.10		911	,,		-		ける分	.,	17.10	40
825	и е		"	2‡	,	19.30		912	,,			,,	2 🕏	"	23.20	
826	н			2寸5分	h	28.20		913	摩	4	=	公	Ιđ	,,	19.70	
827	鸕	排	必	付5分	,	13.10		914		-	1	,1	付5分	,	28.10	
828	滋j	仙海	河	15	.,	178.00		915	坐	釣	魚	公	1寸5分	"	15.80	
829	,,		n	です	7	12800		916	鸡	釣	魚	公	1寸5分		15.80	
830	帆		韶	方寸	.,	211.60		917	奪	1 4		公	79		18.40	
168				讨5分	٠	42.80		918	13			n	2寸	,	42.20	
832	栗	洞	篏	34		107.20		919	粆	公	仙	岔	付5分	п,	11.20	
833	,,		n	41	q	183.90		920	騎	便	5	2	5分		8:00	
834	坐.	棑	公	6#	*	150.60		921		12			7分		1000	
								922		11			14	п	11.20	
									釆	<b>多米</b>	曲	类	į	10.	牛焉鳥	獸類
								編號	品			名	規格	驒缸	C.I.F	
•								1001	單	4		馬	7分	臤	4.90	
Ţ								1002	"			,,	14	L"	5.10	
	-							1003	"			,	15分	"	6.40	
	`							1004	鳥			獸	5分	٠	5.10	
-								1005			. '	P	7分	**.	5.60	
							1	1006	- ^		4	n	ाउ	0	6.20	
					_			1010	彩	橌	1	河	5分	٠	5.10	- *
								1011	.11			11	7分	•	5.60	
		##				各式山口	2.類	1012	п			n	15	n	620	
稀號			-		暰	C.I.F		10 13	單			髙	7分		4.90	
901	彩	Ш	公	5分	臤	4.10	21	10 14			1		ı t	.,	5,10	
902	n,		-	7分	**	4.40		1015					13 59	,	6.40	
903				14	21	4.90			٠.						1	
904	ų.		-	175分	"	7.70	1 7				-					
905	ъ -		2	2寸	ч,	13.30					•					

																15
	1	t	釆	曲》	領	- 1	. 各款亿	類	編品	i ii	- ·	H	規格	军	C.I.F	T s
稱號	í	107		1	5 規程	掣	C.I.F		110 3	4 4	1	Z	9‡	6	<del>R</del>	
1100	1	È	11	Ź	1132	E!	11.30	,	1103	3 <u>1</u> 2	魚	Z	付5分	١.	1240	
11002	,				1寸 5克	,,	11.30	-	110 90	5 4		,,	25	١.	15.00	<del> </del>
11003	1			,	2 f	13	13.70		11037	, ,	-	,	2寸5分	Ť.	22.10	-
11004	ľ			,	2寸5元	"	2030		11038	3		*1	2寸8分	١,		
11005	,			*1	248%		22.40		110 39	,,		.,	3 ±	١.,		<del> </del>
11006	Ŀ			,,	35		25.50		11040	, ,,	-	-1	4寸	,	43.40	
11007	"				37 57		31.80		11041	1.			5 9	-	84.20	<del> </del>
110 08	."			,,	45	"	4050		11042				6\$	,	1+3.10	<u> </u>
11009	,,			.,	5\$		75.20		110 43	10			7寸	-	153.40	
1010	"				5\$58	"	84.20		IKO44			.,	8‡	٦,	252.50	
10 11	"			,,	64	.,	98.40		11045	坐	魚	公	1寸5分	,,	13.20	
10 12	п				71	"	139.00		11046			4	25	4	16.00	
1013	а			и	8\$	"	19400		11047	-		,,	2寸5分	,	23.90	
1014	n			р	9‡	,	246.00		11048	-		N	3‡	pr	30.80	
10 15				,,	9寸5分	"	289.00		110 49				4寸	,,	52.60	
10 16		×	-		١Æ	"	347.00		11050		′	.,	51		95.50	
1017	ď				沢は	и	564.00		11051				6寸	,,	137.80	
10 18	".			,,	尺 2寸	71	622.00		11052	r			7寸	.,	194.70	-
1019	£	EV	山	公	14	"	5.00		11053				8J	4	302.50	
020	4			a	时5分		7.90		11054	(路)	1、坐掛	(三)公	1358	4	14.20	
021	坐	邴	山	丞	14		5.00		11055	'n			2\$	'n	17.5:0	
022	,				1寸5分	u	7.90		11056			.,	2寸5分		26.30	
1023	坐	1	-	公	1寸5分	,.	11.30		11057	H			34		3 1.80	
1024	•			'n	21		13.70		11058	,.			4寸	n	57.90	
0 25,	Pi			"	2寸5分	,	21.00		11059	"	-		5寸		107.90	
026	n			,,	34		26.60		11060	践	魚	公	1寸5分	,	16.30	
027	,,			r	3寸5分	4	35.50		11061	11	÷	-	2.5		19.50	
028	,				4寸	"	45.50	٧.	11062	,		"	2寸5分	,,	28.90	
029	,,			"	51		84.20		11063	,,		"	3#	4	34.70	-
030			1		5寸5分	-	92.60		11064		-		41	"	55,20	1
031	,				6 <b>†</b>	- 1	18.60		11065	,,			5\$	n.	105.00	, "
032	.,			p.	7 <b>†</b>	'n	68.30		. 11	根	魚.	公	2 <b>j</b>	,	19.50	2.
33				-	81	.]			Ю66	p.	1		2寸5分		28.90	

	-					- 1			編號	品品		8	1 1	見格	單位	CI.F	1		Ì
編	號 :	10			規格	_	C.I.F.		11100		包					121.50	7		7
1106	7 1	<u>K</u>	魚	公	31	臤	34.70			11	701		-	计5分		81.5	-		1
1106	8			0	4 <del>†</del>	"	55.20		11101		-	Z-T	-	2 1 5 1		31.6			1
1106	9 8	Ę	魚	公	2寸5分	"	28.90		11102	=	扶	TT.	-		<u></u>	38.1	-		1
1107	70			v	3‡	"	34.70		11103	-			+	3‡	-	65.8	-		1
110	71	<del>L</del> EE	魚	公	2寸5分	п	30.50		11104	1-			-	4\$	<del> </del>				+
110.	72	p			34	"	37.60		11105	"			4	55	Ë	118.4			-
110	73	n		11	44	a	6070		11106	"				64	1	152.6			$\dashv$
110	74	ħ		"	31.58	13	5000		11107	+			-	7\$	11	218.3	_		$\dashv$
110	75	腱	睡飞	汉	1寸5分	n	14.50		11108	企	扶	籠	公	25分	-	30.4			-
110	76	.,		,,	2‡	ŋ	18.90	-	11109	,,			"	34	"	37.6	-		-
110	17			,,	2寸5分	a	26.80		Hilo	"			-	45	n	60.8	_		$\dashv$
110	78	,	6	.,	3†	11	31.80		1111	"			"	51	"	113.	0		$\dashv$
110	79	未	足	公	15分	",	16.00		11113	2 "			,1	6\$	11	147	50		_
110	80	.,		,,	2寸5分	,,	27.90		1111	3 "				7 <b>†</b>	1.	210-	ю		_
110		公	孫	東公	2寸5分	,,	43.40		11 112	+ #	足	大箭	公	31		40.	50		_
110	-	-			3 †	"	55.20		1110	5 "			14	21	-	20.	30		
110		.,,		n	45	1,1	89.70		1111	6 '	,			215	ð "	31.	80		
-	84	坐	大石	魚公	3\$	1,,	37.60	)	1111	7 '	,		и	3‡	,	40	50		
-	85	勘	蚌	<b>公</b>	-	1,,	133.10			đ	產	缸	公	61	1.	173	60		
-	36	漁	- *!-	嬉	+	1	63.70	+	1111	8 4	Ł #	音	公	4寸	1	69	50		
-		181			45	+,	110.50	+	1111	9	'n		11	51	T	" 131-	50		
100	087	騙	魚		+	1,	17.10	+	1112	0 1	3 全	封	公	1 5	ð	" 16	00.		
-	288	1		<u> </u>	21 5%	+	26.30	+	1112	-			ji.	2\$	T	" 19	.20		
-		-			-	+	1		1112	+	9			2.15	Ð	. 28	.90		
-	289	12			-	+-	-		1112	-+-	μ		.,	3\$	_	. 34	.70		
-	090	+-	扶 1			+	+	+	1112	-				41	$\cdot$	" 55	.20		
$\vdash$	091	1			+	ΉΞ	35.50		1312	-+	1)			53	+	" 105	5.20		
-	092	+	-		-	- 1	+	-	1112	-+-	.,		'n	61	-+	-+	.40		
-	093	+-			+10	+	+	+	1112	-+	r		,,	7:	-	+	-00		-
-	094	+	-		<del></del>	+	-	-	1113	-	-	_		81	-+	_	,20	-	
+	095	+			+	- '	+			-+	把水		18E /7		-+		5.50		
-	096	+-			+	-			-	-	三个,	iig i j	在公	36	-+		7.60	-	
+	097	+-			+	-	+	-	- 111	-+		<del>-</del>		+	-		0,80		
111	1098	3 .			91	1	1001		1111	-1	"		, 1	+	-			1	1
- hi	099	m	大才	征	る フナ	1.	2420	0	1111	32	19		_ , "	5		P 113	3-10	1	

編號	50		石	規格.	<b>12</b> 47	CIF		編號	en en		石	覌 格	Wes	C = =	
11133		v +45 44- 9			<u> </u>			-		3 22 40			-	C.I.F.	
	42.0	K桶竹算	性公	6‡		147.60		12 08	1E	公孫批	4	4寸	訊	60.80	
11134	+ 1	- 4-th CC	7.7	7寸	"	21040		1209	-"-		-"	51		112.90	
11135		已扶領		41	"	66.50		1210	,,			61		15050	
11136		K桶竹箱		2寸		20,30		1211	J1			7寸	,,	21040	
11137		1大扶在		65		172.30		1212	ŦU		妊	34	<u>  "</u>	57.90	
11138		在 驚		21		20,30		1213	"			45	-"	98.40	
11139	担	藍	公	25	".	20,30		1214	h			5寸	ļ."	185.20	
11140	路	魚	公	3寸5分	"	45.00		1215	*		.,	6寸	Ľ.	20830	
11141	P	扶 籣		4寸5分		86.80		1216	đŲ	大	Ŧ	21	-	13.70	
11142	企	<u></u>	公	尺5分	13	43400		1217	н		. 1	2寸5分	.,	21.00	
11143	但	魚	公	25	P.	2030		1218	н		11	34	"	26.80	
11144	凫	漁	②	61	"	147.60		1219	11		"	45	١,,	43.40	
11145	坐	雜	公	6\$	*	173.60		1220				5†	۳.	84.20	
11146	企	躉 魚	公	4寸 5分	# O	72.30		1221			0	64	"	110.50	
11147	P	犯子	公	5寸 5分	"	86.80		1222	11		"	71		153.40	
11148	坐	孔 子	公	4寸	r	52.10		1223			a	84		211.20	
11149	#	舴	Ž	付奶	r	14.20		1224	p	4	n	9†	"	289.40	
1150	担	竹簾	公	6‡	"	147.60		1225	蠂		丞	付5分	"	13.90	
1151		n		7 🕈	'n	21040		1226	覄	仔	公.	3.#	,,	3080	
1152		"		2‡	٠	2030		1227	女.	担傘	公	34	"	26.30	
1153	J J J 1	4		31		37.60		1228	μ		11	4 <b>.</b> †	'n	43.40	
1154		,	,,,,,,	2寸5分	*	30.50		1229	"		"	5\$	"	78.90	
1155				4寸		60.80			拜	神	婆	37	п	26.60	
11156				5 f	11	113.10			,,	•	4	2\$	"	13.70	
11157	扶	餐.	7	2寸	,1	20.30		1230	貴	<b>郊醉</b>	酒	31	,,	55.20	
-	ít	ン系由	類	i	12	. 各式公	類	1231	11		11	4 <del>1</del>	л	84.20	
編號	6		名	規格		C.I.F.		1232	ы		,,	5寸	п	156.20	random Pirkunden
1201	坐	姧	公	2寸	ヌ	28.90		1233	蕉	美	公	3 <b>†</b>	",	37,40	
202	,,		-=;	2寸5分	,,	44.70		1234	n			<b>5</b> †	,,	124.40	
12 03			41	31.		57.90	,	1235	t	퍝	公		,,	105.20	
1204	"		· p	<b>4</b> 寸	15.	101.30		1236	B	月	公	9 <b>†</b>	",	474.00	
1205				51		178.00		1237	,,			ほけ	",	584.50	
12 06			,,	6T	-,-	347.20		1238	,		.,	IRQ#		90280	
	<u> </u>	公孫排	77. 3		-	4050		1239	ıF	清	官	6寸	-	147.60	

г								1		-		7	+ET ++-	10,4		
L	編號	6			-	C I.F		編號	en en			-+	規格	-	C.I.F	
1	1240	坐 清	官	6f	臤	173.60	-	13 06						臤	40,00	
	1241	0	r	75	n:	251.70		13 07	竹	省	È	碟		"	43.40	
	1242	樹頭	Ø	2寸5分	h	20,80		13 08				-			25.50	
l	1243	童捉蛤	公	3†		<b>6</b> 0.80		13 09	荷	葉	烟	蓧		-	40,00	
	1244	工持鴿	公	45	۳.	57.90		1310		柞		矼	45	"	101.30	
	1245	化 釉企牛	- 公	2\$	"	39.50		1311	竹	笙	Æ	蛊	3\$	-7	135.70	
	1246	r	,,	3\$	15	94.70		1312	樹	頭	烟	盘	34	"	135.70	
	1247		*1	4寸	,	129.70		1313	秡	魚	烟	僦	2ŧ	r	42.60	
	1248	P		2寸5分	А	56.60		1314	梅	隺	烟	礁	2寸5分		78.90	
	1249	生 清	官	44	".	68.40		1315	"			"	3 <b>†</b>	"	14200	
	1250	坐公 孫排	公	3 <b>†</b>		44.60		1316	雀	桶	烟	盘	34		94.70	
	1251	公孫漁	公	5 <b>†</b>	"	167.80		1317	蝦	鼓	之	桶	34		94.70	
	1252	二人指刺	多公	₽ŧ	n	24.70		1318	和	¥	鶴	水	34	,,	72.30	
Ī	1253	老人賣魚	公	4寸	•	66.50		1319	椎	ŧ	Ē.	公	31		81.50	
	12 54	企爭梅	公	7\$		167.80		1320	大	钶	烟	碟	45	P	4630	
	1255		,	5‡	n	92.60		1321	和	平台	易榧	碟			60.80	
	1256	,	H	4寸	.,	47.90		1322	魚	形	烟	碟			52.80	
Ì	1257	<b>療</b> 釉薩地1	松	5 र्च		98.40		1323	洋	<b>犬</b>	烟	碟			40.00	
	1258	,	-1	45		52.10			椎	Ĭ	車	公	2 \$		52.10	
1	1259		*	31	"	28.90			循	蔨	烟	碟	25	,,	69.50	
	1260	<b>愛</b> 釉生清	公	6寸		191.00										
	1261	奏袖企和	孑	5寸	.,	92.60										
Ī	1262	n		4 <b>寸</b>	,,	47.90										
İ	1263	e.	,,	3+	,-	28.90					-					
		-						/	11	シオ	础	类	頁	4,2	百式福宝	石山類
ľ								獨號	18.	ı		名	規格	靴	C.I.F.	
I				4.		41		1401	111	節	雙雀	筒	3‡	採	107.80	
		化雅	1类	頁 .	13.	各式烟	——— 具類	14-02	,,			n ·	45	.,	131.50	
Ì	編號	E	名	規格	戰	C.I.F.		14 03	樹	頭	單雀	筒	4寸	1	92,10	
İ	1301	象烟	碟		臤	<b></b>		14 04	栶	頭	雙雀	筒	4寸	٠,	97.70	
	13 02	蓮花	盅	2寸5分	.,	78.90		14 05	楚	4	專	篙	4 f	"	110,00	
	13 03	獅隊	碟	2寸5分		78.90		14 06	極	頭	ナ	眷	-34		72.60	
	1304	孩 拖	餌	34	,	69.50		14-07	實	鴨	牙	蓮	3\$	1.	133.60	
1	13 05		碟	1	١.	40,00		14 08	+			黄	5\$	+	136.00	-

編號	品		4	現格	單	C.I.F.		編號	E 5	,		石	規模	予戰	C.I.F	
14-09	圆	析	4	61	<b>F</b> 5	144.70		1443	9	釉	萜	瓶	7寸	邨	434.00	
1410	童	槽魚	植	4 ±		72.30		1444				"	85	7.	579.OC	
14 1	洋	ᆌ	額	3‡	<u> </u>	63.70		1448	5 .				8J 5%	<del>}</del> -	868.10	
14-12	白	鶴	篇	4†		115.70		1446	, "			٠.	94		JO13.00	
1413			η	5 †	"	13 9.40	! 	1447	"			"	1尺	,,,	1,157.00	-
1414	- 石	雙雀	育	45	n	116.50		1448	灓	釉大	肚	稂	31	r	749.70	
1415	5 "		-	5 \$	"	133.10		1449	麥	釉三	足	爐	4 <u>†</u>	,,	231.50	
1416	-		.,	34	Ŀ	89.70		145C	芭	蕉		石	6‡	,,	289.40	
1417	獅	筆	作	2寸5分		43.40		1451	變	釉水	仙	盆	5寸	"	231.50	
1418	獅	象	架	3 🖠	"	36.90		14-52								
1419	蓮		象	5#	"	192.00		1453								
1420	"		10	6\$	"	257.80		14-54					•			
1421	-			71	,,	376.20		1455								
1422	蟾	蜍 公		3₹	,ı	72.30										
14-23	石	山	景	3#	"	72:30										
1424	産	苑	插	付5分	4	-28-30	1									
1425	俖	鳵	蓮	31	11	110.50										
1426	£	聘	蓮	3 <b>†</b>	"	136,80			1t	汗	曲李	頁	: 	15.	烏獸麟	甲類
1427	蓮		8	3號		150.50		稱號	品		- 1	7	規格	鞡	CIF	
1428	店	Щ	鲎	955分	"	232.00		15 001	鶏		_ 4	2	7分	职	6.20	
1429			n	81	"	173.60			r				17	7	6.90	
1430	"		4	6寸5分	"	11:5.70		15002	p)			1	け5分	п	8.50	
1431	草	凋	産	4寸5分	-1	86.70		15003				"	2 🖠		1050	
1432			-	4±	".	57.90		15004	Ħ		美	哥	3‡		28.90	
1433	万	圓花	榼	51	"	101.30		15005	毋		¥	鳥	7分	"	6.20	
1434	*	底	盆	51	-	101.30		15006	小		¥	馬	3 <b>†</b>	"	4.90	
1435	方	草	盆	4寸	-	101.30	-	15007	谿		· 17	5	5分	1	4.60	
1436	8	草	盆	91	-	24590		15008			'	1	7分	9	4.90	
1437	v			7ŧ	-	83.10	1	15009	٠٠.			1	17	"	5.60	
1438	п			51	1	86.80		15010	н			1	15分	11	7.20	
1439	↑	鷄	Ш		"	28.90		15011	. "			4	25		8.70	
1440	方	形花	楯	9†	-	217.00		15012	Ŷ		Ť	鳥	5₺		4.90	
1441	高形	圓草	童	4 t	"	86.80		15013				1	717	•	5.60	
1442	兲	冰	瓶	5寸5分	-	23 1.50		15014	P			-	1,5	!	620	


1	$\circ$
_	v


	-														
福號	뮲	名	煤	格	勤	C.I.F		編號	品		看	覌 格	靴	C.I.F	
15015	企	鴨	13	5分 ]	訳	8.50		15049	企質	F B	虎	34	臤	49.20	
15016	p.		+-	2+		1080		15050	11		.,	41	"	81.00	
15017	毋	糖	+	54		8.70		15051	糖		仔	7闭	,,	4.90	
15018	小	70	+	5分	n	4.60		15052	,,			11		5.60	
15019	t護療	子好(大-)が	1		"	42.3C		15053	楯		19	21	"	15.70	
15020	鵡		+-	1寸		7.2C		15054			м	2才5分		21.30	
15021			1	†5 <del>7</del>	,,	9.00		15055	恩	喜	貓		^	14.10	
15022	.1		Τ.	25		11.30		15056	石	雅	魚	7分	0	5.60	
15023	黛	九	1	57	,,	4.90		15057				17	۳.	7.20	
15024	1,		+	7分	н	5.60		15058	"		,,	付5分	Ľ	8.70	
15025	,,		+	1 7	,,	6.20		15059			.1	2‡	"	1030	
15026		,	۲,	†5分	п	. 8.50		เรือ60	鄮		魚	73	*	5.10	
15027		1	+-	すり分	,	15.70		15061	1.			11	"	5.90	
15028	1		+	73	-	6.20		15062			,,	1寸5分	1-	7.40	
15029	1.0	1	-+-	7分		5.60		15063				2.7	1	9,00	
15030	-			1寸	"	5.90	1	15064	驙		Ħ	79	! "	4.40	ļ
15021	+			はらみ	P	7.90		15065			*	। इ	-	5.4C	
15032	-		,	25	,	10.50	,	15066			-	1758	١ .	6.90	
1503		1	5	7分	-	10 80		15067	-			27	! .	8.50	1
15034	-			15	-	12.60	o l	į 15O69	*	更具	魚	7分	1.	4.40	
15035	5 ,			1ま5分		16.40	)	1506	9 "		,	Į į	.	5.40	
15036	 5, r		-	2 \$	11	21.50	-1	1507	0 -			135	9	6.90	1
1503	+	3	端	79	1 .,	10,0	0	1507	1			2\$	•	8.50	Di .
1503	+			17	1.	11.36		1507	2 倉		1	R 7/8	H	4.60	)
1503	9 瘕		寸	25	-	14.40		1507	3 "			1 13	1	- 5.60	o
1505	-		<b>*</b>	21 59	1 ,	28.20	0	1507	4			ं । इंड	n)	6.9	o¦
(504	+		赤		1.	11.80		1507	5 8		- ;	75	,	4.90	)
-	2 原		4		1	: 16.4	c	1507	6 .			- 13		5.90	٥
-	3 猴		非		<del></del> -	1030		150	77 -			195	Ð	6.9	ο'
1	4 7		#E		+	9.7		100	18			178	7	7,40	٥,
-	-	章章.	虎	14	Ť.	. 144	cl	150	19 .			- 2:		. 7,9	0
1504		Cat fix		1359	} :	1 13.2	c .	150	30 E	Ē		₹ 23	+	- 310	0
150				23				s 150	311			- 3:	7	1 86-8	0
150						1 23.1		150	22			- ; 4	5 .	- 4:15.7	ο;
130	, di			1	-										

絹貒	ü		名	規格	鞡	C.I.F	稱號	12	1	名	規格	1	C.I.F	
15083	変		惫	51	臤	167.80	15117	t	眼鶏	魚	Ιţ	臤	6.10	
15084	魚		仔	3₺		1.90	15118	,		P	15分	,,	7.70	
15085	п		,,	5 <del>/)</del>		2.20	15119			11	21	P	1000	
15086	п		.,	77	p	2.20	15120	180		無	2寸5分	-	59.20	
15087	全		<b>E</b>	7分	**	7.20	15121	獅	F 🐉	壳	3寸 5分	n	49.10	
15088	,,		"	14	4	7.90	15/22	京	绳建于	魚	3∄	-	2,20	
15089	ě			1寸5分	ь	9.70	15123	,,		ü	5分	r	2.40	
15090	n		•	25	,	11.50	15124	-			7分		250	
15091	•		п	3‡	п	16.90	15125	極	頭	杂	1寸5分	٠,	45.10	
15092	連	脚	4	5分	4	4.40	15126	指	:		34	4	26-10	
15093	η,		п	77	4	4.90	 15127	雞		Ä	2\$	,,	9.00	
15094	芠	脚	篗	7分		5.40	 15128	驾		弮	2‡	•	11.30	- '
15095	o		ě	17	4	640	15129	蚧		仔	2‡	,,	38.50	
15006				时5分	,,	7.90	15130	Ħ		萬	34	2	34.70	
15097	蛤		纡	5分		4.20	15131	16	釉白	鸖	3‡		38.10	
15098	p s			7分	п	4.60	15132	Ŷ	蓮	鴨	2號	.,	359.00	
15099	,			计		5.90	15133			4	3號		284.00	
15:00	,			时5分	4 :	14.10	15134	羊		仔	25		25.90	
15:101	,,			2寸	.,	19.80	15 135	糗	}	仔	3‡		28.20	
15102				35	,,	28.90	15136	É		乭	付5分		11.50	
15103	蚧		伢	5分	,	12.80	15137	r			2\$	4	21.30	
15404		1	v	7分	*	13.60	15138	r		n	ΙŤ		9,00	
15105			*	11	ø	14.60	15139	,,		,	万分	,	7.90	-
15106	虼		仔	15		11.00	15140	青	釉	龟	付5分	-	9.20	
15:07	0			15分	••	12.80	15/41	٠,٠		"	15	-	7.4-0	
15:08				25	*		15142	n		d	7分	,	6.20	
15009	頻		+	1寸5分	"	1080	15143	n		,	5分	,,	620	
15110	就		急	1157		6.90	15144	青	猫蚧	仔	1寸5分	•	27.60	
15911	篝		魚	13		24.10	 15 145	.,		•	13	•	1690	
:57:2	2			2₹	•	21.30	 15   46	•		*	7 <del>3)</del>		15.70	
15413				3:	-	91.80	15147	•		n	5分	,	15.70	
:5114	弐		仔	1757	٠.	24.10	15 (48	曹	綠笔	仔	付5分	-	16:20	
15115	舜		牛	ां	-	10.30	15149	n		•	15		6.90	
15116	大	野马	5 無	7分	-	ร.:0	15/50			,	77		5.10	

62 PZ	E1		名	規格	戰	CIF	13	T	,	東	月	台	均		17.	人物。黑觀、	公統領
-	四 <u></u> 青 緑	da/s		5/7	可见	4.60		拼	張號	ü					單位	C.I.F.	
	月 が 企 *f		鴨	大競		434.00			701	上	B6	ш.	2	3分	臤	15.80	
					- 1	17.90	-	-	702	,,				5分		15.30	
5154	化釉		象	2t 1t	is .	14.40	1111	-1-	703	,,				7分		16.30	
5155	1		"	1755		18.20			704	"		-	.,	15	"	17.60	
51 56	0.		,,	21		21.30		-	705	,,				付5分	-1	26.60	
5157	-		4	2寸分	"	33.10		1	706	п			7	2‡	"	40.10	
5158			٠,,	35	-	49.20		-	707	行	胎	Щ	公	5分	10	4.60	
5159			,,	41	11	81.00		1	708	-			"	11	n	5.10	
31 30					-	-		1	709	1"			п	付5分	r	7.70	-
	原	**	1*	垂	! 16	. 各式茅	<b>窄類</b>	1	710	,	-			2\$		13.30	
<b>经</b>		ЛΉ	名	規格	<del>-</del>		T	-+-	1711		胎	無	公	1759	,,	42.30	
編號	E	.1.	寮	57	<b>新</b>	-	1	+	1712	+-	-	3.7	,,	2 🕏	-	54.10	
1601	原	山	来	7分	100	6.20	-	-	1713				.,	2寸5分		66.70	
1603	-		.,	14	-	7,00		-+	1714				y	3‡	n	74.60	
1604	├			1 5分	, ,	<del></del>	+		1715	+-		踎	鴨	5 <b>†</b>	"	132,00	
1605			,,	+	1,	+			1716	_	i ŧ		鴨	61	-	158.00	
1606	+		,,	-	+	1 0		1	1717		H #		鉤	34	19	~60.5 C	
1607				-		43.10	-	1	1718	3 B	H ₹	ı	<b>5</b> 5	3\$		265.80	
1608				-	+,	1240			1719	+-	台刊		御	35	-	81.50	
1609				-	+.	170.0	-		1720	,	,		,,	41	-	158.00	
1610	+			+	1	223.0			172	1 5	<b>#</b> ₹	£	御	55	1	203.00	
1611	+		有		Τ.	8.5	0		172	2 ,	,,		n	6đ	Τ.	255,00	
1612	+			+	+	9.5	0		172	3 1	È	胎	猫	3 1	1	56.80	
1613	-			+	_	10.1	-		172	4 1	3	胎	頜	31	7.	52.10	
1614	+-	-		-	-	16,0	_		172	5 月	おき	, 4	- 公	64	1	3200	5
1615	+			2 1	+	27.1	-		172	٠.	_		席傷	51		130.0	d
1616	-			215		- 41.0	_	- 1	172	7 1	岩	单	. 38	5分	T	6.90	0
161				. 31	-	66.8			172	8	н			7分	-	. 6.9	0
1618	+		1	子 17	+	. 7.0	_		172	9	,,	:	,	11	T	1 7.4	0
1619	-	雅	亭	-	+	. 3.4	-0 :	-	173	80	ь			115	77	7.9	0
162			焙		+	1 4.	70		175	31	н		,	2 1	1	" 10.0	0
162				寮 4	;†	. 202.	00		179	32	胎	上表	对有	₹ 7 <i>द</i>		. 8.5	0
162	-			" 5	_	4 278		; ;	173		11			ti.	-	8.5	0

編號	品省	規格	THE REAL PROPERTY.	C I.F.		編號	<b>5 5</b>	規格	野	ĊI.F.	
	胎上樹猴		臤	9.00		1768	上胎單牛、馬	7分	臤	23.90	
1735	, ,	2 🖠		10,00		1769	. "	15	.,	31.00	
1736	胎雙頭猴	7分		14.90		1770	上胎人騎牛馬	5 স্ট্র	-	38.50	
1737	p (1	1J		16-20		1771		74	"	40,00	
1738		2†	"	19.80		1772	n P	15	,,	52.70	
1739	断 三 頭 簇	7分	"	22.60		1773	上 胎小亭字			6.90	
1740	p r	13	"	24.60		1774	胎毛騎馬	34	,-	122-00	
1741	o 0	けり分	,	26.20		1775	,,	2寸		92.30	
1742	. ,	2寸	,	29.70		1776	上胎單馬	5分	"	22.60	
1743	, .	31	"	33.90		1777	,,	7分	"	23.90	
1744	<b>貽雙頭猴</b>	1寸5分	"	17.70		1778	,1	15	-1	31.00	
1745	上胎為獸	3分	"	18.20		1779	上胎人騎馬	59		33.50	
1746	, ,	5分	"	18.50		1780		7分		40.50	
1747		7分	"	19.50		1781	4	13	L	52.70	
1748	行胎山公	7分	"	4.40							
1749	脂毛騎牛 馬	3‡	y	122.00							
17-50	, ,	25	"	92.30							
1751	胎毛企鴨	4寸	,	135.00	in the second						
1752	胎毛蹈鴨	4寸	,	113.00					L		
1753	胎毛企鴨	9‡	6	110.00							
1754	胎毛路鴨	3寸	7	94.20					L		
1755	行胎 鉄公	け5分	4	41.60					L		
1756	μ n	2寸	"	41.30			·		_		
1757	и .и	27 577	"	46.20					L		
1758	u "	3†	4	50.00					_	L	
1759	上胎島獸	15	"	23.10		<u></u>			L		
1760	上胎小舟	1\$ 5%	"	48.70					L		
1761	上胎帆船	15	"	70.50				<b>_</b>			
1762	胎毛生物	大號	"	347.00					<u>_</u>		-
1763	п и	2號	"	237.00			•	<u> </u>	L		
1764	4	3號	"	150.00	-	ļ			L	ļ	
1765	, .	4號	"	130,00		-			.		
1766	上胎帆船	11	"	70.50		4	0		L		
1767	上跆單牛.馬	53	"	2260		90000			1		1





空氣壓縮機

# 中國機械進口公司 CHINA NATIONAL MACHINERY IMPORT CORPORATION

(IMPORT — EXPORT)

ER-LI-KOU, HSI-CHIAO, PEKING, CHINA

(ABLE ADDRESS: "MACHIMPORT" PEKING

Sanitized Copy Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009

# AIR COMPRESSOR

MODEL 1-6/7

This Air Compressor is of two-stage, four-cylinder, V-construction, single acting, air cooled type. Capacity 6 cubic meters free air per minute to pressure of 7 atmospheres.

It is driven by a direct-coupled 40 KW. motor. The compressor, motor, and intercooler are all mounted on a frame work, equipped with manometer and safety valve.


Air cooling of cylinder is effected by fans. Lubrication by splash method. Air receivers are of two sizes, namely: 0.25 cubic meter and 1.31 cubic meter respectively; any or both of them may be equipped if required.

The machine is suitable for use in building construction works, mines and workshops to supply energy to pneumatic tools.

# SPECIFICATION

No. of cylinders:	1st stage				2
	2nd stage				2
Cylinder bore:	1st stage				230 mm.
	2nd stage				135 mm.
Stroke:					120 mm.
Intake capacity:					6 m³/min.

Pressure:	1st stage				2 atm.
	2nd stage				7 atm.
Power required					52 H.P.
Speed		,			730 rpm.
Motor:	Power .				40 KW.
	Speed .				730 rpm.
Overall dimension (I				2120x90	05x1261 mm.
Net weight (including moto					1360 kg.



N.B.—For improvement of the machine, we reserve the right to alter either the design or the specification.

# BRANCHES


TIENTS IN OFFICE:

171 Chien Shien Road (Ho Si District)
Cable Address: MACHIMPORT Tientsin

27. Ghung Shan Road Et Cable Address: MACHIMPORT Shanghai

CANTON OFFICE: No. 2, West Bund Road, Canton
Cable Address: MACHINERY Canton

# Water Pump Centrifugal Type



# CHINA NATIONAL MACHINERY IMPORT CORPORATION

IMPORTERS & EXPORTERS

ER-LI-KOU, HSI-CHAO, PEKING, CHINA

CABLE ADD: MACHIMPORT PEKING



# INTRODUCTION

Weter pump is a kind of Machiney for pumping water from a lower level up to a higher level. Mines, Factories, Fundamental Constructions use water pumps for transporting water, supplying water and displacing water. Agricultural productions also utilise water pumps to fight against nature disasters.

There are many kinds of Water Pump, but the most effective and of widest usage ones are the Centrifugal Type Water Pumps. The main edvantages of the Centrifugal Pumps are as follows:

- (1) Simple and strong construction
  (2) Low cost of manufacture.
  (3) Early trapportable.
  (4) Early hamportable.
  (5) Early trapportable.
  (6) Suppages and manufacture and present of maintenance and present of the presen



# TABLE FOR ACCESSORIES

Part No.	Nomenclature	Material	No. of Pcs.	Remarks
1	Main Shaft	Mild Steel	1	
2	Bush Cover	Cast Iron	1	
3	Bush Check Nut	Mild Steel	1-2	
4	Ball Bearing	Hard Steel	1	Single Roll a Double Roll
. 5	Housing	Cast Iron	1	
6	Ball Bearing	Hard Steel	1	Single Roll
7	Stuffing Box Cover	Cast Copper	1	
8	Packing	Asbestos	3-4 Rolls	
9	* Water Seal Ring	Cast Copper	1	
10	Priming Cup	Cast Iron	5	
11	Priming Cock	Cast Copper	1	
12	Impeller Key	Mild Steel	1	
13	Impeller Nut	Cast Copper	1	
14	Impeller	Cast Copper	1	
15	Pump Casing	Cast Iron	. 1	
16	Stuffing Box Liner	Cast Copper		
17	Sheaves	Cast Iron	-	
18	Sheaves Key	Mild Steel	-1	
Α	Rear Bearing Oiling Screw	Mild Steel	1	
В	Middle Oiling Screw	Mild Steel	1	
С	Front Bearing Oiling Screw	Mild Steel	1	
D	Water Seal Screw	Mild Steel	1	
E	High Pressure Water Seal Screw	Mild Stee	1	
F	Standard Oiling Bevel Screw	Mild Stee!	7	
G	Oil Drain Cock	Mild Steel	1	
Н	Stuffing Box Water Drainage Cock	Mild Steel	ı	
К	Pump Casing Drainage Cock	Mild Steel	. 1	

### Centrifugal Type Water Pump Size and Its Character


Pump	Dia	meter	LI D	R.P.M.	Gal./	Total Head	Net Wr.	
Size		Outlet	D.F.	R.F.I'L	Min.	In Ft.	Kg.	Equipments
2"	21"	2"	3	1800	200	30	47	
3"	4"	3"	5	1800	350	40	79	Ø 4" Suction Valve I piece Ø 4" 90° Elbow I piece
4"	5''	4"	8	1500	500	60	127	Ø 5" Suction Valve I piece Ø 5" 90° Elbow I piece
5"	6"	5''	15	1500	600	60	154	Ø 6" Suction Valve I piece Ø 6" 90" Elbow I piece
6"	8''	6"	20	1400	800	60	217	Ø 8" Suction Valve I piec Ø 8" 90° Elbow I piece
8"	10"	8"	25	1000	1500	50	331	Ø 10" Suction Valve I piece Ø 10" 90° Elbow I piece
10"	12"	10''	30	900	2500	50	574	Ø 12" Suction Valve I piec Ø 12" 90" Elbow I piece
12"	12"	12"	35	900	3500	40	689	Ø 12" Suction Valve I piec Ø 12" 90° Elbow I piece
14"	14"	14"	40	680	4200	30	1335	Ø 14" Suction Valve I piece Ø 14" Elbow I piece
16"	16"	16"	55	600	6000	30	1795	Ø 16" Suction Valve I piec

# The Construction of the Water Pump of Centrifugal Type.

The constructions of various specifications of the Centrifugal Water Pump manufactured by the factory are all in one of the same model. The following drawing is one the recent production:

Centrifugal Type Water Pump Constructions

Sanitized Copy Approved for Release 2010/08/19: CIA-RDP81-01043R000700240009-5



# TABLE FOR "V" BELT DRIVEN

Pump			Sheave 4		Sheave 6		Sheave 8	
Size	H.P.	R.P.M.	V Belt Speed Ft.	No. of Belt	V Belt Speed Ft.	No. of Belt	V Belt Speed Ft.	No. of Belt
2"	3 -	1800	1800	B-2	2700	В-1	3600	A-2
3"	5	1800	1800	В-3	2700	B-2	3600	А-з
4"	8	1500	15 >0	C-3	2200	B-4	3000	A-4
.5"	15	1500	1500	C-4	2200	C-3	3000	B-5
6"	20	1400	1400	C-5	2100	C-4	2800	ပုံ
8"	25	1000	1000	D-5	1500	C-7	2000	C-5
10"	30	900	900	D-6	1350	D-4	1800	D-3
12"	35	900	900	D-7	1350	D-5	1800	D-4

# BRANCHES

TIENTSIN OFFICE:

171 Chine Shien Road (Ho Si District)
Cable Address: MACHIMPORT Tientsin

SHANGHAI OFFICE:

27 Chung Shan Road El


Cable Address: MACHIMPORT Shanghai

CANTON OFFICE:

No. 2, West Bund Road, Canton

Cable Address: MACHINERY Canton


Machine Machine Cylindrical Grinding Machine Cylindrical Grinding 外园磨床




# 中國機械進口公司 CHINA NATIONAL MACHINERY IMPORT CORPORATION

(IMPORT — EXPORT)
ER-LJ-KOW, HSI- CHIAO, PEKING, CHINA
"GABLE ADDRESS; "MACHIMPORT", PEKING

# Model M115





# HYDRAULIC CYLINDRICAL GRINDING MACHINE

HYDRAULIC CYLINDRICAL GRINDING MACHINE

Model M115

This machine is designed for plain cylindrical and taper grinding of workpiece
up to 150 mm in diameter and 750 mm in length.


During operation, the workpiece is held between the dead centres and is
driven by a driving dog fixed in the headstock face plate.


The upper working table may be swivelled to a desired degree for taper
grinding. The machine is equipped with hydraulic drive unit, by means of which
to following functions and taken for the following machine is a compared to the control of the contr

## SPECIFICATION

1.	Main dimensions:								
	Height of centres (over tab	le)					4111	125	mm.
	Max, distance between cent	res						750	mm.
	Distance between centre line	e of grin	ding	whee	l spir	dle	and		
	centres:								
	Max							425	nım.
								225	mm.
2.	Size of Working Table:								
۷.	Diameter of workpiece that	onn he as	.01117						
	Max. (with centre rest							60	mm.
	Max. (with centre rest Max. (without centre 1					• • • •			mm.
									mm.
	Min Max. length of workpiece th						****		min.
				ound	****			130	1111111
	Working table, headstock as	nd talisto	C%:						
	Max. longitudinal trav							790	mm.
	manual)							180	nim.
	Max. swivel of table					****	****	Morse l	
	Taper in centres of he	eadstock	and	tails	ock			Morse	NO. 4
3.	W heelhead :								
	Max. travel of wheelhead:	Manual							mm.
		Power							mm
	Graduation of cross feed of							0.005	mm.
	Dimensions of grinding wh	eel:							
	Max. diameter					****		600	mm
	Min. diameter								mm.
	Width							60	mm
	Bore							305	mm
4.	Capacity of Machine:								
								75,150,300	mu
	Traverse speed of table (h							10,100,000	
	Max							10 m	/min
								0.08 m	
	Feed rate for rapid advan							0.00	
								2 m	min
5.	Motors: 3 phase, A.C.					,			
٠.	for Wheelhead:	Power							KW
	for wheelnead.	Speed					****	1500	
	for Work spindle:	Power					****		KW
	for work spinule.	Speed					***		
	for Hydraulic pump:	Power	****		•		****	1000	KW
	for mydraune pump:	Speed					• • • • •		
	for Coolent numm.	Power				****	-744	1400	
	for Coolant pump:	Speed				****	****		KW
,	0 " " '	Speed				****	****	8060	rpm
6.	Overall dimension								
	(L x W x H)					22		L590 x 1770	
7.	Net weight:							3900 kg. aj	prox

# Model M125





# HYDRAULIC CYLINDRICAL GRINDING MACHINE

This machine is intended for grinding eylindrical and tapered surfaces of workpieces up to 250 mm. in diameter and 1000 mm. in length.

The workpieces to two dead centres and rotated by means of a driving dog on the face plate. In grinding tapers, the working table can be swivelled to fit the machine is equipped with hydraulic driving system, by means of which the following functions are made possible:—

1) Reciprocating movement of table.
2) Rapid feed and withdrawal of grinding wheel.
3) Intermittent feed of grinding wheel.
The machine enables grinding up to the limit stop and provides means for compensating wheel wear.

	SI	PEC	IF	I C	ΑТ	10	N				
1.	Capacity:-										
	Max. distance between ecn	tres				,				1000 n	
	Length of workpiece that e	an be	gro	and						1000 n	
	Height of centres from tal Height of centres from flo	ole								160 n	
	Height of centres from flo	or								1000 n	am.
	Max, diameter of workpied	e tha	t ear	ı be	grou	nd '	with	grine	ling		
	wheel of ø 750 mm.									250 r	
	Min. diameter of workpied									10 1	
	Overall dimension (L x V	V x	H)					432	$0 \times 2$	225 x 1500 r	
	Net weight								****	6000	kg.
2.	Working table and bed:-										
	Max. longitudinal traverse	of ta	ble							1085 r	
	Table traverse per revolut	ion of	har	id-wh	eel:	I	Rapid			24 1	
							Slow				mm.
	Hydraulic table traverse s									0.1-10 m/r	nin.
	Max, table swivel									7°	
										1 : 10 inelina	tion
3.	Carriage for grinding who										
	Grinding wheel dimensions			um c		ter				500 r	
				num						750 1	
			ace		"					75 1	
		Н	ole		"					305 1	nm.
	No. of spindle speeds									2	
	Range of spindle speed							****		860-700 r	pm.
4.	Cross feed mechanism of a										
	Traverse of grinding wheel	carri	age .	leadso	crew					250 1	
											mm.
	Traverse of grinding whe	ei car	riag	e nyo	Traut	10,0	iiive		;	90 1	
	Traverse of grinding who	el ea	rriag	re pe	r re	volu	tion	of h	and		
	Traverse of grinding who	el ea	rriag	re pe	r re	volu	tion	of h	and	1:	mm.
	Traverse of grinding whe wheel Diameter of workpiece gr	eel ea  oun∢l	rriag off 1	e pe	r re	volu  radı	ition  aatior	of h	and 		mm.
	Traverse of grinding whe wheel Diameter of workpiece gr Diameter of workpiece g	eel ca ound round	off j	e pe per d per	r re ial g dial	radı gra	ition  aatior aduat	of h	and  with	0.01	mm.
	Traverse of grinding who wheel Diameter of workpiece gr Diameter of workpiece gr adjustable stop	eel ca ound round	off off	per d	ial g	radı gra	ition Latior aduat	of h	and  with	1:	mm.
	Traverse of grinding who wheel	el ca ound round oth	off off	e per d per d per	ial g dial t wh	radı gra	ition  aatior aduat  (tra	of h	and  with of	0.01	mm. mm.
	Traverse of grinding who wheel	el ca ound round oth	off off	e per d per d per	ial g dial t wh	radı gra	ition  aatior aduat  (tra	of h	and  with	0.01	mm. mm.
5.	Traverse of grinding whe wheel	ound round oth oringe)	off off	e per per d per	ial g dial  t wh	radı gra	ition  aatior aduat  (tra	of h	and  with of	0.005 n 0.005 n	mm. mm. mm.
5.	Traverse of grinding whele	ound round oth oringe)	off off	re per per d per	ial g dial t wh	radu gradu eel	ation action aduat (tra	of h	and  with of	0.005 a 0.001 s 0.005 a	mm. mm. mm. mm.
5.	Traverse of grinding wheel	ound round oth oringe)	off off	per d per d per	er re ial g dial t wh	radu gradu gradu eel	uation uatior aduat (tra	of h	with	0.01 i 0.005 i 0.01 i Morse N 200 i	mm. mm. mm. mm.
-	Traverse of grinding whe wheel	ound round oth oringe)	off off	per d per d per	ial g dial t wh	radu gradu eel	uation uatior aduat (tra	of h	and with of	0.005 a 0.001 s 0.005 a	mm. mm. mm. mm.
5.	Traverse of grinding wheel	ound round round oth oringe)	off of	per d per d per	ial g dial t wh	radu gradu geel	uation uatior aduat (tra	of h	with	0.01 1 0.005 1 0.01 1 Morse N 200 1 40-350 1	mm. mm. mm. o. 5 mm.
-	Traverse of grinding whe Diameter of workpiece gradjustable stop. Intermittent feed per to grinding wheel car Headstone feet of face plate Speed of face plate Speed of face plate Tailetock:— Taner of centre	ound round round oth oringe)	off p	ge per d per d per	er re ial g dial t wh	radu gradu gradu eel	uation uatior aduat (tra	of h	with	0.01 : 0.005 : 0.01 : 0.01 : Morse N 200 : 40-350 : Morse N	mm. mm. mm. o. 5 mm. rpm.
-	Traverse of grinding whe wheel  Diameter of workpiece gr  Diameter of workpiece gr  Diameter of workpiece gr  adjustable stop Intermittent feed per to  grinding wheel carl  Headstock— Taper of eentre Diameter of face plate Talistock— Talstore of sentre Extension of snindle bus	ound round round oth oringe)	off off	ge per d per d per	er re ial g dial t wh	radu gradu geel	uation uatior aduat (tra	of h	with	0.01 s 0.005 n 0.01 s Morse N 200 d 40-350 n Morse N	mm. mm. mm. o. 5 mm. pm.
6.	Traverse of grinding whe wheel Diameter of workpiece grinding wheel and advantable stop. In the work of the work o	ound round round oth oriage)	off off	ge per d per d per	er re ial g dial t wh	radu gradu gradu eel	uation uatior aduat (tra	of h	with	0.01 s 0.005 n 0.01 s Morse N 200 d 40-350 n Morse N	mm. mm. mm. o. 5 mm. rpm.
-	Traverse of grinding whe was a common to the	ound round round oth oriage)	off off	ge per d per d per	er re ial g dial t wh	radu gradu eel	uation uatior aduat (tra	of h	with	1 : 0.01 : 0.005 : 0.005 : 0.01 : Morse N 200 : 40-350 : 1 Morse N 35 80	mm. mm. mm. o. 5 mm. pm. o. 5 mm.
6.	Traverse of grinding whe business of the problem that the	ound round oth oringe)	off of	ge per d per d per	er re ial g dial t wh	radu gradu eel	ation	of h	with	0.005 n 0.01 n 0.005 n 0.01 n Morse N 200 n 40-350 n Morse N 35 80	mm. mm. o. 5 mm. pm. o. 5
6.	Traverse of grinding whe workpiece or Diameter of workpiece or Diameter of workpiece or Diameter of workpiece or Diameter of the period of the	ound round oth oringe)	off off	ge per d per d per atche	ial g dial t wh	volu gradu gradu eel	ation atior aduat (tra	of h	with	1: 0.01: 0.005: 0.01: Morse N 200: 40-350: 1 Morse N 35 80 9 kg.	mm. mm. o. 5 mn. rpm. o. 5 mn. mn.
6.	Traverse of grinding whe businesses of grinding whe businesses of busine	ound round oth oriage)	off off	ge per d per d per atche	ial g dial t wh	radu gra eel	uation uatior aduat (tra	of h	with	0.005 n 0.01 n 0.005 n 0.01 n Morse N 200 n 40-350 n Morse N 35 80	mm. mm. o. 5 mn. rpm. o. 5 mn. mn.
6.	Traverse of grinding whe bush of the property	ound round oth oriage)	off off	ge per d per d per atche	er re ial g dial t wh	volu gradu graeel	uation uatior aduat (tra	of h	and	0.005 n 0.005 n 0.01 s Morse N 200 i 40-350 n Morse N 35 80 9 kg., 22 kg./	mm. mm. mm. o. 5 mm. pm. o. 5 mm. pm. o. 6 mm. mm.
6.	Traverse of grinding whe businesses of grinding whe businesses of busine	ound round oth oriage)	off off	ge per d per d per d atche	er re ial g dial t wh	volu	uation uatior aduat (tra	verse	and	0.005 n 0.005 n 0.01 n Morse N 200 n 40-350 n Morse N 35 80 9 kg. 50 kg./ 22 kg./	mm. mm. mm. o. 5 mm. rpm. o. 5 mm. mm. demin mm. kw
6.	Traverse of grinding whe business of grinding whe business of grinding wheel care adjustable stop Intermittent feed per to grinding wheel care Taper of face plate Tajistock	ound round oth oriage)	off post	ge per de	r re ial g dial t wh  compared to the compared	volu	uation uatior aduat (tra	of h	and with of	1 : 0.01 : 0.005 : 0.01 : 0.005 : 0.01 : 0.005 : 0.01 : 0.005	mm. mm. o. 5 mm. rpm. o. 5 mm. mm. mm. kw.
6.	Traverse of grinding whe Diametre of volkpiece of Diametre of volkpiece of Diametre of volkpiece of Diametre of volkpiece of Diametre of the of grinding wheel carr Headstock:— Taper of centre Diameter of face plate Speed of face plate Speed of face plate Speed of face plate Talistock:— Extension of spindle bush Hydraulic trammission sy Hydraulic pressure Capacity of oli pump Capacity of coolant pump Electric driving system.— Motor for grinding whee Motor for oli pump:	ound round coth oriage) hing ng stem:	off poff	ge pe	r re ial g dial dial t wh	volu	tion	of h	and with of	1: 0.01 : 0.005 : 0.01 : Morse N	mm. mm. o. 5 mm. o. 5 mm. o. 5 mm. mm. kw.
6.	Traverse of grinding whe businesses of grinding whe businesses of busine	ound round oth oringe) hing ng stem:	off post	ge per de	r re ial g dial dial t wh	volu gradi eel	tion uatior uatior (tra	of h	and with of	1 : 0.01 : 0.005 : 0.01 : 0.005 : 0.01 : 0.01 : 0.00 : 0.0	mm. mm. o. 5 mm. pm. o. 5 mm. mm. kw. rpm. kw.
6.	Traverse of grinding whe blammens of the property of the prope	ound round round oth oringe) hing ng stem: l earn Power Speed	off post	ge pe	er re ial g dial dial t wh	volu gradu gradu eel	tion uatior (tra	of h	and	1 0.01 1 0.005 1 0.005 1 0.01 1 Morse N 200 0 40-350 1 Morse N 85 2 kg./ 50 kg./ 1 10 970 28 1420	mm. mm. o. 5 mm. pm. o. 5 mm. rpm. kw. rpm. kw. rpm.
6.	Traverse of grinding whe blammens of the problem of	ound round oth oringe) hing ng stem:	off post	ge pe	er re dial g dial t wh        .	volu gradu gradu eel	tion	of h	and	1 : 0.01 : 0.005 : 0.01 : 0.005 : 0.01 : 0.01 : 0.00 : 0.0	mm. mm. o. 5 mm. pm. o. 5 mm. rpm. kw. rpm. kw. rpm.

N.B.—For improvement of the machine, we reserve the right to alter either the design or the specification.

Sanitized Conv. Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009-5




TRADING AGENCY IN HONG KONG:

CHINA RESOURCES CO.

BANK OF CHINA BUILDING, HONG KONG

CABLE: CIRECO HONG KONG

香港華潤公司代達 Mit:香港中國銀行大厦11/12 區掛:"CIRECO" HONGKO



# Analytical Balances

Representative products of our modern industries, enjoying wide admiration for their high sensitivity & durability

Exported by:

CHINA NATIONAL INSTRUMENTS IMPORT CORPORATION
(IMPORTERS & EXPORTERS)

Sanitized Copy Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009-5

# SINGLE-PAN PROJECTION READING ANALYTICAL BALANCE

Latest scientific researches have enabled us to offer to the public an entirely new model of analytical balance, the construction of which is made possible by the employment of a principle vastly different from that hitherto used Instead of the conventional 3 knile edges and 2 pans, the new balance has only 2 fine agate knile edges and 1 pan. Its weights are loaded on a support suspended to one end of the beam with a counter weight fixed to the other end. These weights can be readily detached from or reloaded onto the support by means of remote control knobs constructed outside the case enclosing the balance. Weighting is done by simple manipulation of the knobs by detaching the equivalent weights from the support and with the help of the electric projected vernier, the accuracy of reading therefrom can reach 0.05 mg. The result of the weighing can be easily readable from the optical scale specially provided for this purpose. The capacity of this balance is 100 grams.

The balance is equipped with a built-in transformer adaptable to 110v, 130v, 160v, 220v A.C. and is enclosed in a sturdy aluminium alloy case protected with anti-oxidizing laquer, with glass sliding doors and an overall size of  $440\times410\times270$  mm, weighing about 17.5 kilograms.

### ADVANTAGES:

- 1. Accuracy:
  - a. All weights are fixed inside the balance and handled with ease by control knobs outside the case. They are chrome plated to resist corrosion and thus unalterable.
  - Constant loading on the beam eliminates bending errors and ensures uniform sensitivity up to the maximum loading.
  - c. The optical reading range is 115 milligrams. All weighing under 100 milligrams is absolutely accurate.
  - d. The weighing indicator scale is fixed on the front control panel.

(figure 1) and it is divided into three parts: From 0.1 gram to 99.9 grams read directly

from indicater (1)

From 1 milligram to 100 milligrams read


directly from projection scale (2) From 0.05 to 0.1 milligram read directly from vernier (3)

### 2. Rapid Weighing:

The time required for weighing with this balance is less than 1/3rd of that of an ordinary balance. After the zero point is adjusted, weighing is done simply by turning the control knobs. Every weighing can be done in less than 30 seconds. Due to the ingeniously designed air-damping delvice, the balance is brought to rest quickly after only a few oscillations.

Model NUCSP







- 3. Simplicity:
  - a. No arithmetic calculation is needed since the total weight is read directly off the indicator scale.
  - b. When weighing, simply detach weights corresponding to the article weighed by turning the control knobs, and the total weight is read right off the projection scale.

# DIAGRAM:

- 1. Adjustable plates for the elimination of errors due to atmospheric changes
- 2. Air damping device
- 3. Arrestment lever
- 4. Beam arrestment 5. Center knife edge and
- plane of agate
- 6. Compensating weight for pan and weights
- 7. Compensating weight for adjustment of the zero point
- Fine agate knife edge and plane
- 9. Optical scale plate
- 10. Pan brake lever
- 11. Pan, circumference 100 mm.
- 12. adjustment weight Set of weights; two 25-g; two 10-g; five 5-g; one 2-g; two 1-g; one 500-mg;
- one 200-mg; and two 100-mg.
  14. Stirrup from which the 3 weights and pan are suspended



# CHINA NATIONAL INSTRUMENTS IMPORT CORPORATION



Model NCAPD

# ANALYTICAL BALANCE AUTOMATIC PROJECTION READING FOR RAPID AND RELIABLE WEIGHING

Capacity: 200 grams

Sensitivity: 0.1 milligram

# SPECIAL FEATURES:

Air-damping Projection Reading
External Application of All Weights
Zero Point Adjustment from Outside of Case

# CONSTRUCTIONS:

Beam:-

Brass alloy in flat form, 140 mm long, chrome plated

Knife edges and plane:-

Finest agate

Weights:-

Brass, chrome plated

Pans:-

Slightly concave, chrome plated

Compensating suspension:-

Movable in all directions, pendulum motions of the pans without any effect upon the blocks

Air-damping:-

Without diminution of sensitivity, brings the balance to rest in 3 to 4 seconds

Projection reading with automatic light switch and adjustable device:

Range 0.1 mg, to 10 mg, direct reading to the exactness of 0.1 mg, A.C. transformer included, applicable to house current

Mechanical manipulation of weights from outside the case:-

From 10 to 990 mg, by means of the upper dial  $\alpha/\sigma$  turning knob

From 1-9 g. by means of the middle dial

From 10 to 190 g. by means of the lowest dial &/or turning knob

Arrestment:

By means of central knob which also operates as switch for projection light


Zero point adjustment:

From outside the case by means of a small knob beside the arrestment knob

Base plate:

Mirror glass with levelling screw and shock absorbers

# CHINA NATIONAL INSTRUMENTS IMPORT CORPORATION




Model SAOOG

# ANALYTICAL BALANCE SEMI-AUTOMATIC PROJECTION READING FOR RAPID & RELIABLE WEIGHING

Capacity: 200 grams

Sensitivity: 0.1 milligram

With all special features and similar constructions as NCAPD except that the mechanical manipulation of weights from outside the case is only for range of 10 mg, to 990 mg.



Model FANOF

# ANALYTICAL BALANCE

Capacity: 100/200 grams

Sensitivity: 0.4 milligram

Beam:  $140 \, \mathrm{mm} \, \mathrm{long}$ , aluminium alloy with colorless anti-oxidizing lacquer

To ensure accurate placement of rider, the indicating scale attaching to the beam is serrated and notched into 50 divisions from Central "O" to each side, each division representing 0.2 mg when placing a 10 mg rider on the scale

Knife edge & plane:

Agate

Rider slide:

Vertical type, spring loaded, traversing the whole length of the beam

Releasing Mechanism:

Automatically acting on hangers, beam and pans, operated from outside the case

Chrome plated, slightly concave, diameter 73 mm

Pan supporters:

Adjustable with special spring plunger so that oscillation does not occur when setting the

Reading Index:


20 divisions from "O" on the right to "20" on the left

The swing of beam is damped by detachable air damping device

Finish:

All metal parts are protected with either chrome plating or anti-corrosion lacquer

Polished teak, with counterpoised front slide and hinged side doors. Black plate-glass or marble base. Levelling screw and bubble levelling system




# ANALYTICAL BALANCE

Capacity: 100/200 grams Sensitivity: 0.4 milligram

This balance is similarly constructed as FANOF with the exception that no Air-damping device being provided.

# CHINA NATIONAL INSTRUMENTS IMPORT CORPORATION



Model SNBOM


# PRECISION BALANCE

Capacity: 100/200 grams

Sensitivity. 1 milligram

A precision balance for schools, laboratories and/or chemical works. With rider slide. Agate

knife edges and planes. Arrestment controlled by central knob.



Model CTNAO Sensitivity: 4 mg. Model CTFMG Sensitivity: 20 mg.


# PRECISION BALANCE

Capacity: 100 grams.

Sensitivity: 4 mg. or 20 mg.

This precision balance is specially designed for textile industries, with brass alloy beam, riderless, 2 concave bakelite round pans. These balances are contained in polished teak cases with counterpoised front slide doors, black lacquered wooden base, levelling screw and plummet.

# CHINA NATIONAL INSTRUMENTS IMPORT CORPORATION




# PRECISION BALANCE

Capacity: 100 grams

This precision balance is specially designed for mineral industries, schools and laboratories, riderless, concave bakelite pans diameter about 75 mm, alluminiom alloy beam with colorless anti-oxidizing lacquer, agate knife edges and planes.

The case is of polished hardwood, counterpoised front slide door, black lacquered wooden base. Levelling screw and plummet.




# INDUSTRIAL ANALYTICAL BALANCE-HEAVY DUTY

Capacity 1000 grams

Sensitivity 2 milligrams

Diameter of Pans 107 mm Height of Pan Holders 255 mm Length of Beam 270 mm

# CHINA NATIONAL INSTRUMENTS IMPORT CORPORATION



### Table for DENSITY OF DISTILLEDWATER at different temperature

mper ture	Density	Temper-	Density
0	0.999.867	21	0,998.017
oc	0.999,927	22	0.997,795
2	0,999,968	23	0.997,563
3	0,999,992	24	0.997.321
4	1,000,000	25	0,997,069
5	0,999,992	26	0.996,808
6	0,999,968	27	0,996,538
7	0,999,929	28	0,996,258
8	0,999,876	29	0,995,969
9	0,999,808	30	0,995,672
10	0,999,727	31	0,995,366
11	0,999,632	32	0,995,052
12	0,999,524	33	0,994,728
13	0,999,404	34	0.994,397
14	0.999.271	35	0.994,058
15	0,999,126	36	0,993,711
16	0 998 969	37	0,993,356
17	0.998,801	38	0,992,993
18	0.998.621	39	0,992,622
19	0,998,430	40	0,992,244
20	0,998,229	1	

Model SGBTF


# SPECIFIC GRAVITY BALANCE-WESTPHAL PRINCIPLE

Complete with rider weights, plummet (displacement 5 cc) with platinum wire and stainless Complete with rider weights, plummet (displacement 5 cc) with platinum wire and stainless steel hook the thermometer connected therewith is graduated from 0 to 35 degrees Centigrade and it is for determination of Specific Gravity of all liquids up to 2 S.G. The beam of the balance is fitted with steel knife edge supported in agate channel and is precisely serrated in 10 divisions. Before leaving the factory, the balance is subjected to rigid test to conform strictly to the table.



# ANALYTICAL WEIGHTS

# 物理儀器・生物模型・標本・顯微鏡切片



# 出口下列各類科學儀器

### HEAD OFFICE:

CHINA NATIONAL INSTRUMENTS IMPORT CORPORATION

Er-Li-Kou, Hsi Chiao, Peking, China. Cable Address: "INSTRIMPORT"

BRANCH OFFICES:

SHANGHAI: 27 Chungshan Road (E.1).

Cable Address: "INSTRIMP"

TIENTSIN: 171 Kien Shieh Road.
Cable Address: "INSTRIMP"
CANTON: 25 Tai Ping Road, S.
Cable Address: "INSTRIMP"

- 高等物理儀器 -

主要花園

度量衡器械 網驗器械 物性 力學 分子物理及為學 磁學 實學 光學

- 中學物理儀器 —

主要範圍

支持器械 度量偿器械 內體、液體、氣體 磁學 物性 於學 學學,光學 600-1500倍顯微鏡 44. 數學統 解倍期微鏡

— 化學玻璃儀器 — 主要範圍

曼杯、量額、量級

安全漏斗、漏斗 酒精燈、研鉢、水槽

**試驗管、燒杯、燒瓶** 

### 模型標本-

主头範圍

數學模型-

主奏花園 

\_生物器械\_ 解剖剛銀鏡10X-30X

泰楓,采集简

空中,水中捕蟲網

振保器 > 展翅板

植物采集禁夾

# 中國儀器進口公司 CHINA NATIONAL INSTRUMENTS IMPORT CORPORATION

(IMPORTERS & EXPORTERS)

# 物理演示儀器 PHYSICAL APPARATUS

# 通用儀器 GENERAL APPARATUS

					- · · · · · · · · · · · · · · · · · · ·	
0001 - 2	長	方	體	組	Rectangular Cube Weights	
0002 - 2	受	mr.	夭	平	Table Balance, Laboratory	
0003 - 2	槽	4B)	1-200	克	Slotted Weights	
0004 - 2	橋	āl,	1-500	克	Slotted Weights	
0005 - 2	榰	415	20	克	Slotted Weights	
0006 - 2	楷	码盤	20	克	Slotted Weight Disc	
0007 - 1	皮			260	Hand Bellon ,	
0008 - 1	Ē	動抽	氣	機	Vacuum Pump with Motor	
0009 - 1	手	摇抽	氣	檨	Pump, Hand-driven	
0010 - 1	恭	聚硅封	- 抽 葱	42	Air-pump Plate with Pressure Gau	ıge

# カ 學 MACHANICS

••	
0011-2 惯 性 球	Inertial Ball
0012-2 惯性實驗器	Inertial Apparatus
0013-2 牛顿第二定律實驗裝置	Newton's Second Law Apparatus .
0014-2 平 板 小 車	Platform Carriages
0015-2 反衡水力機模型	Model of Recoil Hydraulic Machine
0016-1 牛 頻 管	Newton Tube
0017-2 簡單阿特或德機	Simple Atwood's Machine
0018-2 演示抛物线器	Parabolic Projector
0019-2 平拋和自由落體等時實	Level Throw and Free Falling Body
验器	Isochronous Apparatus
0020-2 吊 車 模 型	Model of Hoist
0021-2 多克斯幸液振	Maxwell's Revolving Pendulum
0022-2 图 形 測 力 計	Dial Dynamometer
0023-2 重 心 板	Center of Gravity Plates
0024-2 物體穩度演示器	Demonstration Apparatus for Centre
	of Gravity
0025-2 候風地動儀模型	Model of "Hou-Feng" Seismoscope
0026-2 清 輪	Pulleys
0027-2 滑 輸 组	Pulleys set
0028-2 輸 軸	Wheel and Axle
0029-2 針面附滑輪	Inclined Plane with Pulley
0030-2 螺 旋 模 型	Model of Screw
0031-2 螺旋屋榨器	Screw-Press
0032-2 螺旋拳重器	Jack-screw Model
0033-2 提 揭 機 模 型	Winch Model
0034-2 雙 合 劈	Combined Wedge, Split
0035-2 球 勒 承 模 型	Ball Bearing Model
0036-2 記里鼓車模型	Model of Drum-carriage for Mileage
0037-2 指南单模型	Compass Carriage Model
0038-1 帕斯卡定律演示器	Pascal's Law Apparatus
0039-1 侧壓演示器	Side Pressure Apparatus

```
分子物理學和熱學 MOLECULAR PHYSICS AND HEAT
0040-1 液體內部壓強實驗器
                               Liquid Pressure Apparatus
                                                                                      0084-1 擴 教 黄 骏 器
0085-1 布朗運動説明器
0086-1 内聚力實驗器
                                                                                                                      Diffusion Tester
                               Fine Manometer
0041-1 概
           4.
                歷 後 計
                                                                                                                      Brownian Movement Model
0042 - 1
        速
                逋
                       45
                               Equilibrium Tubes
                                                                                                                      Cohesive Force Apparatus
0043-7 水
                               Level
                                                                                      0087-2 機械能變熱能演示器
                                                                                                                      Apparatus showing Transmission of
OC44-1 阿基米德定律實驗器
                               Archimede's Law Apparatus
                                                                                                                      Mechanical Energy into Thermal Energy
0045-1 液 微 此 章 计
                               Hydrometer
                                                                                                                      Testing Apparatus for Mechanical
Equivalent of Heat
                                                                                      0088-2 熱功雷量實驗裝置
                       #
0046-1 液 體 比
                   重
                               Hydrometer
                                                                                      堡 闽
                               Magdeburg Discs
Torricelli Tube
0047-1 馬 徳
                                                                                                                      Linear Expansion Indicator
0048-1 北里
                                                                                                                      Cubical Expansion Indicator
            食
                紙
                   歷
                                                                                                                      Double Metal Plates
0049 - 1
                               Barometer
                      ät
0050 - 1
       金
            扇
                壓 強
                               Metal Manometer
                                                                                                                      Heat-conduction Comparator
0051-1 無液氣壓
                       計
                                                                                                                      Indicator for Solid Minification
                               Aneroid Barometer
                                                                                               水的最大比重演示器
                                                                                                                      Indicator for the Maximum Specific
0052-2 氣體彈性實驗器
                               Gas Elasticity Tester
                                                                                                                      Gravity of Water
         空
             吸
                抽
                               Vacuum Pump
0053 - 1
                                                                                      0095 - 1
                                                                                                                      Radiometer
                               Force Pump
0054-1 麼
             カ
                  抽
                                                                                      0096-1 熱 輻 射 演 示 器
0097-1 玻意耳-馬略特定律演
                                                                                                                      Indicator for Heat Radiation
0054-1 座 万 編
0055-1 数 火 機 模
0056-2 水 壓 機 模
0057-1 流程流线演示
                               Fire Extinguisher Model
                                                                                                                      Boyle-Mariotte's Law Apparatus
                               Hydraulic Press Model
                                                                                      示器
0098-1 崩
                               Liquid Stream-line Illustrator
                                                                                                                      Expansion Apparatus
Illustrator of Capillarity
               窈
                       8
0058-1 啃
                               Atomizer
                                                                                      0099-1 毛细现象演示器
0059-1 主 私
                動
                   ħ
                               Air Motion Scale
                                                                                      0100-1 晶體空間點降模型
0101-1 梁的湾曲實驗器
                                                                                                                      Crystal space lattice Model
        向心力實驗 心
                                                                                                                      Beam Bending Tester
0060 - 1
                               Centripetal Apparatus
                                                                                      0101 - 1
                                                                                               絕和氣壓與溫度的關系
                                                                                                                      Testing Apparatus, the Relation
0061-1 #
                               Centrifugal Rotator
                                                                                      0102 - 1
             性
                  靈
                                                                                                實驗裝置
                                                                                                                      Between Temperature and Saturated
0062 - 1
                               Elastic Hoop
                                                                                                                      Atmosphere
0063 - 1
         雄
            心分離
                       25
                               Centrifugal Separator
                                                                                      0103-1 藍布列希德温度計
0104-1 干温珠温度計
0105-1 毛髮温度計
                                                                                                                      Lambrecht's Hygrometer
                       99
0064-1 華
            12
               分
                    12
                                Centrifugal Liquid Separator
                                                                                                                      Dry and Wet Bulb Hygrometer
                Ŧ
                    烁
0065-1 #
            135
                               Centrifugal Drying Machine
                                                                                                                      Hair Hygrometer
0066-1 #
                   速器
            ico És
                                Centrifuge Governor
                                                                                                                      Model of Steam Engine, Cross Section
                                                                                      0106-1 蒸汽機模型
             123
                  軌
                       縇
                                Centrifugal Track
0067 - 1
0068-1 特 进 計 模
                       ᆐ
                                Model of Speed Counter
                                                                                                                      Model of Steam Engine, Pumping type
                                                                                      Q107-1 吹動式蒸汽機模型
0069-1 離心抽水機構造模型
                               Model of Centrifugal Water Pump
                                                                                                                      Model of Steam Turbine
                                                                                      0108-1 蒸汽輪機模型
0109-1 内機機模型
CO70-1 簡諧振動演示器
CO71-1 鐘 擺 模 型
                                Simple Harmonic Oscillation Apparatus
                                                                                                                      Model of Internal combustion Engine
        鐘 擺 模 型 缎波横波说明器
0071 - 1
                                Model of Pendulum
                                                                                      0110-1 四汽缸内燃機模型
                                                                                                                      Model of Four-cylinder Internal
0072 - 1
                                Vertical and Horizontal Waves Illustrator
                                                                                                                      Combustion Engine
        力學共振演示器
                                                                                      0111-1 噴 氣 發 動 機 模 型
0112-1 氣體熱壓強係數測定裝
0073 - 2
                                Mechanical Resonance Demonstrator
                                                                                                                      Model of Jet Engine
            輪調速器
                                                                                                                      Air Heat Pressure Coefficient
0074 - 2 商
                                Gear Speed-Regulator
            输 機 模 型
                                                                                                                      Determination Apparatus
0075 - 2
                                Water Wheel Model
0076-2 風力發動機模型
                                Model of Wing Mill
                                                                                                                      學 ELECTRICITY
                                                                                                                  電
                                                                                                                      Glass Rods
                                                                                      0113 - 2
0114 - 2
                                                                                                              棒
                                                                                               玻
                               學 SOUND
                                                                                                                      Bakelite Rods
                                                                                      0115-2
0116-2
                                                                                                          Œ
                                                                                               箱
                                                                                                   片針
                                                                                                       验验
                                                                                                              器器
                                                                                                                      Foil Electroscope
                   古
                                Tuning Fork, Vibrograph
0077-1 示
                                                                                                                      Needle Electroscope
                                                                                               指验
                 叉 F=256
0078 - 1
         青
                                Tuning Fork
                                                                                       0117 - 2
                                                                                                   Œ
                                                                                                     35
                                                                                                           椄
                                                                                                                      Electroscope connecting Rod
                    F==440
                                                                                                       電
                                                                                      0118 - 2
0119 - 2
                                                                                               脸
                                                                                                              羽
0079 - 1
                 又
                                Tuning Fork
                                                                                                                      Electric plume
                                                                                                              幡
                                                                                                                      Electric Streamer
                        盤
0080-1 験
                 픕
                                Siren Disc
                                                                                      0120 - 2
0121 - 2
                                                                                               验库
                                                                                                              珠
                                                                                                                      Electric Ball
0081-1 依
                   齿
                                Articulation Toothed Wheel
                                                                                                     倫形
                                                                                                                      Coulombmeter
                 'n,
                        25
                                Acoustical Resonator
0082 - 1
                                                                                       0122 - 2
                                                                                                                      Spherical Electric Conductor
0083-1 絃
                                Sonometer
```

#### Sanitized Copy Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009-5

```
0170-3 萬用
                                                                                                                                                                                                                                          Universal Transformer
                                                               Induction Cylinder
 0123 - 2
                                                                                                                                                                           0171-3 電機原理説明器
0172-3 手搖交直流發電機
                                                                                                                                                                                                                                        Dynamo Principle Illustrator
Hand driven A.C. and D.C. generator
                 化尖金起感
                                                               Cone-shaped Electric Conductor
 0124 - 2
0125 - 2
                                               賀草
                           鳥
                                                               Metallic Wire Netting Cover
                                     綗
                                                                                                                                                                                                                                        Motor, 4 Volts
Model of Armature For A.C./D.C.
                                電起電
                                                                                                                                                                            0173 - 3
                                                                                                                                                                                            四伏特電動機
 0126 - 2
                                                               Electrophorus
                                                              Influence Machine
                         鹿
                                      Œ
                                                                                                                                                                            0174-3 交直流發電機電樞模型
 0127 - 2
                 被可可求
                                                                                                                                                                                                                                          Generator
 0128 - 2
                                               叉
                                                              Discharge Tongs
Variable Parallel Plate Condenser
                                                                                                                                                                                                                                         Illustrator, Magnetic Field Rotary
                                                                                                                                                                            0175-3 磁場轉動發電機説明器
 0129 - 2
0130 - 2
                         史
                                重频
                                       $
                                              75
                                                               Variable Condenser
                                                                                                                                                                                                                                         Dynamo
                                                                                                                                                                            0176-3
                                                                                                                                                                                                                                         Charging rectifier
 0131 - 2
0132 - 2
                                                              Leyden Jar
                                     Ť
                                                                                                                                                                            0177 - 3
0178 - 2
                                                                                                                                                                                             乖
                                                                                                                                                                                                                                         Oscillograph
Electric Resonator for Illustration
                                                               Volta Cell
                                                                                                                                                                                                            波
                                                                                                                                                                                                   共根演示器
                                                                                                                                                                                             Œ
 0133 - 2
0134 - 3
                                                               Lead Storage Battery
Resistance Box
                 š
                            t
                                     Ē
                                               池稻
                                                                                                                                                                                                           電子
                 ŧ
                                阻
                                                                                                                                                                            0179 -
                                                                                                                                                                                              兩
                                                                                                                                                                                                    杯
                                                                                                                                                                                                                                          2-Electrode Electronic Tube
                                                                                                                                                                             0180 - 3
                                                                                                                                                                                            三极重于管模型
                                                                                                                                                                                                                                          3-Electrode Electronic Tube
                         É
                                 變 阻
                                                               Sliding Rheostat
Resistor, Arm Revolving
Constant Value Resistance
 0135 - 3
                 滑
                                                                                                                                                                            0181 - 3
                                                                                                                                                                                            礦石收音機演示板
                                                                                                                                                                                                                                         Illustrating Plate for Crystal Radio
 0136 - 3
0137 - 3
                 转定
                         柄 電 阻
值 電
                                                                                                                                                                                                                                          Receiving Set
0138-3 建设 電 橋
0139-3 演示用电波针
0140-3 慧 图 电流针
0141-3 弱 及正切電波针
0142-3 旅 光
                                                                                                                                                                             0182-3 军管收音横演示板
                                                                                                                                                                                                                                          Illustrating Plate for Single-tube
                                                               Straight Wire Bridge
                                                                                                                                                                                                                                          Radio Receiving Set
Universal Electric Messuring
                                                               Galvanometer for Illustration
                                                                                                                                                                                      .3 £
                                                                                                                                                                                                               Ē
                                                               Suspended Coil Galvanometer
                                                               Simple Tangent Galvanometer
                                                                                                                                                                                                                                          Instrument
                                                               Arc Lamp
                                                               Testing Apparatus For Current's
Chemical Effect
                                                                                                                                                                                                                                     光 學 OPTICS
  0143 -3
                  电流的化学效應實驗器
                                                                                                                                                                                                                                          Moon and Earth Motion Model
                                                               Bar Magnet
Horse-shoe Magnet
                                                                                                                                                                             0183 - 3
0184 - 3
                                                                                                                                                                                                          運 行
具
                                                                                                                                                                                                     拖
                                                                                                                                                                                                                         袭
                                                                                                                                                                                                                                          Optical Screen
  0145 - 3
0146 - 3
                                     碰
                                                                                                                                                                                              圥
                  踮
                            形
                                                                                                                                                                                                                                          Full Reflection Illustration Apparatus
                                                                Magnetic Needle
                                                                                                                                                                             0185 - 3
                                                                                                                                                                                                    反射
                                                                                                                                                                                                               Ť
                                                                                                                                                                                                                     示
                                                                                                                                                                                                                           22
                                                               Magnetic Particle Model
Iron Filings
                                                                                                                                                                                                                           銃
                                                                                                                                                                                                                                           Concave Mirror
                         分
                               子 模
                                                                                                                                                                             0186 - 3
   0147 - 3
                  I di
                                                                                                                                                                                              凹雙變透
                                                                                                                                                                                                                                          Double Concave Lens
Double Convex Lens
   0148-3 悬
                                                               Din Circle
Low Air Pressure Discharge Tube
                                                                                                                                                                             0188 - 3
0189 - 3
   0149-3 4
                                                                                                                                                                                                        25
                                                                                                                                                                                                                 透
                                                                                                                                                                                                                           鋴
                                                                                                                                                                            1180-3

1189-3

1190-3

1190-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-3

1191-
   0150-1 低氣壓改電管
                                                                                                                                                                                                                                           Lens Set
                                                               Low Air Pressure Discharge Tube set
Straight Shot Cathode Ray Tube
                    低氣壓放電管組
                                                                                                                                                                                                                                          Prism
   0151 - 1
                                                                                                                                                                                                                                           Prism, Right-Angle
   0152 - 1
                   示直進的陰極射緩管
                                                                                                                                                                                                                                          Micro-Projector
Projector Reflecting Device
                                                                Cathode Ray Tube for Magnetic Effect
                   示磁效應的陰極射线管
   0153 - 1
                                                                Cathode Ray Tube for Mechanical Effect
                    示機械效應的於極射雙
                                                                                                                                                                             0193-3 约
0194-3 生
0195-3 确
0196-3 指
0197-3 解
0198-3 就
                                                                                                                                                                                                                                           Biological Microscope
                                                                Cathode Ray Tube for Fluoresence
   0155 - 1
                    示發生變光的陰極射緩
                                                                                                                                                                                                                                           Microscope Model
   0156-1 倫
0157-3 温
                                                                                                                                                                                                                                           Indicating Eye-lens
                        琴射旋管差黄偶
                                                                Rontgen Ray Tube
Thermo-electric Couple
                                                                                                                                                                                                     刮 放 大 鏡 
 数 放 模 型
                                                                                                                                                                                                                                           Dissecting Microscope
Reading Magnifier
                   通電導體相互作用實驗
                                                                Testing device for Mutual Effect
                                                                                                                                                                                                                                          Telescope Model
Model of Prism Binoculars
                                                                                                                                                                              0199 - 3
                                                                                                                                                                                              望
                                                                of charged conductors
                  器圈
                                                                                                                                                                                              技统贸简望连续模型
                                                                                                                                                                             0200 - 3
0201 - 3
                                                                 Circular Electro Magnet
    0159 - 3
                           形
                                                                                                                                                                                                           空频
                                                                                                                                                                                                                   逴
                                                                                                                                                                                                                                            Telescope, Astronomical
                                                                                                                                                                                                    文
                                                                                                                                                                                              天牛
   0160-3 時
0161-3 電
0162-3 電
0163-3 電
0164-3 左右
                                  Ę
                            形
                                         破
                                                                 Horse-shoe Electric Magnet
                                                                                                                                                                              0202 - 3
                                                                                                                                                                                                                                           Newton's Ring
                                                                 Electric Bell
                                                 终
                                                                                                                                                                                                                                           Color Disc
                                                                                                                                                                              0203 - 3
                                                                                                                                                                                                             ê
                                                                Telegraph Model
Telephone Model
                           赧
                                   梭梭
                                          楪
                                                                                                                                                                                                                                           Colored Glass Plates
                                                                                                                                                                              0204 - 3
                           站
                                         模
                                                                                                                                                                              0205 - 3
                                                                                                                                                                                                             老光
                                                                                                                                                                                                                            结
                                                                                                                                                                                                                                           Spectroscope
                                                                 Left hand and Right Hand Rules
                                                                                                                                                                                                                   雹
                                                                                                                                                                                                                                           Demonstrating Photoelectric Cell
                                                                                                                                                                              0206 -
                                                                 Indicator
                                                                 Lenz's Law Apparatus
    0165-3 楞次定律
                                                                                                                                                                                                                  原子結構學 ATOMIC STRUCTURE
   0166-3 自 成
0167-3 原 副
0168-3 成
0169-3 可 拆
                                  實 验 器
                                                                Self-induction apparatus
Primary and Secondary Coils
                                      綫
                                                 围
                                                                                                                                                                                                                                           Wilson's Cloud Chamber
                                                                                                                                                                              0208 - 2 成 0209 - 2 門
                                                                                                                                                                                                      平
                                                                                                                                                                                                             避
                                                                                                                                                                                                                    雲
                                   應
                                                                 Induction Coil
                                                                                                                                                                                                                                           Spintharoscope
                                        壓
                                                                 Detachable Transformer
```

#### 學生物理實驗儀器 STUDENT'S EXPERIMENT INSTRUMENTS

0220 - 2	支票天平	Beam Balance
0221 - 1	長方體組	Rectangular Blocks
0222 - 1	44 44	Weights, with Hook
0223 - 1	全局圆丝程	
		Cylindrical bodies, metal
0224 - 1	400克测力计	400 gm. Spring Balance
0225 - 1	摩 擦 计	Friction Tester
0226 - 1	槓 . 释	Lever
0227 - 1	力 拒 整	Disc of Moment of Force
0228 - 1	平地實驗裝置 .	Level throw Apparatus
0229 - 1	金 萬 珠	Metal Ball
0230 -	小型水瓶氨整計	Small Mercury Barometer
0231 - 1	湿 炭 計	Thermometer
0232 - 1	董 兹 器	Calorimeter
0233 - 1	玻意耳一馬哈特定律實	Boyle-Mariotte's Law Apparatus
0200-1	24	Doyle-Mariotte's Law Apparatus
0234 - 1	缭形 磁 我	Bar Magnet
0235 - 1	<b>游 · · · · · · · · · · · · · · · · · · ·</b>	Horse-shoe Magnet
0236 - 1	鉄 居 盒	Iron filings box
0237 - 1	华	Conductive Wire
0238 - 1	平 刀 躬 崩	Single Knife Switch
0239 - 1	電 阻 劉	
		Resistance Ring
0240 - 1		Sliding Rheostat
0241 - 1	宣磁管排器	Relay, Magnetic
0242 - 1	電機 模型	Dynamo Model
0243 - 1	新 章 縣 瑟	Electrolytic Cell, Copper
0244 - 1	蘭易檢注計	Simple current Tester
0445 - 3	宣教会法计	Sensitive Galvanometer
0245 - 3	直流安培 行	D.C. Ampere-Meter
0246 - 3	直流设计计	D.C. Voltmeter
0247 - 1	更 占 这 藐 No. 1	Double Convex Lens, No. 1
0248 - 1	更 凸 进 兢 No. 2	Double Convex Lens, No. 2
0249 - 1	党 G 进 & No. 3	Double Concave Lens, No. 3
0250 - 1	姓兵	Sitt Screen
0251 - 1	毛波無小老罪	Ground-glass Screen, small
0252 - 1	方 禄 小 老 莊	Cross Mesh Screen, Small
0253 - 1	<b>老 京 登 皇</b>	
0254 - 1	1	Stand of Light Source Lamp
0255 - 1		Small Plane Mirror
		Glass Brick
0256 - 1	方生支票	Square Base Support
0257 - 1	轼 夫	Cempound Clamp
0258 - 1	· 并 央	Flask Clamp
0259 - 1	杖 琛	Iron Ring
0260 - 1		Iron Hoop
0261 - 1	斜 是 气	Scale
0262 - 1	三萬艾	Triangular Meter
0263 - 1	量有器	Angle Gauge .
0264 - 1	* 4	Measuring Cylinder
0265 - 1	翼 祥 卷	
C200 - 1		Alcehol Lamp

## 生物模型·標本·顕微鏡切片

### BIOLOGICAL MODELS, SPECIMENS MICROSCOPIC SLIDES

#### I 古生物模型 PALEOLOGICAL MODELS

0290	馬 足 進 化 摸 型	Evolutional steps in horse's leg
0291	草 食 恐 龍 摸 型	Herbaceous dinosaur
0292	肉 食 恐 龍 摸 型	Carnivorous dinosaur
0293	始迪岛化石及投原模型	Fossil and restored figure of Archeornis
	II 植物模型	BOTANICAL MODELS

0295	雙子葉植物藍模型 (斑木)	Dicot Stem
0296 0297 0293	根 裁 割 摸 型 紫的斑横距面膜型 小 务 花 摸 型	Root Dicot leaf Wheat flower

#### III 動物模型 ZOOLOGICAL MODELS

0300 反莫胃(牛胃)提盟	Ruminant stomach of ex
0301 水烟烷,新海型	Hydra
0302 有斑蚜五生名皮族监	Life history of tapeworm (Hooked)
0303 草质品族	Paramedium

#### IV 生理模型 HUMAN ANATOMICAL MODELS

0306	人種骨粉模型	Human skeleion
0307		Dissection of Human Trunk with h
8080	环 莊 引 奨 型	Dissection of eye
0309	开解 引得型	Dissection of teeth
0310	髓 帮 到 孫 型	Dissection of brain
0311	皮 廣 堪 型	Skin
0312		Dissection of heart
0313	车 聲 前 填 益	Dissection of ear
0314	嘴頭展引導型	Dissection of larynx
0315	法承点玩模型	Urinary system
0316	消化表流模型	Digestive system
0317	呼吸来疏模型	Respiratory system

#### V 骨骼標本 SKELETONS

			•
.Ž.	*	15	Carp (or Silver Carp) skeleton
2	专	楼	Turtie skeleton
44,	予	谷	Pigeon skeleton
柱骨	整(转轮)	李 松)	Frog (or Toad) skeleton
塡	按 专	*	Bat skeleton
ž.	*	*	Rappit skeleton
198	7	**	Monkey skeleton

#### Sanitized Copy Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009-5

#### VI 浸制解剖標本 PRESERVED AND DISSECTED SPECIMEN

0328	<b>卸</b> 魚解剖	Dissection of Carp (or Silver carp)
0329	青蛙(或蟾蜍)的解剖	Dissection of Frog (or Toad)
0330	<b>题内臓解剖</b>	Dissection of Turtle
0331	鹤 飾 解 前	Dissection of Pigeon
0332	兔 的 解 剖	Dissection of Rabbit
0333	<b>是生殖排泄系统</b>	Excretory and Reproductive System of Rabbit
0334	鬼呼吸循環系統	Respiratory and Circulatory organs of Rabbit
0335	脊椎動物五綱的腦解剖	Comparison of Brains in the five species of Vertebrates
0336	鲫魚神經系統	Nervous System of silver carp
0337	青蛙(或蟾蜍)的神經系 統	Nervous System of Frog (or Toad)
0338	尾的神经系统	Nervous System of Rabbit
0339	鸽的神經系统	Nervous System of Pigeon
0340	蛙的發育順序	Development of Frog
0341	蚌的内部構造	Dissection of clam
0342	蚯蚓解剖(示内臟)	Dissection of Earthworm
0343	蚯蚓解剖 (示神髓系和	Nervous and reproductive organs of
	生殖系)	Earthworm
0345	与贼解剖示内贼	Dissection of Slug

#### VII 浸制示範標本 PRESERVED DEMONSTRATION SPECIMENS

0346	海 八 木 女	Jellytish (Aurelia aurita)
0347	海馬	The sea-horse (Hippocampus)
0348	蛔蟲外形(示雌雄)	Ascaris lumbricoides, male and female
0349	学 螈	Salamander
0350	蝸 牛	Snail
0351	海 星	Starfish
0352	海	Trepang
0353	比 自 魚	Flatfish
0354	蜥蜴	Lizard
0355	蜈蚣和馬隆	Scolopendrid and milli pede
0356	狗魚	Esox lucius
0357	雌 蟲	Tapeworm (Taenia sp.)
		_

#### VIII 刹制標本 MOUNTED SPECIMENS

0358	野	鹎	<b>(</b> 8)	Wild duck, female
0359	野	幣	(우)	Wild duck, male
0360	嗾	木	Ŕ	Woodpacker
0361	蒼		啟	Hawk
0362	猫	э́Я	麂	Owl ·
0363		4%		Pigeon
0364	北	京	200	Peking duck
0365	编		域	Bat
0366	松		Ŕ.	Squirrel
0367	12		鼠	Mole

#### IX 昆蟲標本 INSECTS

0369	螳	93	生	活	史	Life history of Grasshopper
						(Locusta migratoria)
0370	×.	粉	煤生	活	史	Life history of the Cabbage butterfly
						(Pieries rapae L.)
0371	柞	12	生	*	史	Life history of the Chinese oak silkworm
						(Antheraea Pernyi Guesin)
0372	2:	外	生	活	r	Life history of Honey-bee
0012						(Apis mellifera L.)
0373	15	ich	生	16	ą.	Life history of Silkworm
0010	75.	- / •				(Bombyx mori L.)
0374	300	ធំប៉	生.	16	÷	Life history of Fly (Musca domestica)
0375	娱			:6	y.	Life history of Corn borer
0375	29%	297	*-		~	(Pyrausta nubilialis Hubner)
						(Pyrausia nubilians mobile)
0375	44		źρ		in.	Walking-stick (Diapheromera orientalis)
0376	16		莱		煤	Leaf butterfly

#### X 與微鏡玻片標本 MICROSCOPIC SLIDE SETS

BZ 25	Φ'n	わ	学	Zoology	25	pes.	se
BZ 50				,,	50		,,,
GB25	植	#*2	學	Botany	25	11	,,
GB50		14		,,	50	11	
GH25	<u>±</u> .	理組織	學	Thysiology & Histology	25	11	.,
GH50		.,		11	50		.,,
PH 12	生	资 蟲	学	Parasitology	12	**	.,,
PH 25		"		**	25		
BS 25	生	46	学	Biology	25		"
BS 50		"		"	50	11	
BM25	rin.	中示	敬	Assorted set for			
				Junior Middle School	25	11	
BM50		**		***	50	11	//

**-9-**

Sanitized Copy Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009-5

#### PHOSPHORUS, RED AMORPHOUS

Specification: Purity - 98% Minimum.

Reddish-brown amorphous powder, odourless, non-poisonous. Soluble in absolute alcohol; insoluble in carbon bisulphide. Description:

Match industry, organic synthesis. Uses:

In tins of 5 kilos nett, 10 tins to a wooden case. Packing:

Fire hazard: Dangerous.

赤

**绯度:最低98%** 规 格:

狀: 紅粽色非品性粉狀,無嗅,無毒。 性

大柴製造,有機物合成。 用 谁:

五公斤净重聽裝,十聽裝一木箱。 裝:

注意火災。

#### CALCIUM CARBIDE

Acetylene yield not less than 250 litres per kilo of CaC2. Size: (1) 15×25 MM. (2) 25×50 MM. (3) 50×80 MM. Specification:

Description:

For manufacturing acetylene, calcium cyanamid, lamp black, inter-mediates; reducing agent; welding agent; smelting ores; steel hardner; signal lights;general illuminating purposes; dehydrating agent of desic-

In 100 or 200 kilos water-tight steel drums. Packing:

Keep in dry store.

## 炭化鈣(電石)

每分斤炭化鈣可產生乙炔氣最低250分升 尺码: (1)15×25分厘 (2)25×50分厘 (3)50×80分厘。 格:

灰黑色不规则瑰狀,經風化後即成爲粉狀,遇水分解化爲乙炔氣。 37. 明:

製造乙炔氣, 氨氰化鈣,油烟,中間體,這原劑,熔接劑,冶錄礦產金屬, 硬酮劑,信競燈,普通照明用,製乾食品用之消水劑。 用 進:

100或200公斤嚴密鐵桶包裝。

#### For the above articles, please send all enquiries to our TIENTSIN OFFICE

## CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING, CHINA. Cable Address: "CNIEC PEKING"


TIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsin.
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82, Chung-Shan Road, Tsingtao.
Cable Address: "CNIECTB TSINGTAO"

SHANGHAI BRANCH: 13. Chung-Shan Road East 1, Shanghai. Cable Address: "CHIMEXCORP SHANGHAI" CANTON BRANCH: 25, Tai-Ping Road South, Canton. Cable Address: "CHIMPORTCO CANTON"

CAME TO DISCUSS CONTRACT OF SECURITION OF THE SECOND

## 中國進出口公司

# CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA



## IMPORTERS & EXPORTERS OF

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES.
FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS,
RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS,
COAL TAR PRODUCTS

PROSERVES, RED AMORPACUS

EQUERRAD LAUGURADE

## PHOSPHORUS, RED AMORPHOUS

Specification: Purity — 98% Minimum.

Reddish-brown amorphous powder, odourless, non-poisonous. Soluble in Description:

absolute alcohol; insoluble in carbon bisulphide.

Match industry, organic synthesis. Uses:

In tins of 5 kilos nett, 10 tins to a wooden case. Packing:

Fire hazard: Dangerous.

純度:最低98% 格: 规

紅粽色非晶性粉狀,無嗅,無毒。 狀: 性

火柴製造,有機物合成。 用 途:

五公斤净重聽裝,十聽裝一木箱。 裝:

注意火災。

### CALCIUM CARBIDE

Specification: Acetylene yield not less than 250 litres per kilo of CaC2 Size: (1)  $15 \times 25$  MM. (2)  $25 \times 50$  MM. (3)  $50 \times 80$  MM.

Greyish black, irregular solid lumps, reduced to powder after afflorescence. Description:

It decomposes water to form acetylene.

Uses:

For manufacturing acetylene, calcium cyanamid, lamp black, intermediates; reducing agent; welding agent; smelting ores; steel hardner; signal lights; general illuminating purposes; dehydrating agent of desic-

cated foods.

In 100 or 200 kilos water-tight steel drums. Packing:

Keep in dry store.

## 炭化鈣(電石)

格: 規

每公斤炭化鈣可產生乙炔氣最低250公升 尺碼: (1)15×25公厘 (2)25×50公厘 (3)50×80公厘。

灰黑色不规則塊狀,經風化後即成為粉狀,遇水分解化為乙炔氣。 明: 診

製造乙炔氣, 氨氰化鈣,油烟,中間體,還原劑,熔接劑,冶镍礦產金屬, 硬 用 途:

銅劑,信號燈,普通照明用,製乾食品用之消水劑。

100或200公斤嚴密鐵桶包裝。 裝: 包

應在乾燥處存儲。

## For the above articles, please send all enquiries to our TIENTSIN OFFICE

## CHINA NATIONAL IMPORT & EXPORT CORPORATION

PEKING, CHINA. ldress: "CNIEC PEKING" Cable Address:

TIENTSIN BRANCH:

171, Chien-Sheh Road, Tientsin. Cable Address: "NOCIMOR TIENTSIN"

TSINGTAO BRANCH:

82, Chung-Shan Road, Tsingtao. Cable Address: "CNIECTB TSINGTAO"

SHANGHAI BRANCH:


13, Chung-Shan Road East 1, Shanghai. Cable Address: "CHIMEXCORP SHANGHAI"

CANTON BRANCH:

25, Tai-Ping Road South, Canton. Cable Address: "CHIMPORTCO CANTON"

## 中國進出口公司

# CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA



## IMPORTERS & EXPORTERS OF

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES.
FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS,
RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS,
COAL TAR PRODUCTS

ZIKE SULPHATE

ZING CHLORIDE

#### ZINC SULPHATE

Specification: ZnZO₄·7H₃O content — 98% Minimum.

Description: Colourless, efflorescent crystal; Soluble in water and Glycerine; insoluble in alcohol.

Uses:

in alcohol.

Manufacture of Zinc salts, drying oils, varnishes, lacquers, ceramics, enamels, lithopone, Zinc white; mordant in dyeing and printing textiles; as paint pigment; clarifying glue solutions; preservative in glues, adhesives, also for wood and hides; water disinfectant; Zinc plating; black nickel plating; in medicine.

In cloth bags of 25 or 30 kilos nett.

Packing:

硫 酸

ZnZO4,7H4O合量:最低98% 無色時高,易於風化,能溶於水與甘油,不溶於離 製造樂鹽, 健乾油,治治, 陶瓷器, 樹變,立德粉,雖白,即惟用維雜劑, 防火纖維,油溶用賴料, 青膠沉清及保存劑,木料皮革保存劑,淨水消毒劑, 經接較緩開,祭蘇。 布袋聚,每袋淨重廿五歲卅公斤。

裝:

#### ZINC CHLORIDE

Specification: ZnC1. content - 98% Minimum.

Description:White granules; Soluble in water, alcohol, glycerine and ether. Uses:

White granules; Soluble in water, alcohol, glycerine and ether. Manufacture of dyestuffs, organic and inorganic chemicals, intermediates, auramine, malachite green, methylene blue, rayon, tinning flux, soldering fluids, vulcanized paper and paper-board, parchmentized paper, fireproofing compositions for wood and textiles, metal burnishing and polishing compositions, cold water glues and adhesive preparations; Electric batteries; as laboratory reagent; mordant in dyeing and printing fabrics; carbonizing agent in treating wool; resist in dyeing and printing textiles; sizing and weighing silks and other textiles; chemical catalyst; wood preservatives; general disinfectant and preservative; paint pigments; purifying petroleum and petroleum distillates; vulcanizing rubber; coating metals; etching glass.

In square iron drums of 25 kilos nett.

Packina:

ZnCl<sub>2</sub>含量:最低98% 白色粒狀,能溶於水、輸、甘油及鲢 製造壽料,有機及無機化學品,中間體、捷黃、品緣、品藍,解採用線劑,年 皮紙、紙板,本料及鹽維防火劑、全層磨光劑、冷水膠、蓄電池,化學試驗。本 減劑,印漆錦涂劑,整理年毛用碳化劑,轉及其光纖線之增重賴及轉光劑, 對大水保存,消毒劑、防腐劑,油烙用額料,大油之精製及適清,據膠碱化,坡

瑞蝕刻劑。 方鐵桶裝每桶淨重廿五公斤。

For the above articles, please send all enquiries to our TIENTSIN OFFICE

CHINA NATIONAL IMPORT & EXPORT CORPORATION
PEKING, CHINA.
Cable Address: "CNIEC PEKING"


TIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsin.
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82, Chung-Shan Road, Tsingtao.
Cable Address: "CNIECTB TSINGTAO"

"CHIEC PERING
SHANGHAI BRANCH:

18, Chung-Shan Road East 1, Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25, Tai-Ping Road South, Canton.
Cable Address: "CHIMPORTO CANTON"
"CHIMPORTO CANTON"

## 中國進出口公司

## CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA



#### IMPORTERS & EXPORTERS 0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS. RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS, **COAL TAR PRODUCTS** 

#### TRISODIUM PHOSPHATE (SODIUM PHOSPHATE, TRI-BASIC)

Specification: Na<sub>3</sub>PO<sub>4</sub> · 12H<sub>2</sub>O. content — 98% Minimum.

Description: Colourless crystals; Soluble in water.

Water softener; boiler compounds; water softening and soap substitute in laundry industry; Tanning industry; Sugar purification; Photographic developers; in medicine. Uses:

In cloth bags of 25 kilos nett lined with 3-ply kraft paper. Packing:

#### 磷酸三鈉

Na<sub>3</sub>PO<sub>4</sub>·12H<sub>2</sub>O. 含量最低 98%

無色結晶,能溶於水。 炔:

較水劑,鍋爐用劑,洗衣用軟水劑及肥皂代用品,鞣革,蔗糖箱製劑,照像顯

影劑,腎藥。

Uses:

布袋内襯三層紙裹,每袋净重廿五公斤。 裝:

#### SODIUM NITRITE

Specification: NaNO  $_2$  content — 98% up (Dry Base).

Slightly yellowish or white crystals, sticks or powder. Oxidizes on exposure to air. Soluble in water; Slightly soluble in alcohol and ether. Description:

Dyestuffs manufacture; for diazotising; organic synthesis; preparation of Nitric Oxide; Reagent in Analytical chemistry; Pharmaceuticals; Photographic reagent; Pickling meat.

In 5-ply kraft paper bags of 50 kilos nett. Fire hazard: Dangerous. Packing:

### 亞硝酸鈉

NaNO。 含量最低 98% (乾積計)

没黄或白色结品粉或針狀, 露置空氣中即行氧化, 能溶於水, 微溶於醇及酸。

染料製造(重氮化用),有機物合成,氧化氮之製造,分析化學用試劑,醫藥製 進:

造,照像用試劑,內類浸清劑。 五層牛皮纸袋裝,每袋净重五十公斤。

For the above articles, please send all enquiries to our TIENTSIN OFFICE

CHINA NATIONAL IMPORT & EXPORT CORPORATION
PEKING, CHINA.
Cable Address: "CNIEC PEKING"

TIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsin.
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82, Chung-Shan Road, Tsingtao.
Cable Address: "CNIECTB TSINGTAO"

"COLIEC PERING

33. Chung-Shan Road East 1, Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25. Tai-Ping Road South, Canton.
Cable Address: "CHIMPORTO CANTON!"

## 中國進出口公司

## CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA

IMPORTERS & EXPORTERS 0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS. RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS. **COAL TAR PRODUCTS** 

+MOSPHORIC ACID

## CHROMIC ACID (CHROMIC ANHYDRIDE, CHROMIUM TRIOXIDE)

Specification: CrO3 content - 98% Minimum.

Description: Reddish brown crystal, soluble in water and ether.

For manufacturing chromates, chrome dyestuffs, electric batteries, coloured glass, printing and lithographic inks; as mordant in dyeing and printing Uses:

In steel drums of 200 kilos nett. Packing:

> 鉻 酸

CrOs 含量最低 98% 格: 规

紅粽色结品,能溶於水及酸。 获:

製造各類路酸化學品,媒介染料, 電池, 色玻璃, 印刷及石印油墨, 幾物媒 淹:

华朝。

Packing:

裝: 鐵桶裝,每桶净重二百公斤。

## PHOSPHORIC ACID

Specification:  $H_3PO_4$  content — 70% Minimum.

Description: Colourless syrup liquid. Soluble in water.

Conductes syrup inqua. Solution in water for manufacturing phosphates, hydrogen peroxide, glycerophosphates, pharmaceuticals, dyes, incandescent light filaments, pyrotechnics, fertilizers; essences, soft drinks and mineral waters; pickling and rustproofing agent; sugar defecant and clarifier; mordant in dyeing and printing textiles; brightener of silks. Uses:

In glass jar of 30 kilos nett covered with wooden case.

酸

含H₃PO₄最低70% 格:

無色糖漿狀液體,能溶於水。 秩:

製造磷酸顆化學品, 過氧化焦, 甘油磷酸, 繁華, 壽料, 電纜泡纜線, 烟火, 肥料, 香水, 硬水製化劑, 礦水, 磷清及防纺剂, 並用於裂糖作纏清 用,紡績品即染之変色及絲光增強劑。

玻璃罐装,每罐净重三十分斤,外加木箱。 裝:

#### For the above articles, please send all enquiries to our TIENTSIN OFFICE

CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING, CHINA.


Cable Address: "CNIEC PEKING"

TIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsin.
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82, Chung-Shan Road, Tsingtao.
Cable Address: "CNIECTE TSINGTAO"

SHANGHAI BRANCH:
27 18, Chung-Shan Road East 1, Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25, Tai-Fing Road South, Canton.
Cable Address: "CHIMPORTO CANTON"

## 中國進出口公司

## CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA



IMPORTERS & EXPORTERS 0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS, RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS. COAL TAR PRODUCTS

EDIXOSDINH IMUIDOR

SODIUM GARCONATE

#### SODIUM HYDROXIDE (CAUSTIC SODA)

Specification: NaOH content - 98% Minimum.

White, deliquescent crystals; absorbs water and carbon dioxide from the Description:

Petroleum and vegetable oil refining; tanning; soap industry; textile

Uses: industry; rayon; paper industry; organic synthesis; sodium salts; manufacture of reclaimed rubber.

Packing: In iron drums of 200 kilos nett

Tightly sealed and keep dry and away from acids.

#### 氫 氧 化 鈉 (苛性鈉,燒鹹)

NaOH 含量:最低98%

狀:

NaUH 含重、最低999。 白色瀚解性之结晶,能自空美中吸收二氧化碳及水分。 石油及植物油之精製,藥華,肥皂工業,纖維工業,人造籌 ,製紙工業 ,有 機合成,鉤鹽,椽膠再製品之製造。

装: 鐵桶裝,每桶淨重二百公斤。

**應嚴密包裝,置放乾燥處,與酸隔離。** 

#### SODIUM CARBONATE (SODA ASH)

Specification: Nag CO3 content - 98% Minimum.

Description:

Na<sub>2</sub>CO<sub>3</sub> content—98% minmum.
Greyish-white powder; soluble in water; insoluble in alcohol.
Manufacture of pure sodium carbonate and bicarbonate, drugs, dyes,
glass, soap, paper, caustic soda, paints, leather, enamel-ware and cleansers;
dyeing textiles; water softening; refining oils; wood preservation; metal-Uses:

lurgy; laundering, etc., In gunny bags of 80 kilos nett.

#### 碳酸钠(純鹹)

Na<sub>2</sub>CO<sub>3</sub> 含量:最低98% 灰白色粉枝,悠溶於水,不溶於蘇 紫迪粒硬酸朔灰重碳酯朔 無品,壽料,玻璃,肥皂,绒,守性腑,油漆,歧 車,横瓷。冷垢剂,澱物染色,水之鞍化,油之精梨,木料保存剂,冶金, 扶: 途:

洗衣等用。

Packina:

蘇袋裝,每袋淨重八十公斤。

## CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING, CHINA. Cable Address: "CNIEC PEKING"

IIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsin.
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82, Chung-Shan Road, Tsingtao.
Cable Address: "CNIECTB TSINGTAO"

SHANGHAI BRANCH:
13. Chung-Shan Road East 1, Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25. Tai-Ping Road South, Canton.
Cable Address: "CHIMPORTCO CANTON"

## 中國進出口公司

## CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA

IMPORTERS & EXPORTERS 0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS, RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS. **COAL TAR PRODUCTS** 

CARBOLIC ACID.

#### CARBOLIC ACID (PHENOL)

Specification: C<sub>8</sub>H<sub>5</sub>OH content — 98% Minimum.
Freezing Point: 39°—41°C

Description: White crystalline masses absorbing moisture from the air; distinctive odour; strong corrosive, poisonous. Soluble in alcohol, water, ether, chloroform, glycerine, carbon bisulphide, petroleum.

Uses: Disinfectant for sanitary, medical and surgical purposes; manufacture of pieric acid, salicylic acid, phenacetin and various intermediates for the production of dyes; paint and varnish removers; synthetic resins and plastics; phenates: brewing (cleansing agent); synthesis of artificial tannins; synthetic perfumes; pharmaceuticals.

Packing: In galvanized iron drums of 210 kilos nett.

石 炭 酸 (酚)

CeH.OH 合宜:最低98%,減點:30°—41°C 200°—10°C 200°年 200

進:

裝:

#### CRESYLIC ACID

 $\begin{array}{l} CH_{9}C_{6}H_{3}OH\\ Specific Gravity: 1.03-1.06 & (20\,^{\circ}C)\\ Distillation Test: 0^{\circ}-190\,^{\circ}C & 5\%\\ Maximum.\\ 190^{\circ}-205\,^{\circ}C & 85\%\\ Minimum.\\ Straw to brown-red coloured liquid, phenolic odour.\\ Soluble in water, ammonia, glycerine, caustic soda, petroleum, alcohol.\\ Manufacture of cresols, disinfectants, sheep dips, flotation, synthetic resins; lubricating oils; in medicine.\\ In iron drums of 200 kilos nett. \end{array}$ Uses:

Packing:

#### 克 利 沙 酸

CH<sub>2</sub>C<sub>2</sub>H<sub>4</sub>OH 比 重: 1.03—1.06 (20°C) 養儲試整: 0°—190°C 最高5% 190°—205°C 最高5% 190°—205°C 最成終5% 華養至紅幣之之灌營,有虧雙。 能溶水、「可菜尼亞、甘油、邊城菜,石油,酒精。 豐迪寶宴節、消棄劑、漁羊用服寄生虫之浸液,合成松香,滑凋油。 鐵桶裝,每桶淨重二百公斤。

For the above articles, please send all enquiries to our TIENTSIN OFFICE


CHINA NATIONAL IMPORT & EXPORT CORPORATION
PEKING, CHINA.
Cable Address: "CNIEC PEKING"

TIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsin.
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82, Chung-Shan Road, Tsingtao.
Cable Address: "CNIECTB TSINGTAO"

SHANGHAI BRANCH:
13, Chung-Shan Road East 1, Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25, Tai-Ping Road South, Canton.
Cable Address: "CHIMPORTCO CANTON"

## 中國 進出 口 公 司

## CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA



#### IMPORTERS & EXPORTERS

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS, RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS. **COAL TAR PRODUCTS** 

#### FURFURAL, TECH.

Description:

170°C 98% Minimum.

Colourless liquid, turning to dark amber upon exposure. Characteristic penetrating odour. Soluble in alcohol, ether and benzene.

Solvent—purification of mineral oils, wood resin, anthracene; synthetic resins, textile industry, shoe dyes, paint and varnish remover, varnish gums, lacquer formulation. Biological—fungicides, bactericides, preservatives, tree wound dressing, fly repellents. Aldehyde—resins, tanning, manufacture of furan compounds, flotation agents.

In iron drums of 220 kilos nett. Uses:

Packina:

糠

醛

C<sub>4</sub>H<sub>4</sub>O·CHO 含量最低 98% 比重:在攝氏表記(申寫1,157-1,159 (参考:1,160-1,161) 170°C 最低98% 無已液體, 產置至氣及光中, 即變紅陰色, 有城烈之嗅氣, 能溶於醉, 醚及 茶。 溶劑一石油,松香,及逆之请裝;人造松香,纖維工業,鞋油,油漆工業。 生物一投繳劑,粮自劑,保存剂,削傷診劑,鄰繩縣。 嚴一松香,擊率,呋喃伦物之製造,停運用劑。 鐵桶製,毒桶淨重二百廿分斤。

#### ANILINE OIL

Specification: C6H5NH2 content - 99% Minimum (Dry base)

Colourless oily liquid; rapidly becomes brown on exposure to air and light; Soluble in alcohol and ether; slightly soluble in water. Description:

Dyes; Intermediates; Chemicals; dyeing and calico printing; vulcanization accelerator; germicide; Paint and varnish; perfumery; Pharmaceuticals. In iron drums of 200 kilos nett. Uses:

Packing:

#### 苯

CeHaNH。含葉聚飯99°ć(絕棲計) 無色油胀液體,初溶直於空氣中及日光下逃即變為粽色,能溶於解與酸,級溶於水,有棄。 舞科,中間體,化學無品,印染,棲膠碳化促進劑,與負劑,油漆,香料,

用 途:

醫藥。 鐵桶裝,每桶净重二百公斤。 姕:

For the above articles, please send all enquiries to our TIENTSIN OFFICE

CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING, CHINA.

Cable Address: "CNIEC PEKING"

TIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsin.
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
32, Chung-Shan Road, Tsingtao.
Cable Address: "CNIECTB TSINGTAO"

SHANGHAI BRANCH:
18. Chung-Shan Road East 1, Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25. Tai-Fing Road South, Canton.
Cable Address: "CHIMPORTCO CANTON"

## 中國進出口公司

## CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA

#### IMPORTERS & EXPORTERS

0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS, RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS. COAL TAR PRODUCTS

PARÁFFIN WAX

#### PARAFFIN WAX

Specification: White and Yellow. Melting Point: 129°-136°F.

White and Yellow translucent, waxy, tasteless, odourless solid. Soluble in benzine, benzene, warm alcohol, chloroform, turpentine, carbon bisulphide and olive oil; insoluble in acids. Description:

Uses:

and olive oil; insoluble in acids.

Manufacture of paraffin candles, waxed paper, etc.; waterproofing wood, cord, etc.; impregnating matches; lubricants; preserving eggs; oil crayons; pharmacy (to stiffen ointments); surgery; stoppers for acid bottles; preservative covers for food products; electrical insulation; phonograph records; floor polishes; extraction of perfumes from flowers; cosmetics; photography; anti-frothing agent in sugar refining; coating interior of wine casks; In carton of 25 kilos nett.

Packing:

白黄二桂 熔點: 129°—136°F.

白色半透明之雕狀固體,無變無味,能溶於石油精, 華,溫酒精,氣仿,松節油,二硫化碳及橄欖油,不溶於酸。

腊瑚腊绒等装造,防水本本粒製造,火华板堤溝削,滑润削,總套保存劑,聯筆、醫藥裝削(油膏增稠削),外科翳用,咸酸瓶子塞,食品保存,電流絕緣,留緣機盤、地板聯,香料燙出削,化粧品,照像,製糖工業用泡沫剔止劑,滿

25公斤净重纸箱装。 装: 包

#### STEARIC ACID

 $\label{eq:continuous} Specification: $$ \mathrm{CH_3(CH_9)_{16} COOH \ Freezing \ point: 52°C. \ Minimum} $$ Description: $$ Colourless, odourless, wax-like material. Soluble in ether, alcohol, carbon bisulphide, carbon tetrachloride, chloroform; slightly soluble in water. $$$ 

Manufacture of stearates, cosmetics, soaps, pyrotechnic compositions, candles, shoe and metal polishes; medicine.

In wooden cases of 40 kilos nett lined with kraft paper. Tises.

Packing:

CH<sub>3</sub>(CH<sub>2</sub>)<sub>16</sub>COOH 萩固點:最低52°C

無色無哭如膽狀之物質,能溶於醚,醇,二硫化碳,四氟化碳,氯仿;微溶於

製造硬脂酸酯, 化粧品, 肥皂, 烟火, 腊燭, 鞋油, 金屬擦光劑, 醫藥。 企:

裝: 襯牛皮纸裹之木箱裝,每箱净重四十公斤。

For the above articles, please send all enquiries to our TIENTSIN OFFICE

CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING, CHINA.


Cable Address: "CNIEC PEKING"

TIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsin.
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82, Chung-Shan Road, Tsingtao.
Cable Address: "CNIECTB TSINGTAO"

SHANGHAI BRANCH:
21 43, Chung-Shan Road East 1, Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25, Tai-Fing Road South, Canton.
Cable Address: "CHIMPORTCO CANTON"

## 中國進出口公司

## CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA



#### IMPORTERS & EXPORTERS 0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS, RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS. **COAL TAR PRODUCTS** 

Gerricen Erenachten

#### NAPHTHALENE, REFINED

Specification: C10H8 Melting point not lower than 79°C.

White, crystalline, volatile flakes, strong coal-tar odour; soluble in benzene, absoluble alcohol and ether; insoluble in water. Description:

Uses:

Manufacture of chemicals, dyes, intermediates, moth repellant, insecticide; constituent of composite motor fuels; disinfectant; celluloid; solvent for resins; manufacture of synthetic resins by condensation with formal-dehyde; paraffin substitute; synthetic tannins; preserving hides; wood preservative compounds; lubricating compounds; asphalt solvent.

In 5-ply kraft paper bags of 25 or 30 kilos nett.

Packing:

#### 精

C1.0Hg、熔點不低於79°C 具轉發性之白色蛙晶片,有牌焦油臭,應溶於菜、釀及無水浦精,不溶於水。 化學品、帶料,中問體、聯組制、發出劑、發動頻照料油,跨樂。消喜劑、家 與非等之製造, 松布盜劑,含成松香,石雕代用品 , 皮毛之保存, 木种保存 剂,渭湖制、溫青溶劑,合成單字聽。 五屬牛皮鹹袋裝,每袋净重廿五或卅分斤。 **狀:** 

### ETHYL ALCOHOL

Specification: C2H5OH content - 96% Minimum.

Uses:

C<sub>2</sub>H<sub>3</sub>OH content — 96% Minimum.
Colourless, volatile liquid; ethereal, vinous odour, pungent taste. Soluble in water, methyl alcohol and ether.
Manufacture of intermediates, esters, organic derivatives, synthetic drugs, chloroform, indoform, ether, acetic acid, phenacetin, antipyrine, dyes, smokeless powder, food preparations, sheep dips, plant washes, motor fuel, anti-freeze solutions, carbon removers, cleansers, polishing compositions, spirit varnishes, enamels, paint removers, cosmetics, disinfecting soaps, liquid and transparent plastics; refining petroleum, dyeing and printing; silvering mirrors; in medicine.

In iron drums. Fire hazard: Dangerous. Packing:

C.H.OH 合量:最低96% 無色透明部於檢視體、有所套。味刺激。德溶於水,甲醇及醚。 製造中間體。酯、有模產生物。会成藥品、塞仿、無仿、酸、醋酸、非解而丁, 妄擬比核、溶料、無細粉、含品配製、期毛浸液,植物消虫,動力燃料、防水 炭、甲碱剂、水淋用磨光制之合炭、油沸、槽炭、化粧品、暮皂、 波質及透明 均膠、大油之精製、印染,鏡子錯銀、製棒。 免險、沒意大更。

For the above articles, please send all enquiries to our TIENTSIN OFFICE

CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING, CHINA.


Cable Address: "CNIEC PEKING"

TIENTSIN BRANCH:
171. (hien-Sheh Road, Tientsin.
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82. (hung-Shan Road, Tsingtao.
Cable Address: "CNIECTB TSINGTAO"

SHANGHAI BRANCH:
18, Chung-Shan Road East 1, Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25, Tai-Ping Road South, Canton.
Cable Address: "CHIMPORTCO CANTON"

## 中國進出口公司

## CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA



#### IMPORTERS & EXPORTERS 0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS, RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS, COAL TAR PRODUCTS

#### PEPSIN

Qualitu:

B.P. 1953, 1:2500, 1:3000

Description:

Pepsin occurs as a white or light buff-coloured amorphous powder. It has a faint meat-like odour and a slight acid or saline taste. It readily absorbs moisture on exposure to air and is soluble in water but insoluble in alcohol and ether. The activity of Pepsin is destroyed by boiling in water over 70°C or by heating in slightly alkaline solution. It should be kept in a well-closed container, and stored in a cool place.

Uses:

It is used for increasing the digestive power of gastric juice.

In bottles of one lb. nett, 28 bottles to a wooden case. Packing:

#### 胃蛋白酶

符合B.P. 1953 規格 1:2500, 1:3000 墳:

本品高淡黄色無晶形粉狀 ,哪具肉香,微带酸式鹹味,落置空氣中極易吸收水分,能溶於水,但不絕溶於酒精及鰻。本品如經水煮,超過新氏表 70 度時,或在前具鹹性之溶液内加無則即失去功功,包果應嚴密,並存放於凉底。 狀:

用以增加胃液之消化力。 用 進:

一磅瓶裝,每箱裝28紙。 栽:

#### **PANCREATIN**

Quality:

B.P. 1953. 1:25

Pancreatin is prepared from fresh pancreas of animals employed for food. It is a colourless or buff-coloured amorphous powder with meaty odour, soluble in water, insoluble in alothol and ether. It should be kept in well-closed container and stored in a cool place. Description:

It is a mixture of enzymes, trypsin, lipase and amylase and therefore has the power to digest starch, proteins and fats.

Packing: In one lb. bottles, 28 bottles to a wooden case.

#### 胰 酶

符合B.P. 1953 规格 1:25 位:

本品條由食用畜類之鮮縣所製成, 無色或黃色無品形粉狀, 嗅有肉味, 能溶於水,不溶於酒精與酸,色裝應嚴密,放置凉處 获:

本品因係多種酵素之混合物故有消化澱粉,蛋白質及脂肪之効能。 用 往:

一磅瓶装, 廿八瓶装一木箱 裝:

> For the above articles, please send all enquiries to our TIENTSIN OFFICE CHINA NATIONAL IMPORT & EXPORT CORPORATION
> PEKING, CHINA.
> Cable Address: "CNIEC PEKING"

TIENTSIN BRANCH 171, Chien-Sheh Road, Tientsin. Cable Address: "NOCIMOR TIENTSIN" TSINGTAO BRANCH:

82, Chung-Shan Road, Tsingtao. Cable Address: "CNIECTB TSINGTAO"

SHANGHAI BRANCH:
13. Chung-Shan Road East 1, Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH: CANTON BRANCH: 25, Tai-Ping Road South, Canton. Cable Address: "CHIMPORTO CANTON"

## 中國進出口公司

## CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA

IMPORTERS & EXPORTERS

0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS. RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS. COAL TAR PRODUCTS

LUBRIGATING GREASE

LOCOMOTINE GREASE

#### LUBRICATING GREASE

Commodity: (1) Aluminium Base Grease. (4) Calcium and Sodium Base Grease.

(2) Calcium Base Grease.

(5) Aluminium and Sodium Base Grease.

(3) Sodium Base Grease.

Uses:

For all kinds of lubricating purposes according to the different dropping

point and consistency.

Packing:

In square tins of 16 kilos nett, 2 tins to a wooden case.

#### 滑脂

(1) 鋁基润滑脂

(4)鈣鈉合基润滑脂

(2)鈣基润滑脂

(5)鉛鈉合基潤清脂

(3)鈉基润滑脂

按照不同滴點及稠度適合各種不同润滑用。 用 维:

方聽裝,每聽淨重16公斤,二聽裝一木箱。

#### LOCOMOTIVE GREASE

Specification: (1) Hard quality

(2) Soft quality

Uses:

For railways and locomotive uses.

Packing:

In wooden cases of 40 kilos nett, lined with wax, waterproof kraft paper.

#### 鐵路乾油

分硬軟二種

鐵路及機車用。 j\$ :

防水雕紙觀裏之木箱裝,每箱淨重四十公斤

For the above articles, please send all enquiries to our TIENTSIN OFFICE

CHINA NATIONAL IMPORT & EXPORT CORPORATION
PEKING, CHINA.
Cable Address: "CNIEC PEKING."

Cable Address:

TIENTSIN BRANCH:
171. Chien-Sheh Road, Tientsin.
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82. Chung-Shan Road, Tsingtao.
Cable Address: "CNIECTB TSINGTAO"

SHANGHAI BRANCH:

13. Chung-Shan Road East 1, Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25. Tai-Ping Road South, Canton.
Cable Address: "CHIMPORTO CANTON"

## 中國進出口公司

## CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA

IMPORTERS & EXPORTERS 0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS, RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS. **COAL TAR PRODUCTS** 

A INTAGRIBUTURIA KASIONOMERILIGIPI CALCIUM CARBONATIE LIGHT.

CALCIUM CARBONATE, LIGHT

CaCO<sub>3</sub> content—98% Minimum, Mesh 180—200.

Moisture—0.5% Maximum,
Insoluble substance in HCl—0.2% Maximum.
CaO—0.086% Maximum.
CaO—0.086% Maximum.

White powder, odourless, soluble in acid and insoluble in water.
Uses:

White powder, odourless, soluble in acid and insoluble in water.
cide, ammonium chloride, intermediates, tooth paste, dyestuffs, fertilizer, mineral waters, crayons, building stones; as linoleum filler, paint and varnish filler; polish agent, paper filler, rubber filler.

In fine white cloth bag of 25 kilos nett.
Keep in dry place and away from acid.

#### 輕體炭酸鈣

格:

狀: 途: 性用

装:

#### MAGNESIUM CARBONATE, LIGHT

Specification:

Specification:

MgCO\_content—95% Minimum.
MgO 44% Minimum.
MgO 44% Minimum.
Mgo 44% Minimum.
CaO -0.48% Maximum.
Fe203. Alc 0.3 -0.16% Maximum.
Insoluble substance in HCl -0.5% Maximum.
Insoluble substance in HCl -0.5% acid and insoluble in water.
White crystalline powder, soluble in acid and insoluble in water.

Uses:
For manufacturing magnesium salts, carbon dioxide, fire resistant paint, dry colours, printing ink, ceramics, glass, cosmetics, varnishes, tooth pastes.

pastes. In cloth bags of 20 kilos nett. Packing:

揺:

**栽**: 性用

TIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsin.
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82, Chung-Shan Road, Tsingtao.
Cable Address: "CNIECTB TSINGTAO"

#: 二十分百行章 · 有象集。
For the above articles, please send all enquiries to our TIENTSIN OFFICE
CHINA NATIONAL IMPORT & EXPORT CORPORATION
PEKING, CHINA.
Cable Address: "CNIEC FEKING"

SIN BRANCH:
ien-Sheh Road, Tientsin.
ddress: "COCIMOR TIENTSIN"
TAO BRANCH:
mg-Shan Road, Tsingtao.
cddress: "CNIECTB TSINGTAO"
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH:
CANTON BRANCH

## 中國進出口公司

## CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINÀ



#### IMPORTERS & EXPORTERS 0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS, RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS. COAL TAR PRODUCTS

#### EPHEDRINE HYDROCHLORIDE (NATURAL)

#### RED HORSE BRAND

 $C_{10}H_{15}$  ON, HCl M.W. 201.7 B.P. 1953. Formula:

Quality:

Description:

B.P. 1958. Ephedrine Hydrochloride is extracted from natural "Ma Huang" plant (Ephedra Sinica). It is colourless, odourless with bitter taste and can be supplied in white crystals or 80 mesh fine powder. It is soluble in water and in alcohol, but not in ether. It is an effective remedy and best cure for bronchitis, asthma and whooping couch.

Uses:

Packing:

it is an effective remedy ing cough. 1-lb. bottle nett. 1-lb. carton nett. 56-lb. tin lined box nett. 5 kilo tin nett.

#### 紅馬牌 鹽酸麻黃素

 $C_{10}H_{16}ON$ , HCl 分子量 201.7 符合B, P, 1953 規稿 本品债由天祝盛數華提煉所得, 無色無雙味等, 维晶或80目粉秋, 能溶於水爽 酒精, 不深於醒。 高冶磁氣管吏, 寬城、百日喷有放劍。 一磅槭,一磅城盒、56磅缩裏木箱,5公斤聽。 化 學 式: 品 - 質: 性 - 狀:

CALCIUM GLUCONATE Formula:

Quality: Description:

CALCION GLOCONATE  $C_{12}H_{22}O_{14}Ca\cdot H_2() \quad M. \quad W. \quad 448.4$  B.P. 1953. Calcium Gluconate occurs as a white, odourless, tasteless crystalline or granular powder. One gramme of Calcium Gluconate dissolves in 30 c.c. water. It is insoluble in alcohol and ether. It is used in the treatment of rickets, tuberculosis, chronic renal diseases, unemia after.

Uses:

uremia, etc. In 25-kilos plywood kegs. Packing:

#### 葡萄糖酸鈣

C1:eH2:O1:dCa·H2O 分子量 448.4 符合B.P. 1953 規稿 本品高台色糖品粉枝, 無獎無味,本品一克鏡溶於30cc水中,不溶於酒精及暖。 用以沿塘的馒,韓核、慢性腎病, 尿存等在 世五分斤三金板木桶裝。

化品性用包

#### For the above articles, please send all enquiries to our TIENTSIN OFFICE

## CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING, CHINA Cable Address: "CNIEC PEKING"

TIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsin
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82, Chung-Shan Road, Tsingtao
Cable Address: "CNIECTB TSINGTAO"

CAIRC FERING."

13. Chung-Shan Road East 1, Shanghai
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25, Tai-Ping Road South, Canton
Cable Address: "CHIMPORTOO CANTON"

## 中國進出口公司

## CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA



#### IMPORTERS & EXPORTERS

0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS. RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS, **COAL TAR PRODUCTS** 

SODIUM BICARBONATIE, TEGHI SODIUM PUUSMEE

#### SODIUM BICARBONATE, TECH.

Specification: NaHCO3content - 99% Minimum (by weight).

White powder or crystalline lumps; cooling, slightly alkaline taste; Soluble in water; insoluble in alcohol.

Description:

For manufacture of effervescent salts and beverage, artificial mineral waters; baking powder; gold and platimum plating; tanning industry; treating wool and silk; fire extinguisher; ceramics; preserving butter; prevention of timber mold.

Uses:

In gunny bags of 50 kilos nett (Inner packing: Kraft paper and cloth bag). Packing:

#### 小 蘇 打 (重碳酸鈉)

NaHCOs 含量最低99%(按重量計)。 核:

白色粉或蛙晶塊,味凉面微澀,能溶於水,不溶於醇。 获:

沸腾鹽及飲料 , 人造礦水及垮粉之製造 , 鍍金,鍰铂,鞣革 , 羊毛及轉之處

理,減火剂,富業,乳油保存剂,木料防飯剂。

蘇袋內觀牛皮紙及市袋,每餐净重五十分斤。 装:

#### SODIUM FLUORIDE

Specification: NaF content - 98'. Minimum.

Clear lustrous crystals or white powder: Poisonous: Soluble in water: slightly soluble in alcohol. Description:

Anti-septic and anti-fermentative in alcohol distilleries, etc.; food pre-servative: rat poison: in medicine, flux. enamels: rimmed steel. Uses:

In wooden cases of 50 kilos nett. Packing:

#### 氟 化 鈉

NaF含量最低98。

透明有光結晶,或白色粉狀,有毒;能溶於水,微溶於酶。

輯集圖中之防時劑及防腐劑;食品保存劑,壽鼠劑,腎藥,助溶劑,擔瓷。

木箱装,每箱净重五十公斤。

For the above articles, please send all enquiries to our TIENTSIN OFFICE

CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING, CHINA.

Cable Address: "CNIEC PEKING"

TIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsiu.
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82, Chung-Shau Road, Tsingtao.
Cable Address: "CNIECTB TSINGTAO"

SHANGHAI BRANCH: SHANGHAI BRANCH:
18. Chung-Shan Road East 1. Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25. Tai-Ping Road South. Canton.
Cable Address: "CHIMPORTO CANTON"

## 中國進出口公司

## CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA

#### IMPORTERS & EXPORTERS

0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS. RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS, **COAL TAR PRODUCTS** 

#### SODIUM SULPHIDE

Specification: Na<sub>2</sub>S — content 63.5% Minimum, Solid Fused or Flakes.

Yellow or Brick-Red lumps or flakes. Soluble in water, slightly soluble in alcohol, insoluble in ether. Easily oxidizes when exposed to air. Description:

Manufacture of organic chemicals; sulphur dyes; intermediates; rayon (denitrating); leather (depilatory) dyeing; paper pulp; solvent for gold in hydrometallurgy of gold ores; sulphiding oxidized lead and copper ores preparatory to flotation; flotation processes for lead and copper ores; calico printing; sheep dips; photographic reagent; engraving and lithography; analytical reagent.

For flakes, in iron drums of 50 kilos nett. For solid fused, in iron drums of 160 kilos nett. Packing:

Na<sub>2</sub>S 含量:最低63.5%(固體溶塊或片狀)

黄色或磷紅色塊或片狀,能溶於水,微溶於醇,不溶於酸。霧置空氣中,極易 氧化。

... 有機化學藥品, 硷化壽料, 中問體, 人造轉用脫硝劑, 製萃用脫毛劑,壽惡、 飯裝,全礦用溶劑, 鉛礦銅礦淨選用硫化劑, 印染,洗毛液, 照相用試劑, 蝕 刻劑及石印,分析化學用試劑。

片狀:鐵桶裝,每桶淨重五十公斤。 國體塊狀:鐵桶裝,每桶淨重一百六十公斤。 裝:

#### SODIUM SULPHATE, ANHYDROUS

Specification: Na2SO4 content - 98% Minimum.

Description: Anhydrous white powder, soluble in water and glycerine.

Manufacture of sodium salts, sodium carbonate, washing sodas, paper pulp, ultramarine, mineral and lake colours, printing inks, soaps, turkey red oil; as drying agent; in dyeing and printing textiles; mordant in dyeing cotton; bleaching fabrics; tanning leather; diluting dyes; in medicine.

Packing: In gunny bags of 50 or 100 kilos nett.

#### 無水元明粉

Na<sub>2</sub>S()4 含量:最低98% 格:

無水白色粉狀,能溶於水及甘油。 获:

製造納鹽,碳酸鈉, 洗濯用碳,纸浆, 霍青等顏料,印刷油墨, 肥皂,土耳其紅油,乾燥劑,染色製革,醫藥,染料冲決劑。 途:

蘇袋裝,每袋淨重五十或一百公斤。

For the above articles, please send all enquiries to our TIENTSIN OFFICE

CHINA NATIONAL IMPORT & EXPORT CORPORATION
PEKING, CHINA.
Cable Address: "CNIEC PEKING"

TIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsin.
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82, Chung-Shan Road, Tsingtao.
Cable Address: "CNIECTB TSINGTAO"

SHANGHAI BRANCH:
13. Chung-Shan Road East 1, Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25. Tai-Ping Road South, Canton.
Cable Address: "CHIMPORPO CANTON"

中國進出口公司

## CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA

IMPORTERS & EXPORTERS 0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS, RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS. COAL TAR PRODUCTS

CASEIN, LACTIC

#### CASEIN, LACTIC

2.5% Maximum Specification: Grade A: Fat

Uses:

3.2% Moisture 12%

2.6 — 4.5% Grade B: Fat Ash Moisture 3.2% Maximum 12% ,,

Description: White to yellowish amorphous powder (30/40 mesh) or granular with agreeable odour. Absorbs moisture but insoluble in water, alcohol, ether and other organic solvent. Soluble in alkalies, alkaline carbonates, acids.

and other organic solvent. Soluble in alkalies, alkaline carbonates, acids.

Manufacture of casein cold water paints and varnishes, waterproofed paints and distempers, paint removers, water-resistant glues and adhesives, shoe polishes, massage creams, cosmetics, ceramics, synthetic milk, baking powders, special foods, linoleum, pharmaceutical caseinates; mordant in dyeing and printing textiles; printing paste thickener; loading and softening silks and cottons; finishing and dressing leather; substitute for gelatin, albumen, shellac, gums, etc.; for various purposes; in cellubid and other plastics; rubber compounds; hard rubber; soaps; photographic films; priming artist's canvas; insulating compositions; clarifying wines; bottle sealing compositions; adhesive thickener in insecticides; filler; binder in cork compositions and other plastics.

In cloth bags of 30 kilos nett lined with double kraft paper bag. Keep in cool and dry place. Packing:

#### 乾酪素

乙級 脂肪 2.6 4.5% 甲級 脂肪最高 2.5% 灰分最高 3.2% 灰分 # 3.2% 水分 // 12% 水分 # 12%

台色至淡黄色無品性粉放(30/40目)或粒软,菜味好,能吸收水分但不溶於水, 能,酸及其他有模溶液,能溶於鹹類,鹹性藥酸鹽溶液及酸。 製造總素冷水油漆,防水油漆,油漆除去剂,耐水膠,鞋油、按摩膏,化粧品, 陶瓷、人选牛奶,好粉,漆布、酱涤用酪酸,印染好染剂,即油之档稠剂, 稀助量及状化剂,改革之整理,蛋白及白明邪代用品,家邸那及其他塑料,樣 膠合成物,硬像膠,肥皂,照相飲片,絕緣體,酒類之澄清,作填充劑等等。

视雙層牛皮紙之布袋裝,每袋净重三十公斤。 装: 须放置凉乾处。

For the above articles, please send all enquiries to our TIENTSIN OFFICE


CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING, CHINA.

Cable Address: "CNIEC PEKING"

TIENTSIN BRANCH: TIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsin.
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82, Chung-Shan Road, Tsingtao.
Cable Address: "CNIECTB TSINGTAO" SHANGHAI BRANCH:
18, Chung-Shan Road East 1, Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25, Tai-Ping Road South, Canton.
Cable Address: "CHIMPORTCO CANTON"

## 中國進出口公司

## CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA



IMPORTERS & EXPORTERS 0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS, RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS, **COAL TAR PRODUCTS** 

#### SOLUTION OF CRESOL WITH SOAP (LYSOL)

Specification: B.P. 1953.

Amber to reddish-brown liquid with phenol-like odour; Soluble in water, ether and alcohol: a mixture of isomeric cresols obtained from coal tar.

Highly effective as germicide, stronger than phenol, extensively used as

Uses: disinfectant.

Packing: In tins of one gallon (10 pounds) nett.

#### 煤酚皂溶液 (來蘇爾)

格: 符合1953年版英國藥典

本品為黃棕色之液體 , 味似石炭酸, 能溶於水、醚及醇中, 又稱複方煤溜油 性 炔:

具有強大的殺菌效能,效力大於石炭酸,可供防疫殺菌之用

装: 一加侖聽裝 (净重10磅)

#### DIASTASE

Specification: Digestive power of starch 1:100.

Diastase occurs as a yellowish-white powder. It is almost entirely soluble in water, but forming a turpid solution, and insoluble in alcohol.

Diastase is a starch saccharifying enzyme obtained from vegetables and therefore increases the digestive power of the stomach against starch.

protein etc. It is extremely effective in the treatment of certain stomach

troubles. Packing: In glass bottles of 1 lb. nett, 28 bottles to a wooden case.

本品為淡黄白色,無晶形之粉末,能在水中溶解成混濁之溶液但不溶於酒精。

本品為轉化澱粉成糖之酵素,對澱粉蛋白等能增加消化能力,對於治療胃病最 有效力。

裝: 一磅净重瓶裝,每一木箱裝28紙。

#### For the above articles, please send all enquiries to our TIENTSIN OFFICE

CHINA NATIONAL IMPORT & EXPORT CORPORATION
PEKING, CHINA.
Cable Address: "CNIEC PEKING"

TIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsin.
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82, Chung-Shan Road, Tsingtao.
Cable Address: "CNIECTB TSINGTAO"

SHANCHAI BRANCH:
13. Chung-Shan Road East 1, Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25. Tai-Ping Road South, Canton.
Cable Address: "CHIMPORTO CANTON"

## 中國進出口公司

## CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA



#### IMPORTERS & EXPORTERS

0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS. RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS. COAL TAR PRODUCTS

#### BARIUM CHLORIDE

Specification: BaCl<sub>4</sub>2H<sub>2</sub>O Content 98% Minimum.
Insoluble substance in water 1% Maximum.
Moisture 0.5% Maximum.
Insoluble in alcohol.

Description: Fine white crystalline powder, odourless, poisonous.
For manifacturing barium sulphate, barium salts, lithopone, colour lakes, pyrotechnics, printing inks, insecticides, photographic chemicals, rat poisons, pigments, blanc fixe, vanishes; tanning and finishing leather; purifying sugar; mordant in dyeing and printing textiles; water softener.
In wooden case of 50 kilos nett lined with kraft paper and water proof paper. Keep in dry place.

#### 化

格:

BaCl。2H<sub>2</sub>O 成分一最低98% 水不溶物一最高1% 水分一最高0.5%。 不含于滴剂。 石瓷式滴剂。 白色细结而粉枝、無实有毒。 致液效酸钠、组點、立楂粉、色基、煙火、油墨、颗蟲劑、照相化學品、毒飲 無,熟料、油漆、等等、並用於製萃及皮萃之整理、印染紡績品之定色、糖之 杭髮、軟水剛之製造等。 木箱內搬牛皮鍼及防濕鍼、每箱净重50分斤,應偏丹於乾燥處。

#### CALCIUM CHLORIDE, TECH.

Specification: CaCl<sub>2</sub>H<sub>2</sub>O Content 70% Minimum.

Description: White crystalline lumps, odourless, slightly bitter taste, soluble in water, insoluble in ether.

Uses: For manufacturing tartaric acid, ammonium chloride, precipitated chalk, intermediate and organic chemicals, mineral water, fire proof paint; drying agent for gases; food preserve; dehydrating petroleum; preserving wood; dust-layer for road; fire protection; drying fruits and vegetables before canning.

Packing: In iron drums of 100 kilos nett.

#### 氯 化

CaClaHaO 含量最低70% 白色线晶设裁,無實,來審苦,溶於水,不溶於髓。 製造酒石酸、氧化弦,說無碳酸餅,中間體,有賴化學品,礦水,防火油漆, 氯體軟線劑,食物條存劑,石油脫水劑,木材保存 前,路面整潔劑,並作防火 開放水囊,棄該變強頭前衛用。 鐵醋聚,每補淨重100公斤。

#### For the above articles, please send all enquiries to our TIENTSIN OFFICE

## CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING, CHINA Cable Address: "CNIEC PEKING"

TIENTSIN BRANCH:
171. Chien-Sheh Road, Tientsin
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82. Chung-Shan Road, Tsingtao
Cable Address: "CNIECTB TSINGTAO"

SHANCHAI BRANCH:
13, Chung-Shan Road East 1, Shanghai
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25, Tai-Ping Road South, Canton
Cable Address: "CHIMPORTO CANTON"

## 友好牌 化工染料産品

"UHO" SYNTHETIC DYESTUFFS & CHEMICALS



中國進出日公司天津分公司 CHINA NATIONAL IMPORT & EXPORT CORPORATION TIENTSIN BRANCH

#### 友好牌直接染料類

通 性: 粉狀,易溶於水。

用 途: 直接染棉、蔴等植物繊維,某些產品並可用於動物繊維之染色。

包装: 60 公斤鐵桶装。

注意事項: 防火、防潮,搬運時輕取輕放,勿使桶皮摔破。

品	種:	101	直接凍黃 GX	102	直接橙 S	103	直接金駝 3G
		104	直接棕 M	105	直接桃紅 12B	106	直接大紅
		107	直接耐酸大紅4BS	108	直接紅 F	109	直接棗紅 B
		110	直接紅醬 G	111	直接青蓮 B	112	直接青蓮 RN
		113	直接湖藍 5B	114	直接湖藍 6B	115	直接剛果藍 2B
		116	直接藍 2B	117	直接藍 RW	118	直接銅藍 BB
		119	直接煮綠 B	120	直接墨綠 B	121	直接黑 EHC
		122	直接黑 EX	123	直接重氮黑 BH	124	
		125		126		127	
		128		129		130	
		131		132		133	

#### 直接染料需染後處理品種:

1.直接網監 BB 2.直接監 RW 3.直接重氮黑 BH 以上品種耐光耐洗堅牢度較一般染料爲佳;如需更佳之堅牢度可用以下之 "染後 處理辦法":

(甲) 1-3% 硫酸銅 1-2% 冰醋酸

(乙) 1-2% 硫酸射 1-2% 紅礬鉀 1-2% 水醋酸 用直接染法染完後,可將染過之染物浸入 20-30 倍含有(甲)或(乙)液中在 温度 70-80°C時處理 20 分鐘後洗净。

## 友好牌酸性染料類

性; 粉狀,易溶於水。

於酸性浴直接染絲、毛等動物繊維,並可用於染紙及刷紙。 用 淦:

60 公斤鐵桶裝。 裝: 包

防火、防湖、搬運時輕取輕放, 勿使桶皮摔破。 注意事項:

先將染料充分溶解, 傾入染缸內, 染缸內之水量爲染物的 30倍; 加入元明粉 染法說明: 10% 及醋酸 2%, 於 50℃ 時加入染物,慢慢升高温度至沸,沸染 20—30 分鐘,再加入 1-4% 硫酸, 繼續溯煮 20-50 分鐘, 如色液不清, 可降低 温度, 靜置 20-30 分鐘, 待色吸净後取出洗净絞乾。

83	種:	201	酸性金黄	H	202	酸性桃紅 G
		203	酸性大紅	3R	204	酸性墨水紅 4B
		205	酸性紅		206	酸性紫紅
		207	酸性青蓮	R	208	酸性元青 10B
		209			210	
		211			212	
		213			214	
		215			216	
		217			218	
		219			220	
		221			222	
		202				

### 友好牌鹽基染料類

性: 結晶體或粉狀,易溶於水(不含鐵質),酒精或醋酸。

可用於動物纖維,植物纖維,但對於棉纖維無親合力,須用媒染劑處理後方 用 可上染, 又可用於染紙刷紙, 色澱的製造, 及植物鞣皮革的染色。

60 公斤鐵桶裝。 包 裝:

防火、防潮、搬運時輕取輕放,勿使桶皮摔破。 注意事項:

(1) 棉線在染前處理方法: 以煮透之棉線,根據染色的深淺於 80—90°C的 染法說明: 溫度浸入 2-6% 的單寧酸液內,不再加溫,翻動半小時,放置 3-6 小時 或隔夜取出,勿洗擰匀,再用吐酒石 1-3% 溶液(即單寧酸的一半)冷處 理之,半小時後,將線的水分絞乾留待染色。

(注意・處理時忌用鐵器)

(2) 染色方法: 將秤準之染料用少量 1/1000 的稀醋酸調成漿狀, 用沸水冲 開,將染液之半量,傾入染浴,(忌用鐵器)。 浴比為 1;50, 於 30-40°C 將 染物浸入染 10 分鐘, 再將另一半染液加入逐漸升溫至 60-70°C 再染 10 分 鐘,加 2-3% 醋酸繼續染 20 分鐘,絞出洗净陰乾。

品	種:	301	鹽基杏黃		302	鹽基湖藍	ВВ
-		303	鹽基青蓮	<b>2</b> B	304	鹽基品綠	55
		305			306		
	•	307			308		
		309			310		
		311			31 2		
		313			314		

## 友好牌媒介染料類

通 性: 粉末,易溶於水。

用 途: 於酸性浴經絡媒處理,可染毛、絲等動物纖維織物。

包 装: 60 公斤鐵桶装。

**注意事項:** 防火、防潮、搬運時輕取輕放,勿使桶皮摔破。

染法說明: 將染料充分溶解,傾入紅內,紅內之水量為染物之 40倍,加 10-20 % 元明 粉,及 1-2%醋酸於 40-50℃將染物投入,慢慢升高温度煮沸,沸染半小時加入 1-2% 硫酸繼續沸染半小時,降低溫度至 60℃加 0.5-3% 重磐隸 鉀繼續沸染半小時,取出洗凈絞乾。

8	種:	401	酸性蜂媒黄	G	402	酸性酪煤黄 H
		403	酸性蜂媒棕		404	酸性蜂媒藏青
		405	酸性蜂媒黑		406	
		407			408	
		409			410	
		411			412	
		413			414	
		415			416	
		417			418	
		419			420	
		421			422	
		423			424	

#### 友好牌硫化染料類

**通 性· 粉末,不溶於水,易溶於硫化碱液內,易吸收水份。** 

用 途: 可以染棉及其織物。

句 装・60 公斤鐵桶装。

**注意事項:** 防火、防潮,搬運時輕取輕放,勿使桶皮摔破。

時可以碼流斤刻,但哪無時间小可過來。 硫化臟: 估所用染料之 2-2.5 倍(硫化碱純度是 50% 的)如染淺色可按 3-3.5 倍使用。

純碱: 2-4% 按染物計算使用。

一 元明粉或食鹽: 5—30% 按整物計算、(如元明粉是含水結晶的,用量加倍) 如在機器中染色,食鹽可以代替元明粉,用量與元明粉同。

<u>土耳其紅油:</u> 0.5—1 份核染液每千份計算可以使色澤更加鮮艷,並可得均匀 染色結果。

小<u>蘇打</u>: 1-4% 按染物計算,可使染液還原力提高,更可使染物鮮艷均匀。

<u>染物與染液比例</u>: 線染 1;15-20 捲染 1;5 軋染 1;4-20

染色温度: 60-65°℃

<u>染色時間</u>: 30-60 分鐘

洗 滌: 染色完畢後用冷水洗二三次至水澄清再用 60-70°C温水洗一次, 最後用清水洗一次。

※後處理: 染物當在染完後即變入含 2-3% 紅礬鉀及 1.5-2% 冰醋酸之水溶液中,在溫度的 60-65°C中 20 分錢,可以促進氧化並防止氧化後證金之數

皂 煮: 於每千份水中加純碱 2 份肥皂 10 份,沸煮10—15分鐘,然後用 冷水洗 2—3 次,色澤尤爲鮮艷。

品	種:	硫化藍 GR 硫化天藍 BBG	502 505 508 511	0.01.	3R	503 506 509 512	硫化藍	4R
				5 —				

- 4 -

## 友好牌染料中間體類

#### 甲萘胺

純 度: 98%以上

分子量: 143

性 質: 比重 1.131, 沸點 301°C, 熔點 50°C, 紅棕色結晶有特殊臭味, 溶於鹽 酸、醇、醚、微溶於水。

用 途: 中間體之製造,油紅 RL,酸性大紅 B,及其他偶氮染料等製造。

包 装: 100 公斤鐵桶装。

注意事項: 放置陰凉乾燥通風之處。

#### B一基酚

純 度: 98% 熔點 120°C

分子量: 144

性 質: 略帶淺黃駝色薄片,比重1.2 溶於醇、醚、氯仿及苛性碱溶液中,微溶 於熱水。

途: 偶氮染料製造及有機合成,

II 號橙,酸性大紅 A、酸性青F等

包 装: 60 公斤缴桶装。

**注意事項**: 放置於陰凉乾燥通風處。

#### 氨基萘磺酸鈉

純 度: 74%以上

分子量: 317

性 質: 無色結晶,易溶於水。

用 途: 偶氮染料之製造,酸性大紅,酸性粉紅,直接煮紅等之製造。

包 装: 100公斤鐵桶装。

注意事項: 放置於陰凉乾燥之處。

#### 氨基苯磺酸

純 度: 95%以上

分子量: 173

性 質: 淺灰色粉末,溶於濃鹽酸,微溶於水,不溶於醇,及醚。

用 途: 偶氮染料之製造, II 號權, 酸性駝 G, 直接綠等。

包 装: 100 公斤鐵桶裝

注意事項: 放置陰凉乾燥通風處。

#### 立德粉

規 格: 28-30%

用 途: 油漆、油墨、橡膠、漆布等。

包 装: 50 公斤紙袋裝(6 層紙內有一層防潮紙)

#### 聯苯胺硫酸鹽

純 度: 25%

分子量: 282.

性 質: 灰色漿狀物,無毒。

用 途: 直接染料的中間體。 包 裝: 100 公斤木桶裝。

注意事項: 搬運時輕取輕放, 勿使桶皮摔破。

#### **MW 酸**

純 度: 65%

分子量: 224.12

性 質: 淺黃色粉末,能溶於水。熔點 170°C

用 途: 偶氮染料製造: 酸性粉紅,酸性大紅,酸性棗紅,媒介青,直接銅藍, 直接藍,直接灰。

包 装: 100公斤鐵桶裝。

注意事項: 放置陰凉乾燥通風處。

#### DIRECT DYESTUFFS

"Friendship" brand, made in Tientsin, China

Properties: Powder, easily soluble in water.

Uses: Direct dyeing of cotton, linen, and other vegetable fibers; some of them can

also be used for dyeing animal fibers.

Packing: Iron drums of 60 kilos net.

Caution: Store away from fire and moisture, and avoid rough handling.

#### DIRECTIONS FOR DYEING

The required quantity of dyestuff is weighed and mixed with some hot water to become pasty. Pour 10 to 15 times as much hot water as the dye over the pasty mass which dissolves completely after a short boiling and thorough stirring. The solution is then poured through a fine-meshed sieve or cloth into the bath. Direct dyestuffs are not completely exhausted from the dye-liquor at the first dyeing and it is therefore economical to use the old dyebath again especially for dyeing fuller shades. The addition of dyestuff into every subsequent bath usually amounts to 2/3-3/4 of the original quantity of the dyestuff used in preparing the first bath. Salt and soda are added to the old bath only in such quantities as are necessary to make up for their loss caused during the preceding dyeing process.

All dyeings in the first bath are prepared in the ratio 1:15 to 1:20.

The following additions are usually required:

0.5-- 2% Soda ash

5-30% (or double the quantity of Glau-Anhydrous Glauber's salt

ber's salt crystals).

The materials are to be preliminarily boiled and desized before dyeing.

Dyeing is started at a temperature of  $40-50\,^{\circ}\text{C}$ . which is gradually increased till the temperature of the dyebath is near the boiling point, and the material is dyed at this temperature for 30—60 minutes. Then, the dyed material is rinsed in several changes of cold water, and finally dried.

#### Colors Available:

101 Uho — Chrysophenine GX " - Direct Fast Orange S 102

- Direct Brown 3G 103 " - Direct Brown M 104

,, - Direct Red 12B 105

" — Congo Red 106 " — Direct Fast Scarlet 4BS 107

" - Direct Fast Red F 108

" - Direct Bordeaux B

" — Direct Bordeaux G 110

" - Direct Violet B 111

```
112 Uho - Direct Violet RN
```

" - Direct Sky Blue 5B 113

114 Direct Sky Blue 6B

115 --- Congo Blue 2B

- Direct Blue 2B 116

-- Direct Blue RW 117 - Direct Copper Blue BB

119 - Diamine Green B

- Direct Dark Green B 120 Direct Black EHC

121 122 Direct Black EX

123

Direct Black BA Chystophermone GX Sweet Bardeaux B Great Blue 2R 124

125

127

Gramme Green B Girect Copper Blue BR Direct Sky Blue SB 128 129

130

131 132

133

134

135

136

137

139

140

After-treatment: The following dyes possess higher rating of fastness to light and to washing than those of ordinary direct dyestuffs; yet they can be further improved by the following process:-

The material dyed by the usual method for direct dyes can be after-treated with a bath of 20 - 30 times the weight of material, containing either:

(a) Copper sulphate 1-3% 1-2% Acetic acid, glacial

or:

1 - 2%(b) Copper sulphate Potassium bichromate 1 --- 2% Acetic acid, glacial

for about 20 minutes at a temperature of 70 - 80°C., and then rinsed in water.

Direct Copper Blue BB and Direct Blue RW and Direct Diazo Black BH are suitable for after-treatment.

Sanitized Conv. Anomyed for Release 2010/08/19 : CIA-RDP81-01043R000700240009-5

#### ACID DYESTUFFS

"Friendship" brand, made in Tientsin, China

Properties: Powder, easily soluble in water.

Uses: Direct dyeing of silk, wool, and other animal fibers from an acid bath, and

also for dyeing and brushing on paper.

Packing: Iron drums of 60 kilos net.

Caution: Store away from fire and moisture, and avoid rough handling.

#### DIRECTIONS FOR DYEING

Pour the dissolved dye into the bath, containing water 30 times the weight of the material. 10% Glauber's salt and 2% of acetic acid are then added.

The material to be dyed is immersed in the dyebath at a temperature of  $50^{\circ}\text{C}$ . which is gradually increased to the boiling point, and the material is boiled for 20-30 minutes. Then add 1-4% of sulphuric acid and continue boiling for another 20-30 minutes. If the dyebath is not completely exhausted, the bath is then allowed to cool down, and let the material remain in the bath 20-30 minutes longer, otherwise, the material is removed, rinsed thoroughly and finally dried.

#### Colors Available:

201 Uho -- Orange II " — Phloxine G 202 ,, - Brilliant Scarlet 3R 203 .. — Victoria Scarlet 4B 204 205 - Acid Rubine extra " — Carmoisine 206 - Acid Violet R 207 Acid Blue Black 10B Nigroine Black (Wals Soluth) Oord Blue Black (477 208 209 acid Blue Black ATT ... 210 211 212 213 214 215 216 217 218 219 221 222

#### BASIC DYESTUFFS

"Friendship" brand, made in Tientsin, China.

Properties: Crystals or powder; easily soluble in water (without iron traces), also alcohol and acetic acid.

Uses: Dyeing of animal and vegetable fibers, but cotton fibers should be mordanted before dyeing. It can be used for paper brushing and dyeing, production of lake, and dyeing of vegetable tanned leather.

Packing: Iron drums of 60 kilos net.

Caution: Store away from fire and moisture, and avoid rough handling.

#### DIRECTIONS FOR DYEING

- 1. Mordanting process for cotton yarn: Enter previously boiled cotton yarn, into the bath containing 2-6% of tannic acid at 80-90°C. according to the desired depth of shade (Liquor ratio 1:20). Turn for 30 minutes and allow the temperature to cool down. After 3-6 hours or over-night, remove the yarn without washing, wring out evenly and immediately immerse into a cold solution of 1-3% tarter emetic (half the quantity of tannic acid). After 30 minutes, rinse well. (Iron vessels should not be used).
- 2. Dyeing method: Paste the dyestuff with a little dilute acetic acid, and then dissolve in boiling water. Pour in half of the solution into the bath containing water sufficient for a liquor ratio of 1:30. Enter the yarn at 30 40°C. and dye for 10 minutes. Then add the remaining half of the solution, increase the temperature gradually to 60 70°C., dye for another 10 minutes, add 2 3% acetic acid and finally dye for 20 minutes.

Remove the yarn, rinse one or two times with cold water and leave it dry slowly in a dark place.

#### Colors Available:

301 Uho - Chrysoidine -Methylene Blue BB 302 Methyl Violet 2B Melachite Green 55

Maframine T

Chysoidine Crystals

Malachite Breen 57

Methylene Blue BB 304 305 306 307 308 309 310 311 312 313 314

- 11 -

Sanitized Copy Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009-5

#### ACID CHROME DYESTUFFS

"Friendship" brand, made in Tientsin, China.

Properties: Powder, easily soluble in water.

Uses: Dyeing of wool, silk and other animal fibers from an acid bath after chrome-

mordanting.

Packing: Iron drums of 60 kilos net.

Caution: Store away from fire and moisture, and avoid rough handling.

#### DIRECTIONS FOR DYEING

Pour the dissolved dye into the bath, containing water 40 times the weight of the material. 10-20% Glauber's salt and 1-2% acetic acid are then added.

The material to be dyed is immersed in the dyebath at a temperature of  $40-50^{\circ}\mathrm{C}$ , which is gradually increased to the boiling point. Boil for 1/2 hour, add 1-2% of sulphuric acid and continue boiling for another 1/2 hour. Allow the temperature to cool down to  $60^{\circ}\mathrm{C}$ , add 0.5-3% of potassium bichromate and keep boiling for 30 minutes. The material is well rinsed and finally dried.

#### Colors Available:

424

401 Uho — Acid-Chrome Yellow G " — Sunchromine Yellow H 402 " - Acid-Chrome Brown G 403 " - Acid-Chrome Navy Blue 404 - Acid-Chrome Black 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423

#### SULPHUR DYESTUFFS

"Friendship" brand, made in Tientsin, China.

Properties: Powder, insoluble in water; easily soluble in sodium sulfide solution,

absorb moisture.

Uses: Dyeing of cotton and cotton fabrics.

Packing: Iron drums of 60 kilos net.

Caution: Store away from fire and moisture, and avoid rough handling.

#### DIRECTIONS FOR DYEING

Dissolving the dye: Sulphur dyes dissolve most readily and completely in a concentrated solution of sodium sulfide and soda ash. Dissolve the sodium sulfide and soda ash in 10 to 20 times their weight of boiling water, add the dye, and stir until solution is complete, boiling if necessary. Prolonged boiling should be avoided.

Sodium Sulfide: The proportion of sodium sulfide (50% purity) used is from 2 to 2.5 times the weight of dye. Light shade requires 3 to 3.5 times the weight of dye.

Soda Ash: 2 to 4% of the weight of the material is used.

Anhydrous Glauber's salt or common salt: 5 to 30% of the weight of the material is used (or double the quantity of Glauber's salt crystals). For machine dyeing, anhydrous Glauber's salt may be replaced by equal quantity of common salt.

Turkey Red Oil: Add 0.05 to 0.1% of the volume of the dyebath for improving

Sodium Bicarbonate: 1 to 4% of the weight of the material added to the dyebath improves the reducing effect; consequently it produces even dyeing and brilliancy of shade.

#### Ratio of material to dyebath volume:

Yarn dyeing 1:15 to 1:20
Jig dyeing 1:5
Pad dyeing 1:4 to 1:20

Dyeing temperature: 60 — 65°C.

Time of dyeing: 30 — 60 minutes.

Rinsing: When the desired shade has been attained, rinse the dyed material in several changes of cold water until the effluent is clear, following with a rinse in warm water at 60 - 70°C, and a final rinse in cold water.

After-treatment: After dyeing has been completed, immerse the material in a bath containing:

Potassium bichromate 2-3%Acetic acid, glacial 1.5-2%

<del>-- 13 --</del>

for 20 minutes at 60-65°C., thus accelerating oxidation, and prevent possible change of shade on storing.

Soaping: The dyed material may be treated for 10-15 minutes in a boiling bath containing:

1% of water

Soda ash

0.2% of water

and then rinsed 2-3 times with cold water. The shade can thus be further improved.

#### Colors Available:

532

501 Uho — Sulphur Blue GR " — Sulphur Blue 3R 502 503 -Sulphur Blue 4R Sulphur Sky Blue BBG Julphur Sky Blue BB Lulphur Sky Blue BB 504 505 506 507 508 509 510 511 512 513 514 516 517 518 520 521 522 523 524 525 526 527 528 529 531

#### DYE-INTERMEDIATES

"Friendship" brand, made in Tientsin, China.

#### Alpha-Naphthylamine $(C_{10}H_7NH_2)$

Purity: 98%

Molecular Weight: 143

Constants: Specific Gravity

Boiling Point

301°C. 50°C. Melting Point

Color & Properties: Reddish-brown crystals, having a characteristic odor, soluble in hydrochloric acid, alcohol, and ether; slightly soluble in water.

Uses: Production of intermediates, Sitara Fast Red RL, Wool Red B, and

1.131

other Azo-dyes.

Packing: Iron drums of 100 kilos net.

Caution: Store in cool, dry and airy place.

#### Beta-Naphthol ( $C_{10}H_{\gamma}OH$ )

Purity: 98%

Molecular Weight: 144

Constants: Specific Gravity Melting Point

1.2 120°C.

Color & Properties: Light-yellowish-brown bulky leaflets; soluble in alcohol, ether, chloroform, and alkaline solutions; slightly soluble in hot water.

Uses: Orangic syntheses; production of Orange II, Wool Red A, Acid Black F, and other Azo-dyes.

Packing: Iron drums of 60 kilos net. Caution: Store in cool, dry and airy place.

#### Sodium Naphthionate (C10H6(NH2)SO3Na·4H2O)

Purity: 74 — 75%

Molecular Weight: 317

Color & Properties: Colorless crystals; easily soluble in water.

Uses: Production of Acid Scarlet (Ponceau), Acid Pink, Congo Red, and other

Azo-dves.

Packing: Iron drums of 100 kilos net. Caution: Store in cool and dry place.

-15-

- 14 -

#### Sulfanilic Acid (C<sub>6</sub>H<sub>4</sub>NH<sub>2</sub>SO<sub>3</sub>H)

Purity: 95%

Molecular Weight: 173

Color & Properties: Grayish-white powder, soluble in concentrated hydrochloric

acid; slightly soluble in water; insoluble in alcohol and ether.

Uses: Production of Orange II, Acid Brown G, Direct Green, and other Azo-

dyes.

Packing: Iron drums of 100 kilos net.

Caution: Store in cool, dry and airy place.

#### Lithopone

 ${\bf Specification:} \ \ 28 - 30\%$ 

Uses: Paint, Printing-ink, Rubber, etc.

Packing: Packed in paper bags of 50 kgs. net. (6 plies including one ply of water-proof packing).

#### Benzidine Sulfate ( $C_{19}H_{19}N_{9}\cdot H_{9}SO_{4}$ )

Percentage of Base: 25%

Molecular Weight: 282

Color & Properties: Gray paste; non-poisonous. Uses: Intermediate for direct Azo-dyes.

Packing: Wooden drums of 100 kilos net.

Caution: Store away from fire and boiler, and avoid rough handling.

### Neville-Winther's Acid (HO· $C_{10}H_8SO_3H$ )

Purity: 65%

Molecular Weight: 224.12

Color & Properties: Pale yellow powder; soluble in water.

Melting Point: 170°C.

Uses: Manufacture for Azo-dyes; Azo Rubine, Double Scarlet S, Cloth Red B, Diamond Black F, Direct Copper Blue BB, Direct Blue R, Benzo Gray S.

Packing: Iron drums of 100 kilos net.

Caution: Store in a dry, cool, air circulating place.

Sanitized Copy Approved for Release 2010/08/19 . CIA-RDP81-01043R000700240009-5

#### **BRANCHES**

#### TIENTSIN BRANCH:

171, Chien Shieh Road, Tientsin Cable: NOCIMOR TIENTSIN

#### SHANGHAI BRANCH:

12, Chung-shan Road East 1, Shanghai Cable: CHIMEXCORP SHANGHAI

#### TSINGTAO BRANCH:

82, Chung-shan Road, Tsingtao Cable: CNIECTB TSINGTAO

#### CANTON BRANCH:

2, West Bund, Canton Cable: CHIMPORTO CANTON

#### BERLIN REPRESENTATIVE:

Leipzigerstr. 112 W8, Berlin Cable: CNIEC BERLIN

## 忽就氧 INN OXDERD (Fe<sub>2</sub>O<sub>3</sub>)



離加機 CHBEUT Brans

CHINA NATIONAL
IMPORT & EXPORT CORPORATION
PEKING CHINA
CABLE: "CNIEC" PEKING

Sanitized Copy Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009-5

## **紅 鉄氧 (Fe<sub>2</sub>O<sub>3</sub>)**

#### IRON OXIDE RED (Fe<sub>2</sub>O<sub>3</sub>)

Special grade, Fe<sub>2</sub>O<sub>3</sub> Contents 97%, Light colour. First grade, Fe<sub>2</sub>O<sub>3</sub> Contents 97%, Deep colour. Second grade, Fe<sub>2</sub>O<sub>3</sub> Contents 84% up, Specifications:

Packed in 25 kilos net weight cloth bag with double Packing: paper lining.

Uses:

Paints, Rubber, Tanning, Battery, Tiles, Building, Porcelain, Enamelling, Glass, Iron-welding etc.

Characteristics: Acid-proof, Basic-proof, Heat-proof, Fire-proof, Anti-corrosion, Anti-rust, Polishing,

## 廣州自力化工厰

CHEE LIT CHEMICAL WORKS

物級三氧化二鉄含量97%以上,淺色. Special grade, Fe<sub>2</sub>O<sub>3</sub> Contents 97% up, Light colour. 中級三氧化二鉄含量97%以上,深色. First grade, Fe<sub>2</sub>O<sub>3</sub> Contents 97% up, Deep colour. 0 △級三氧化二鉄含量84%以上. Second grade, Fe<sub>2</sub>O<sub>3</sub> Contents 84% up.

僅供参攷 For Reference

#### **BRANCHES**

### TIENTSIN BRANCH:

171, Chien Shieh Road, Tientsin Cable: NOCIMOR TIENTSIN

#### SHANGHAI BRANCH:

12, Chung-shan Road East 1, Shanghai Cable: CHIMEXCORP SHANGHAI

### TSINGTAO BRANCH:

11, Tung Yeh Road, Tsingtao Cable: CNIECTB TSINGTAO

### CANTON BRANCH:

2, West Bund, Canton Cable: CHIMPORTCO CANTON

### BERLIN REPRESENTATIVE:

Leipzigerstr. 112 W8, Berlin Cable: CNIEC BERLIN



CHINA NATIONAL
IMPORT & EXPORT CORPORATION
PEKING CHINA
CABLE: "CNIEC" PEKING

### 記 明

品 名: 破酸鈉亦名水玻璃,

規格:如下两種.

(a) Na<sub>2</sub>O:2.4SiO<sub>2</sub>

56°Be′

(b) Na<sub>2</sub>O:3.3SiO<sub>2</sub>

40°Be′

包 装:舊鉄桶压.

(a) 項

每桶净重320公斤

(b)項 每桶净重270公斤

### 主要用途:

- 1. 肥皂之填充劑.
- 2. 紙盒及三夾板之接合劑。

- 5. 棉布, 紗布之漂白劑及印染劑。
- 6. 用于某種礦石之浮選。
- 7. 鷄疍保藏劑.

# 廣州联信化互厰出品

### DESCRIPTION

Commodity: Sodium Silicate, or Water Glass.

Specifications: . Two kinds as follows:-

(a) Na<sub>2</sub>O:2.4SiO<sub>2</sub>

56°Be′

(b) Na<sub>2</sub>0:3.3SiO<sub>2</sub>

40°Be′

Packing: In second hand iron drums.

- (a) item 320 kilos net weight per drum.
- (b) item 270 kilos net weight per drum.

### Main Uses:

- 1. Filler of soap.
- 2. Adhessive for box and plywood.
- 3. A bleaching agent and element in paper manufacturing.
- 4. Material as for manufacturing acid-proof equipment.
- 5. Bleaching agent and mordant for cotton cloth and yarn.
- 6. Floatation for certain ore.
- 7. Preservative for eggs.

# LIEN SOONG CHEMICAL WORKS

### BRANCHES

### TIENTSIN BRANCH:

171, Chien Shieh Road, Tientsin Cable: NOCIMOR TIENTSIN

#### SHANGHAI BRANCH:

12, Chung-shan Road East 1, Shanghai Cable: CHIMEXCORP SHANGHAI

### TSINGTAO BRANCH:

11, Tung Yeh Road, Tsingtao Cable: CNIECTB TSINGTAO

#### **CANTON BRANCH:**

2, West Bund, Canton Cable: CHIMPORTCO CANTON

#### BERLIN REPRESENTATIVE:

Leipzigerstr. 112 W8, Berlin Cable: CNIEC BERLIN



CHINA NATIONAL
IMPORT & EXPORT CORPORATION
PEKING CHINA
CABLE: "CNIEC" PEKING

品名:無水硫酸鈉。

來源:製造氯化銨之副產品。

規格:干燥樣品計算。

含硫酸鈉 99%,以重量分析法測定硫酸根总

含量計算。

包裝: 125 公斤净重双層蘇袋底。

用途:助染剂;輕瀉剂;製造玻璃,群青等原料。

成份分析(干燥樣品計算)

硫酸鈉

99%以上,以重量分析法測定硫酸根

总含量計算。

含鉄量(Fe<sup>†††</sup>)

.0008%以下。

酸值

6-8.

含水量

1%以下。

幼度

通過 No.170 目篩。

Commodity: Sodium Sulfate, Anhydrous.

Source: By-product from the manufacture of Ammonia Chloride.

Specification: On drying basis.
Na<sub>2</sub>SO<sub>4</sub> 99%, figured as total sulfate by

gravimetric determination. Packing: Packed in 125 kilos net weight double gunny bags.

Uses: Mordant; Laxative; Raw material for the manufacturing of glass, Ultramarine Blue, etc.

Analysis (on drying basis)

Sodium Sulfate

99% up, figured as total sulfate by gravimetric determination.

Fe<sup>†††</sup>

max. .0008%

H P Valve

6-8.

Water contain

Max. 1%

Fineness

pass through No. 170 mesh.

原能化工廠出品

Made by YUAN NUN CHEMICAL WORKS

### **BRANCHES**

### TIENTSIN BRANCH:

171, Chien Shieh Road, Tientsin Cable: NOCIMOR TIENTSIN

#### SHANGHAI BRANCH:

12, Chung-shan Road East 1, Shanghai Cable: CHIMEXCORP SHANGHAI

### TSINGTAO BRANCH:

11, Tung Yeh Road, Tsingtao Cable: CNIECTB TSINGTAO

### CANTON BRANCH:

2, West Bund, Canton Cable: CHIMPORTCO CANTON

### BERLIN REPRESENTATIVE:

Leipzigerstr. 112 W&, Berlin Cable: CNIEC BERLIN

# 立德粉 LITHOPONE

28-30%

CHINA NATIONAL
IMPORT & EXPORT CORPORATION
PEKING CHINA
CABLE: "CNIEC" PEKING

# 立德粉

格: 28-30%. 規

**裝:**净重 5 O 公斤布袋庄,内襯四層紙袋。

主要用途: 橡膠工業;油漆工業;皮革工業;印刷油墨.

	成份分析	<u>沂</u>
1. 吸油量		12-18%
2. 遮蓋力		100 cm²/g 以上
3.色 澤		潔白
4. 含鋅量	(作硫化鋅計算)	28-30%
5.氧化鋅		1.5 以下
6.水 份		0.5以下
7. PH 值		8.3 以下
8. 水溶物		0.5 以下
9.細 度		全部通過200號目篩,
		通過300號目篩則其
		殘餘在 O.5% 以下。

## LITHOPONE

Specification: 28-30%.

Packing: Packed in 50 kilos net weight cloth bag with four paper

Main Uses: Rubber industry; Paint industry; Leather industry; Prin-

ting ink.

## **Analysis**

1. Oil absorption	12-18%
2. Hiding Power	min. $100 \text{ cm}^{-2}/\text{g}$
3. Colour	pure white
4. Total Zinc (Calculated as ZnS)	28-30%
5. Zinc Oxide	max. 1.5%
6. Moisture	max. 0.5%
7. pH Value	max. 8.3
8. Soluble Matter	max. 0.5%
9. Fineness	Passing through No. 200 mesh without residue, and through No. 300 mesh with residue under 0.5%.

# 中国对外貿易运输公司

"SINOTRANS"

CHINA NATIONAL FOREIGN

TRADE TRANSPORTATION

CORPORATION



# 中國對外貿易運輸公司

地 址:北京西郊二里溝进口大楼

电报掛号: SINOTRANS PEKING 或 7344 北京

电 話: 64230--9, 65330--9, 67030--9

# 主要業务

- (1) 統一办理进、出口、轉口貨物关于 海、陸、空、邮运輸的报驗、接交 業务;
- (2) 接受委託办理过境貨物轉运、港口 代理業务;
- (3) 代办运輸保險、索賠事宜。

# "SINOTRANS" CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

Head Office: Import Building, Hsi Chiao,

Erh Li Kou, Peking

Telegrams: SINOTRANS PEKING or

7344 PEKING

Telephones: 64230/9, 65330/9, 67030/9

### MAIN BUSINESS HANDLED

- (1) SOLE ENTERPRISE for arranging Customs Clearance and deliveries of cargoes imported, exported and/or re-exported by sea, land, air and Post.
- (2) Acting as Agents on authorization for arranging shipments of Transit Cargoes at Chinese Ports and Forwarding of imported cargoes.
- (3) Arranging Marine and Transportation Insurance and instituting Claims on behalf of Cargo Owners.

# 中國對外貿易運輸公司 黄埔分公司

地 址:广州黄埔港

电报掛号: SINOTRANS WHAMPOA 或 9406 黄埔

## CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

WHAMPOA; BRANCH

Address:

Whampoa Port, Canton

Telegrams: SINOTRANS WHAMPOA or

9406 WHAMPOA

# 中國對外貿易運輸公司 上海分公司

地 址:上海汉口路海关大厦一楼

电报掛号: SINOTRANS SHANGHAI

或 13380 上海

## CHINA NATIONAL FOREIGN TRADE TRANSPORTATION **CORPORATION**

SHANGHAI BRANCH

Address:

Ground Floor, Customs Bldg.,

Hankow Road, Shanghai

Telegrams: SINOTRANS SHANGHA! or

13330 SHANGHAI

# 中國對外貿易運輸公司 青島分公司

地 址:青島新疆路一号

电报掛号: 6586 青島

### CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

TSINGTAO BRANCH

Address: 1 Sinkiang Road, Tsingtao

Telegrams: 6586 TSINGTAO

# 中國對外貿易運輸公司 天津分公司

地 址:塘沽新港路自由星旁

电报掛号: SINOTRANS TANGKU

或 6868 塘沽

## CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

TIENTSIN BRANCH

Address: Beside Tze Yiu Li, Hsinkang Road,

Tangku

Telegrams: SINOTRANS TANGKU or

6868 TANGKU

# 中國對外貿易運輸公司 大連分公司

起 社:大連斯大林路 16 号

电报券号: 7120 大連

## CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

DAIREN BRANCH

Address:

16 Stalin Road, Dairen

Telegrams: 7120 DAIREN

# 中國對外貿易運輸公司 湛江分公司

超 起: 一东省湛江港

电报接号: 8319 湛江

## CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

CHANKIANG BRANCH

Address: Chankiang Port, Kwangtung

Telegrams: 8319 CHANKIANG

# 中國對外貿易運輸公司 滿州里分公司

地 址:滿州里二道街

电报器导: SINOTRANS MANCHOULI 或 2878 滞州呈

### CHINA NATIONAL FOREIGN TRADE TRANSPORTATION **CORPORATION**

MANCHOULI BRANCH

Address:

Erh Tao Chieh, Manchouli

Telegrams: SINOTRANS MANCHOULI or 2878 MANCHOULI

# 中國對外貿易運輸公司 綏芬河分公司

並 北北安芬河二街

电点量量: 2014 将蒸河

### CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

SUIFENHO BRANCH

Address:

Erh Chieh, Suifenho

Telegrams: 2014 SUIFENHO

# 中國對外貿易運輸公司 安東分公司

地 址:安东三区二徑路37号

电报掛号: 3315 安东

## CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

ANTUNG BRANCH

Address: 37 Erh Ching Lu, Antung (3)

Telegrams: 3315 ANTUNG

# 中國對外貿易運輸公司 圖們分公司

**包括掛号: 4737 圖們** 

# CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

TUMEN BRANCH

Address: Tumen

Telegrams: 4737 TUMEN

# 中國對外貿易運輸公司 集寧分公司

地 北:集宁 率 站

电报掛号: 5611 集宁

## CHINA NATIONAL EOREIGN TRADE TRANSPORTATION CORPORATION

TSINING BRANCH

Address: Station, Tsining

Telegrams: 5611 TSINING

# 中國對外貿易運輸公司 憑祥分公司

地 址:憑祥車站

电报掛号: 0001 憑样

### CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

PINGHSIANG BRANCH

Address: Station, Pinghsiang

Telegrams: 0001 PINGHSIANG

# 中國對外貿易運輸公司 廣州辦事處

地 址:广州太平南路25号

电报掛号: 5931 广州

## CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

CANTON SUB-BRANCH

Address: 25 Tai Ping Nan Ln, Canton

Telegrams: 5931 CANTON

# 中國對外貿易運輸公司 天津辦事處

地 址:天津辽宁路172号

电报掛号: SINOTRANS TIENTSIN 或 6867 天津

### CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

TIENTSIN SUB-BRANCH

Address: 172 Liaoning Road, Tientsin

Telegrams: SINOTRANS TIENTSIN

or 6367 TIENTSIN

# 中國對外貿易運輸公司 秦皇島辦事處

地 址:秦皇島开濮路

电报掛号: 6866 秦皇島

## CHINA NATIONAL FOREIGN TRADE TRANSPORTATION **CORPORATION**

CHINWANGTAO SUB-BRANCH

Address: Kailan Road, Chinwangtao

Telegrams: 6866 CHINWANGTAO

# 中國對外貿易運輸公司 二連辦事處

地 址:二連車站

电报掛号: 5612 二連

### CHINA NATIONAL FOREIGN TRADE TRANSPORTATION **CORPORATION**

ERH-LIAN SUB-BRANCH

Address:

Station, Erh-Lian

Telegrams: 5612 ERH LIAN

# 中國對外貿易運輸公司 輯安辦事處

地 班: 輯安一区民主村

电报排号: 2011 輯安

# CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

CHIAN SUB-BRANCH

Address:

Min Chu Tsun, Chian (1)

Telegrams: 2011 CHIAN





CHARTERING & SHIPBROKING CORPORATION

# 中國租船公司

地 址:北京西郊二里溝进口大楼

电报掛号: SINOFRACHT PEKING 或 7344 北京

### 主要業务

統一亦理国家进、出口貨物自运所需之租船、訂艙;接受国內外客戶委託代理租船、訂艙及代船东攬儎業务。

# SINOFRACHT CHARTERING & SHIPBROKING CORPORATION

Head Office: Import Building, Hsi Chiao,

Erh Li Kou, Peking

Telegrams: SINOFRACHT PEKING

or 7344 PEKING

Telephones: 64230/9, 65330/9, 67030/9

### BUSINESS HANDLED:

Sole Agents on orders from Principals home and abroad for Chartering vessels and Booking shipping space also for Booking cargoes on behalf of shipowners.

# 中國租船公司

# SINOFRACHT CHARTERING & SHIPBROKING CORPORATION

TIENTSIN OFFICE

Address:

172 Liaoning Road, Tientsin

Telegrams:

SINOTRANS TIENTSIN

or 6867 TIENTSIN

# 中國租船公司上海辦事處

地 址:上海級口路海关大廈一楼电报排号: SINOTRANS SHANGHAI或 13380 上海

# SINOFRACHT CHARTERING & SHIPBROKING CORPORATION

SHANGHAI OFFICE

Address:

Ground Floor, Customs Bldg.,

Hankow Road, Shanghai

Telegrams:

SINOTRANS SHANGHAI

or 13380 SHANGHAI

# 中國租船公司黄埔辦事處

地 北:广州黄埔港

电报掛号: SINOTRANS WHANPOA 或 9406 黄埔

# SINOFRACHT CHARTERING & SHIPBROKING CORPORATION

WHAMPOA OFFICE

Address:

Whampoa Port, Canton

Telegrams:

SINOTRANS WHAMPOA


or 9406 WHAMPOA

Electric Drying Oven			 			É	热	乾	燥	箱
Automatic Electric Drying Oven			 			វា 5	放展	ŧ.	化轮片	桶
Cystoscope			 			膀		耗		统
Artificial Pneumothorax Apparatus			 			٨	工	Á,	朐	靐
Electric Magnetic Apparatus			 			Ť	磁	吸	鏃	3
Electric Plaster Saw			 			Ē	動	Б	青	缒
Portable Sterilizer			 			チ	捉	浦	奉	銷
Autoclave, steam heated, horizontal ty	уре		 			臥	式	浦	奔	豧
Electrical Hot Water Bath			 			Ť	水		8	鋦
200-56 X-Ray Unit			 			200	-56	<b>1</b>	X 先	械
25-56 X-Ray Unit			 			d'	型	X	光	械
X-Ray Film Drying Cabinet			 			ХĄ	軟	片.	乾燥	箱
Intensifying Screen			 			增		咸		屛
Universal Operation Table			 			為	能差	( -	術	床
Clinical Thermometer, Oral			 			盤	溫	表	. (0	Rt)
All Glass Syringe loc			 			玻	瑀	注	射	器
All Glass Syringe 2cc 5cc 10cc			 			玻	繑	注	射	8
All Glass Syringe 20cc 50cc 100cc			 •••			玻	缟	注	射	8
Pneumatic Tourniquet			 			空	Ж.	止	12	帯
Red Corpuscle Pipette			 			紅	da		球	惛
White Corpuscle Pipette			 			白	ś		璲	菅
Body Scale (low style)			 			低	型	٨	麓	磅
Body Scale (high style)		•••	 			高	췿	٨	體	磅
Absorbent Cotton 1 lb-packing		•••	 	•••	•••	1 8	荣	贬	精藥	棉
Absorbent Cotton 1 lb-packing			 			1/2	勞業	尼	脂藥	棉
Cotton Gauze 1 lb-packing		•••								
Cotton Gauze ½ lb-packing		•••	 •••			1/2	榜装	脱	脂纱	布

# 中國進出口公司 CHINA NATIONAL IMPORT & EXPORT CORPORATION 北京西郊二里海 Er Li Kou, Hsi China, Peking, China, Cable Address: CNIEC PEKING

### BRANCHES:

審集代理 Hongkong Agency: CHINA RESOURCES COMPANY 年後、株は東中南線付え度 Bank of China Building, Des Voeux Road Central, Hongkong, Cable Address: CIRECO HONGKONG



### PHARMACEUTICALS 醫 藥

### Fine Chemicals 西藥原料

Aluminium Hydroxide Gel., Dried, B.P.C. 1949	 		 乾粒	平纖角	(化铝)	脒
Relladonna Extract, dry powder, B.P. 1953	 	•••	 颏	ño	波	有
Riemuth Substallate, B.P. 1953	 •••	•••	 决	沒食	子被	9%
Bismuth Subnitrate, B.P.C. 1949	 		 밨	F	施	34
Calcium Lactate, B.P. 1983	 		 乳		酸	40
Castor Oil, B.P. 1953	 		 筄		麻	jih

### Preparations 制 劑


		11	epa	ııaı	101		1113	,						
"Panadin"	Ampoul	es (for oc	nlagic	us di	sease	, inf	luenz	a, etc.	)	 ō	73	2	Ë	針
"Biozygen'												青		春
"Halisun"	Strong,	Capsule	s (Vi	tamîn	s A	s D	Con	2.)		 竹	<b>表绘</b> 3	力者中		生)
"Thiazon"	Ointmer	ıt								 消	治	桅	藥	膏
Blood Ton	ic "CHI	LAI" ···								 ٨,	造原名人	補進金	血魚丸	無)
"Phostose"	" (Nerve t	anio)								 بخر	森 きな)	G 6	補 医脓汁	<b>汁</b>
"Endo" P	hosforte	(Nerve to	nio)											汁
"Liberon"													隆	九
"Elkong"												塔		18
"Mammat												妈		3
Almond	Cough S	rup, C	ompo	und						 巍	カ	杏	仁	寫
Tsin-Zen-												神		丹
Zung Tar													人	升
Essential												涼		ida

"Amolin" Lotion (for sxin directe)	K
"Occulin" Eye Drops	K
"I-Sing-Song" Tab. (A Laxative)	鬆
Prickly Heat Powder "Chin-Chen" 集 成 非 子 #	粉
Anti- Cholera Drops	水-
Analgin, Ampoules (Anti-sheumatic, etc.) 安乃 近:	針
Dichlorophenarsin Hydrochloride, Ampoules (for Syphilis) 鹽 酸二氯苯胂	釬
Ephedrine Hydrochloride, Ampoules (for Branco-asthma, etc.)… 鹽 酸麻 黃 素	針
Glucose Solution, Ampoules	針
Analgin Tab. (Ansi-rheumatic, Analgesic, etc.) 央 乃 近	片
	片
Calcium Lacinte 14b	片
"Dapsone" Tab. (for Leprosy)	Ħ
Ephedrine Hydrochiolide, 1812 (or remain, 552)	И
Isonicotinic Acid Hydrazide, Tab	4
Penicillin Ointment	
Penicillin Ophthalmic Oiniment	
Sodium Sulfadiazine Ophthalmic Ointment 磺胺嘧啶到罪	
Sodium Para-Amino Salicylate Tab. (suger-coated) 對胺基水楊酸鉀	N.
"Solapsone" Tab. (for Leprosy) 本 丙 概	J
"Zymasun" Tab. (Yess Tab.) 企 本	2
Agrimonine Tab. (for Hemorrhages)	
Agrimonine G. Compound 1ab. (for mension customers)	
"Para-Calcium" Tab	
"Chaton" Tab. (for pains)	
"Eusedon" Tab. (for pains)	
"Viscoulbine" Pills (for hypertension)	

"Visculbine" Liquid (for hypertension)	 维	ź£.	4	-	液	
"Gastropin" Tab. Compound (for queric hypersoidity, etc.)	 複	方胃	舒	平	片	
"Vinnin" Tab. (for gastric disorders)					率	
Cough Syrup, "Sineco"	 信		率		咳	
Thirocodin, "Yales" (cough syrup)		绳	嚷	嗽	并	
Compound Oil of Cajuput (for Burne, etc.)			柎		油	
E. B. Fruit Saline	 维	髙	果	子	致	
"Cure-Sol" (for skin disease)	 +				寡	
"914" Ointment (for skin disease)		-	12)	藥	骨	
"Sino-Green" Ointment (for skin disease)				11	青	
"Sanfloid" Ointment ( for skin inflammation)	 Ξ	福	イ	奖	T	
"Beton" Ointment (for Rhinitis)					ij.	
"Endo" Eye Drops	 . 安	庋	限	無	水	

## MEDICAL INSTRUMENTS 醫療器械

Sphygmanometer, or "Sinometer" 水 條 柱 』	丘壓計
Wand light with transformer	(所方標)
Ophthalmoscope and Otoscope 五官 総	: 查 器
Triple Exchangeable Stethoscope with Rubber Tubing 三 用 前	( 背 器
Galvano-Faradism Apparatus 直流廣貞	電療器
Floatria Centrifuge "303" model '303'型電	動雞心機
Dental Unit Equipment	<b>计治療台</b>
Dental Pump Chair	- 街 椅
Electric Dental Unit	金 療 器
Dental Instruments	器桶
Incubator for infants of premature birth 平産獎!	记保温箱



中國進出口公司 CHINA NATIONAL IMPORT & EXPORT CORPORATION

THE CHINA NATIONAL IMPORT & EXPORT CORPORATION, first established in 1951, is one of the state-owned foreign trade enterprises of the People's Republic of China. During the past few years, this CORPORATION has maintained and quickly developed extensive business contacts with manufacturers and traders the world over, and has concluded a considerable volume of business on the basis of equality and mutual benefit to the satisfaction of all parties concerned. Up to the present, there are already over forthousand firms in different countries, who have established regular business relations with this CORPORATION.

This CORPORATION has always been an active participant in International Trade Fairs. The actual business transactions entered into between this CORPORATION and other participating parties have enriched the activities of suchTrade Fairs, and as a result, have been widely welcome to various circles. It is the sincere desire of this CORPORATION to bring about a still closer relationship with manufacturers and traders in different parts of the world.

The present scope of business of this CORPORATION covers the import and export of such commodities as CHEMICALS, PHARMACEUTICALS, MEDICAL & SURGICAL INSTRUMENTS AND SUPPLIES, FERTILIZERS, DYESTUFFS & PIGMENTS, RUBBER RODUCTS, PETROLEUM & PETROLEUM PRODUCTS, All business friends abroad are cordially invited to write and/or cable their valued offers and/or enquiries to this CORPORATION, whose addresses and cable addresses for the Head Office and Branch Offices are as follows:

#### HEAD OFFICE:

CHINA NATIONAL IMPORT & EXPORT CORPORATION, 6 Tou Tiao Hutung, Tai Chi Chang, Tung Chiao Ming Hsiang, Peking. dress: CNIEC PEKING

Cable Address:

Tientsin Office: Cable Address: 171 Chieh Shieh Road, Tientsin.

NOCIMOR TIENTSIN

Shanghai Office:

27 Chung Shan Road Eastern I, Shanghai. CHIMEXCORP SHANGHAI

Tsingtao Office:

82 Chung Shan Road, Tsingtao. CNIECTB TSINGTAO

Cable Address:

Canton Office:

25 Tai Ping Road South, Canton. CHIMPORTCO CANTON

Cable Address:

BERLIN REPRESENTATIVE'S OFFICE Leipzigerstrasse 112, Berlin W 8. Cable Address: CNIEC BERLIN

ŧ

OUR MAIN EXPORTABLE PRODUCTS CHEMICALS & PHARMACEUTICALS

#### CONTENTS

SODA ASH (SODIUM CARBONATE)

CAUSTIC SODA (SODIUM HYDROXIDE)

SODIUM SULPHIDE

CALCIUM CARBIDE

HYDROCHLORIC ACID

ACTIVATED CHARCOAL

ZINC OXIDE

RED PHOSPHORUS

AMMONIUM CHLORIDE

SULPHUR BLACK

SODIUM PHOSPHATE TRIBASIC

PHENOL

ETHYL ALCOHOL

MONOCHLOROBENZENE

NITROBENZENE

DINITROCHLOROBENZENE

NAPHTHALENE (REFINED)

ANILINE

SULFONATED COAL

RODINE

EPHEDRINE HYDROCHLORIDE

LIVER INJECTION CRUDE

PEPSIN

PANCREATIN

### SODA ASH (SODIUM CARBONATE)

(Na<sub>2</sub>CO<sub>8</sub>)

Specification:

Total alkalinity as Na<sub>2</sub>CO<sub>8</sub> 98% up.

Characteristics:

Water soluble, white crystalline powder.

Uses and applications:

Raw materials for the manufacture of Caustic Soda and Sodium Silicate; metallurgical works; petroleum industry; oils and fats refinery; glass industry and paper pulp industry.

Packing:

In 80-kg. gunny bags lined with cloth bag.

Precautions:

Keep in dry store and away from dampness and

### CAUSTIC SODA (SODIUM HYDROXIDE)

(NaOH)

Specification:

NaOH content: 96% up or 98% up.

Characteristics:

White solid, with slight bluish shade allowed, easily soluble in water, hygroscopic, corrosive, absorbs carbon dioxide when exposed to air.

Uses and applications:


Petroleum and oils refining; paper pulp, glass and dye-stuffs industries; rayon yarns, toilet soaps, soaps and cosmetics manufacturing.

Packing:

In 200-kg. iron drums.

Precautions:

Keep containers tightly closed to avoid deliquescence, and store in dry place to prevent the drum from getting rusty.



### SODIUM SULPHIDE

 $(Na_2S)$ 

Specification:

 $Na_2S$  content: ~60-62% or 62.5-63.5% , solid fused.

Characteristics:

Pinkish or brick-red solid, hygroscopic, soluble

Uses and applications:

Raw material for the manufacture of sulphur dyes; auxiliary for sulphur dyes; paper pulp manu-facturing; dehairing hides; cotton fibre deter-gent; denitrating agent in rayon industry.

Packing:

In 100 or 160-kg, iron drums.

Precautions:

Keep in ventilated and dry place to prevent the drum from getting rusty; stow away from acids; keep container tightly closed and intact to prevent

### CALCIUM CARBIDE

(CaC<sub>2</sub>)

Specification:

Acetylene yield not less than 250 litres per kilo

of CaC2.

Characteristics:

Greyish black, irregular solid lumps, hygroscopic, reduced to powder after efflorescence, with formation of acetylene gas when wetted by

Uses and applications:

For illumination and welding purposes; organic

synthesis.

Packing:

In 100/200-kg. drums.

Precautions:

Handle with care to prevent explosion caused by collision, keep in dry store.

### HYDROCHLORIC ACID

(HCI)

Specification:

HCI content: 31% min.

Characteristics:

Colorless or yellowish solution, with a strong pungent odour and corrosive property.

Uses and applications:

As reagents for synthetic rubber, dye-stuff and food industries; also used in tanning, dyeing, metal stain removing; for manufacturing pharmaceuticals, perfumes and chlorides.

Packing:

In 30-kg. acid proof jars.

Precautions:

Keep in cool place and avoid collision.



#### ACTIVATED CHARCOAL

Specification:

Absorption power 35% up.
 0.1 gm decolourizes not less than 15 c.c. of 0.1 % Methylene Blue solution.

Characteristics:

(1) Black granules. (2) Black powder.

Uses and applications:

Pharmaceutical purpose.
 Industrial decolourization.

Packing:

In 20-kg. iron drums.

Precautions:

Keep in tightly closed containers to prevent dampness.  $% \left\{ \left( 1\right) \right\} =\left\{ \left( 1\right) \right\}$ 

#### ZINC OXIDE

(ZnO)

Specification:

ZnO content: 99.5% min.

Characteristics:

White powder, insoluble in water, soluble in acid and absorbs carbon dioxide when exposed to air.

Uses and applications:

For rubber, paint, pigments, pharmaceutical and match industries.

Packing:

In 25/50-kg, paper-lined canvas bags.

Precautions:

Store in ventilated and dry place.

### RED PHOSPHORUS

(P)

Specification:

On request.

Characteristics:

Red or dark-red powder, explosive if heated.

Uses and applications:


Safety match manufacturing.

Packing:

In 10-kg. iron drums.

Precautions:

Store in dry, cool and ventilated place, keep away from fire.



#### AMMONIUM CHLORIDE

(NH<sub>4</sub>CI)

Specification:

NH<sub>4</sub>CI content: 99% up

Characteristics:

White crystals, sublimes when heated, soluble in water and glycerol.

Uses and applications:

Dry batteries manufacturing; textile printing; tanning industries; electric welding; electroplating; nitrogen fertilizers.

Packing:

In 50-kg. 5 ply kraft paper bags.

 ${\tt Precautions:}$ 

Store in dry ventilated place, keep away from

#### SULPHUR BLACK

Specification:

Strength (In comparison with the standard sample):  $100\pm5$ .

Shade: Reddish blue or blue.

Characteristics:

Black powder, easily oxidized and absorbs moisture when exposed to air. Dyed material gets brilliant colour and high fastness.

Uses and applications:

For dyeing cotton and linen fabrics.

Packing:

In 50-kg. iron drums.

Precautions:

Keep in tightly closed containers and away from fire and dampness. Handle with care.

### SODIUM PHOSPHATE TRIBASIC

 $(Na_8PO_4 \cdot 12H_2O)$ 

Specification:

Na<sub>3</sub>PO<sub>4</sub> · 12H<sub>2</sub>O content: 98% min.

Characteristics:

Colorless crystals or white powder.

Uses and applications:

Effective boiler detergent; water softening agent; tanning and sugar refining industries.

Packing:

In 25-kg. cloth bags.

Precautions:

Keep under appropriate humidity.

PHENOL

 $(C_6H_5OH)$ 

Specification:

Congeals at 39° — 41°C

Characteristics:

Colourless to pinkish crystalline mass, soluble in water with distinctive odour and corrosive property.

Uses and applications:

Dye-intermediates; raw material for phenol-formaldehyde synthetic resin; strong antiseptic and germicide preparations.

Packing:

In 210-kg. galvanized iron drums.

Precautions:

Do not expose to air or light, avoid contact with skin.

### ETHYL ALCOHOL (C<sub>2</sub>H<sub>6</sub>OH)

Specification:

Purity: 96% min.

Characteristics:

Colourless liquid, inflammable and easily volatile.

Uses and applications:

Industrial and pharmaceutical purposes.

Packing:

In iron drums.

Precautions:

Keep away from fire.

#### MONOCHLOROBENZENE

 $(C_6H_5CI)$ 

Specification:

Benzene content (dry base): 0.3% max.

Sp. Gr. D<sub>15</sub> 1.112—1.114

Characteristics:

Colourless, transparent liquid with pleasant odour, inflammable, anaesthetic, insoluble in water, but soluble in alcohol, ether and benzene.

Uses and applications:

For manufacturing phenol; picric acid; dichloro-benzene; dinitrochlorobenzene; sulphur black; sulphur brown etc.; raw material for manufacturing insecticides, such as DDT and Benzene-Hexa-chloride; as solvents.

In 220/240 kg. (ron drums.

Packing: Precautions:

Keep away from open flame and electric spark. Containers should be tightly closed, otherwise an inflammable and explosive mixture may be resulted from its volatile vapour and air. Sand may be used in case of fire.

#### NITROBENZENE

 $(C_6H_5\dot{N}O_2)$ 

Specification:

Solidifying point (dry base):  $4.5^{\circ}$ C min.

Characteristics:

Yellowish oily liquid with bitter almond odour, soluble in alcohol, ether and benzene; slightly soluble in water, easily inflammable and poisonous.

Uses and applications:

Manufacture of aniline; benzidine-base; quinoline; azobenzene; dye-stuffs and perfumes.

Packing:

In 200-kg. iron drums.

Precautions:

Keep in cool place, away from inflammable goods, avoid contact with skin, use air-mask and rubber gloves when handling.

8

### DINITROCHLOROBENZENE

 $(C_6H_8(NO_2)_2CI)$ 

Specification:

Purity (dry base): 97% up. Solidifying point (dry base): 47°C up.

Characteristics:

Yellow or light orange crystal, with bitter almond odour; irritative to the skin and poisonous.

Uses and applications:

Manufacture of sulphur dyes; picric acid; saccharine and as dye intermediates.

Packing:

In 300-kg. iron drums.

Precautions:

Keep in cool place and away from direct sunlight. Avoid contact with skin.

## NAPHTHALENE (REFINED)

 $(C_{10}H_8)$ 

Specification:

Melting point not lower than 79°C.

Characteristics:

White or slightly yellowish, with pungent odour and easily volatile.

Uses and applications:

Insecticides; dye intermediates.

Packing:

In 25-30kg, five ply kraft paper bags.

Precautions:

Keep away from fire.

### ANILINE

 $(C_6H_5NH_2)$ 

Specification:

Aniline content (dry base): 99% up.

Characteristics:

Light yellow to brownish oily liquid, with pungent odour and poisonous.

Uses and applications:


Dye Intermediates; dyeing and printing; raw material for the manufacture of accelerator and antioxidant in rubber industry; perfume and pharmaceutical industries.

Packing:

In 200-kg. iron drums.

Precautions:

Keep in cool dry ventilated place and away from fire, sun light or dampness; and avoid contact with skin.



#### SULFONATED COAL

Specification:

Softening value: Ton degree/cubic meter not less than 900.

Characteristics:

Black granules, size will be doubled when wetted by water.

Uses and applications:

Water softener; especially used in boiler water or water for bleaching and dyeing purposes.

Packing:

In 50-kg. wooden cases, lined with 2 ply kraft paper.

## RODINE

Specification:

Available ingredient not less than 25%.

 ${\bf Characteristics:}$ 

Light yellowish powder, poisonous.

Uses and applications:

For cleaning iron rods, discs, before enamelling and electro-plating; also used for cleaning machine parts and boiler tubes. For preventing acid fogmaking in metal works.

Packing:

In 20-kg. iron drums.

Precautions:

Keep away from dampness and heat,

#### **PAINTS**

Specification:

Various types of quick-drying enamels, ready mixed paints and paste paints.

 ${\bf Characteristics:}$ 

Enamels: quick-drying, with a layer of lustrous film after painting.

Ready mixed paints: paints mixed with solvents, easy to apply and with bright film after painting. Paste paints: with high content of pigment, should be diluted with boiled paint oil when applying.

Uses and applications:

Suitable for painting iron or wooden furnitures and buildings.

Packing:

Precautions:

Keep containers tightly closed to prevent from infiltration of water and other foreign matters; store in dry, ventilated place.



## EPHEDRINE HYDROCHLORIDE (RED HORSE BRAND)

Specification:

B. P. 1953

Characteristics:

White crystals or 80 mesh powder. Odourless, bitter taste.

Uses and applications:

Pharmaceutical purpose.

Packing:

In 5 kilo tins, 6 tins to a wooden case.

In I kilo tins, 30 tins to a wooden case.

In I lb. bottles, 30 bottles to a wooden case.

In I oz. bottles, 200 bottles to a wooden case.

Sanitized Copy Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009-5

#### LIVER INJECTION CRUDE

Specification:

U. S. P. 14

Description:

Hematogenic tonic, Nutrient, Sanguinopoietic substances derived from fresh cow's liver. Brownlish water injection, standardized to containing 2 U.S.P. injectable units per ml.

Action and uses:

For treatment and prophylaxis of pernicious anemia, anemia due to hemorrhage or tuberculosis, parasitic anemia; dysfunction of reticulo-endothelial system; intoxications by drugs or chemicals; severe gastrointestinal manifestations; and postoperative restoration of liver functions.

Packing:

10 ml. vials, each ml. contains 2 U.S.P. units.

Storage:

Preserve the Injection preferably at a temperature not above 20°C and protected from light.



#### PEPSIN

Specification:

B. P. 1953

Description:

Proteolytic enzyme obtained from fresh mucous membrane of cow's stomach; colourless or light buff-coloured, amorphous powder of faintly meaty odour; slightly acid or saline taste; soluble in water, yielding an opalescent solution; insoluble in alcohol (95%) and ether; I gm of pepsin digesting not less than 2,500 gm of coagulated egg albumen.

Action and Uses:

Digestant, converting native proteins into peptones and proteoses. For use in gastric achylia and gastric indigestion.

Packing:

Bottles of 25 gm, 50 gm, 100 gm and 500 gm.

Storage:

Should be kept in a well-closed container and stored in a cool place.

**PANCREATIN** 

Specification:

B. P. 1953

Description:

Powerfully digestive enzyme derived from fresh cow's pancreatic tissue, containing pancreatic enzymes amylase, trypsin and lipase; buff coloured; amorphous powder of meaty odour; soluble in water, forming a slightly turbid solution; insoluble in alcohol (95%) and ether.

Action and Uses:

In alkaline medium can digest starch, proteins and fats; exerts no enzymatic activity at the acid pH of the gastric juices, therefore it must be taken with sodium bicarbonate.

For use in serious diarrhea due to disturbed external secretion of the pancreas, achylosis, amyzia, chronic intestinal catarrh, and various types of dyspepsia.

Packing:

Bottles of 25 gm, 50 gm, 100 gm and 500 gm.

Storage:

Should be kept in a well-closed container and stored

in a cool place.

# CHINA NATIONAL IMPORT & EXPORT CORPORATION

## Head Office:

6 Tou Tiao Hutung, Tai Chi Chang, Tung Chiao Ming Hsiang, Peking. Cable Address: CNIEC PEKING

## BERLIN REPRESENTATIVE'S OFFICE

Leipzigerstrasse 112, Berlin W 8.

Cable Address: CNIEC BERLIN

Sanitized Copy Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009-5

j j

# 汪西景德鎮

日用品類



1956



地 证:廣州市天成路#63

# 5 新花類

## **各種新花日用品分類目録**

甲 類、 彩美人・ 加彩魚蓮・ 加彩蔥蔥・ 血網四字・ 山胡四字・ 山胡金花・ **梅荫新行・** 甲紅荊四字・ 加彩蔥蔥

乙 類:

彩翎毛· 白头富贵· 寿带梅· 海棠寿· 松鹤· 鸡 △ · 彩知共 · 雖然美養· 风風牡丹、 翠島菊 · 美蓉月桂 · 紅平鶴 · 碧桃花 · 藤罗蘋 · 桃敷 · 芦 雕 · 石細芙蓉 · 洋梅竹 · 綠牡丹 · 五子圖案 · 芍药花 · | 藁花圖案 · ` 菊花圖案 · 西洋花 · 什錦花 · 紅魚草 · 红菊四字 · 茶

丙 类

刷型花、 刷荷蓮、 贴紅边花、 贴四童子、 蓝甲屬, 三色边、 绿米竹、 萱卷、色心菊, 梅 压、 虹玫瑰。 牡丹、 海崇花。 彩秋葵、 英栗花。 葵花淬雾。 蚕蛾花。 望春花。 山茶花, 蝴蝶藤。 彩山水, 蚕蜕菊, 大荔菊。 喇叭花。 翻芙蓉、 松竹梅。 彩菊花。 梅 竹。

丁 類

斯美人· 斯綠边花· 刷海索· 刷葵花· 刷茶花· 刷牽牛花· 杜鹃花·芙蓉花· 秋罗花· 红棕树· 蜂棕树· 紫葉玖逸· 刷水果· 红玫瑰· 夾竹椒· Sanitized Copy Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009-5

新花類

4

1 1

(1)

C&F 香港单价 每箱 备 看 改 品 編 号 自荣率 忟 丙類 丁類 甲類で類 女 760 正徳了寸 10 40 8 80 800 14 1000 1500 1150 950 13 正徳二碗 800 665 920 700 18 正徳大碗 600 525 465 443 30 正徳公碗 3 50 295 400 310 4-2 正徳湯碗 320 290 270 正徳加大飯碗 <u> 380</u> 60 3<sup>25</sup> 280 250 3<u>38</u> 正徳飯碗 60 2<u>60</u> 90 230 2∞ 72 正徳茶盅 570 435 480 405 30 爱汗公碗 320 380 230 270 45 炭汁湯碗 361 <del>304</del> 276  $2^{57}$ 45 罗汗小湯碗 331 252 235 2<u>78</u> 罗汗飯碗 1639 , 22<u>45</u> 19∞ 1725 5 荷葉品砚 10.93 9 1495 1265 1150 荷奈頂碗 1000 732 847 770 12 荷葉二碗 593 532 512 18 700 荷葉大碗 1200 1560 1320 1140 6 正徳9寸 434 1188 11080 1026 10 正徳8寸

編号	品	名	華	CZ	KF 4	单数子	价	寿葙	K	zh-
WHI -2-	ни	AB :	位	甲類	乙類	丙類	丁類	包装率	备	氼
	正徳5寸		全	624	528	480	4 56	40		
	正徳ます		,	169	143	30	24	90		
	正徳2.5 寸		"	143	121	110	05	100	V	
	正徳 1 寸			117	100		0.86	144		
	淺折边型			45 <sup>50</sup>	38 <u>5</u> 0	35∞	3325	2.4		
	浅折滿尺		"	36 <del>4</del> 0	3080	28∞	26 <sup>60</sup>	3		
	浅折9寸		~	430	1510	1100	1045	6		
	淺折8寸			915	611	615	580	10		
	淺折7寸			650	462	420	400	14		
	浅折6寸		"	4 13	3 <u>25</u>	295	280	24		
	浅折5寸		١.,	330	242	220	210	32		
	浅折4寸			264	194	176	68	40		
	深折辺9寸		٠	430	1210	1100	1045	6		
	深折边8寸			915	671	e <sub>10</sub>	28∞	10		
	深折泣てす		9	630	462	420	400	14		
	深折边6寸		"	413	<b>3≥</b> 5	295	280	24		
	深折边5寸			330	24≥	220	210	32		
	和合9寸		副	416	35⊇	320	304	48		

sir u	77 - T	and the same of	草	Ca	KF 香	港价	`東	季葙	part of a state of the	(3)
編 号	番	右	位	甲類		丙類			备	改
	和合名寸		哥	37 <del>4</del>	317	2.88	274	48		
	和合了寸			299	253	230	219	60		
	/和合5寸			508	175	160	152	60		
	填りす・		個	320	330	399	285		,	
	與8寸		"	551	227	270	257	54		
	填了下			- 282	2₹9	217	2∞6	64		
	<b>填6</b> T			224	89	172	163			~
	與 5 寸			166	141	28	22			
	尺大魚盤		"	546	462	420	399	25!		
	尺回魚盤			390	330	320	285.	50		
	尺=魚盤			273	231	210	280	70		
	满天魚盤		. "	191	162	147	140	90		
	6头大茶具		套	560	480	440	420	24		
	6 米蓮蓬大	<b></b>	*					24		
	6美小茶具		*	280	240	220	210	100	1)1	
	375 母具			020	080	070	067	120		
	225 合具	-		078	066	060	057	240!		

	and the state of t					****	• •		(4)
編 号	品 名	单位	C &	F 香	港单	- 价	寿葙	Æ	+4_
Aul 2	nn 41	忟	甲類	乙類	丙類	丁類	包装率	备	改
	4寸九龙合具	奏	082	062	063	060	180		
	5寸花藍合具		090	080	070	067	120		
	元=紅中	全	176	14-9	135	126	84		
-	大幾个水同	甸	090	080	Q <u>70</u>	067	108		
	小矮个水后		078	0 <u>66</u>	060	057	J20		
	衛生水箭	*	090	0.80	070	067	120		
	5号玉蘅令	全	104	088	080	076			
	正徳大令		130	110	100	0.55			
	正徳=令		04	088	080	076			
	<b>す关正徳公</b> の	套	208	176	160	152	90		
	3 头正徳湯几	-	163	138	125	119	120		
	うきを確合化		234	198	180	171	90		
	る头石格湯兀	2	187	158	144	137	120		
	5 美馬飯巾		117	ე <u>99</u>	090	086	150		_
	3头馬茶ル	,	105	089	081	o <u>⊤7</u>	200		
	∠为庶大飯丸	圖月	072	061	055	052	240		
	100 件乔壺	個	780	660	600	570			
1	80件亦壺	1	520	4.40.	400	3 80			

	-075 - and 0.0	-	T	6	7.4	16	毎箱		(5)
椭片	जा ये	位	甲類	て類	丙類		世神	备	汝
	70件乔壺	個	442	37 <del>4</del>	340	323	45		
	. 60件乔壹	"	350	310	580	266	48		
	50代乔壺	-"	245	≥≥0	2∞	120	60		
	4つ件承壺	"	210	.180	170	162	80		
	30件乔壺		180	160	150	143	96		
	さの件各形壺	"	189	160	145	138	80		
	20符各形叠	"	156	130	120	114	100		
	10件各形壺	"	078	066	0 <u>60</u>	057	120		`
	10件加大形壺	, "	090	080	<u>0T0</u>	067	120		
	22美咖啡具	套	1830	1564	14∞	1330	9		
	15头咖啡具	,	240	1080	960	913	12		
	3 头咖啡具	"	700	6∞	540	510	20		
	3头正德飯具	"	070	050	054	o <u>51</u>	580		-
	6头正徳飯具	席	1500	1250	1100	ю <u>50</u>	13		
	3头阪汗飯具	套	070	060	054	Q <u>51</u>			
	大劍起	佰	065	055	050	048	312		
	加大針匙	仝	150	130	115	110	192	100	
	加=針匙	全	120	108	096	092	252		

· 新花類

2

	£	t				٠,	٠,	(6)
編号	. 最 名	单	CA	上首	港单	价	舞箱	备 女
Trip J	- 48 H	位	甲類	で類	丙類	丁類	包装率	备 女
	大号針匙	仝	113	0,56	087	083	400	,
	二号剑匙		038.	083	076	071	500	
	三号針匙		100	082	075	070	580	
	大号品寓	個	800	750	700	650	12	
	二号品寫	*	640	600	560	5≥0	. 14	
	三号品赛	4_	512	480	448	416	21	
	四号品富		410	384	358	333		
	50件参監		≥80	237	213	202	40	
	40件参監	~	240	203	183	174	40	
!	るの件参盅	"	200	169	152	144	70	
	20件参遊	"	150.	127	114	108	100	
	10件参盅	,	120	이	021	086	110	
		1						
					, "			
. 1					٠.		,	-
				. *				-
		١.	$\sigma_{\chi} = 2$					glar.
				1.0		- Constitution	777	

# 白胎· 乃成日用品自録

白胎·青花玲瓏(素樋)· 加彩序碟(彩糙)·

青花芹疏花包 青花芹琥珀包

加彩琦晓花也· 加彩琦晓老也·

所 註:本耳錄香壺·吞壺·對匙·品內·参嘉等介香,在花也模內。

单位全  $\mathbb{H}$ 女 艄 27∞ 正徳品碗 正德頂碗 38∞ 540 28<u>42</u> 25 13 正德二碗 16 75 正使大碗 正徳公碗 6<u>90</u> 5<u>40</u> 正無湯碗 正使加大飯碗 5∞ 正德飯碗 2∞ 5∞ 正徳茶盅 罗汗公碗 **罗汗港碗** 罗汗小杨碗 4.52 熨汗飯碗 **荷葉品碗** H-10 38<u>00</u> 30<u>00</u> 9 12 荷葉頂碗 荷葉=碗 22<u>50</u> 

## 白船 尹 或日用品目,绿

自略 青茂。尾、尾、菱、菱、菱、柳) 加彩。平成《彩版》 青茂、芹、蕉、芜、笠、 青茂、芹、茈、色芝。 即於 印度 近 克龙 化

· 作爾兰芳克,教命等盖多、居長、接接、李子· 養養學育者、亞 活

				€			Ĉ			-2-
編・	品名	单	É	E	The National Assessment Con-		<b>添</b>	每件		-
編·	品有	位	有胎	- 青花 花心	<b>羚球</b>	<b>全口加</b>	彩吟瓏	萊量	备	茨
	<b>尺</b> 口品碗	仝	2200	12	6000		7080	3		
	庆口頂碗		. 1600		4000		4800	5		
	<b>大丁一碗</b>		1100	·	3000		*3600	9		
	庆日大碗		800		2000		2480	12	- N - Market and a second second	
	庆日冷碗		520		1200		14.80	20		
	庆口馮碗		3 <del>15</del>							-
	庆口飯碗		310							
	正徳九寸標	A	900	9 <u>55</u>	2300	25 <sup>55</sup>	2900	6		•
	正徳八寸碟		810	1760	2070	2300	2610	10		
	正徳も寸碟		600	1275	15 00	1675	19 00	14		
	正徳五寸碟		380	765	9 00	10 05	1140	40		
	正德三寸碟		1.10	298	350	- 388	440	90		-
	正徳=寸学碟		100	247	290	3≥7	3₹0	100		
	正徳一寸棋		080	187	230	247	580	144		
	淺折边尺=碟	٠	3000	68∞	8000	8200	94 00	2 1/10		
	淺折边满天碟		2400	5440	64∞	6440	74.00	3		
	淺析進力可获	+	800	1913	≥2 50	2513	2850	6		

sè.	π <i>t</i>	单	1	<b>F</b>		1	介	奉件		-3-
編号	品 右	位	白胎	青花	种地	金口加 花心	粉幹和		备	鉃
4		1		花心	危心			兼量		
	浅析如小寸碟	全	280	1530	1800	2010	5780	10		
	浅析过t寸殊		4∞	1275	1500	1675	1999	14		
	淺析边六寸碟		280	1050	1200	1340	1520	24		
	淺析边五寸碟		210	765	986	1005	1140	32		
	淺析边四寸碳	"	168					40		
	深折边方寸碟	*	840	2.006	2360	2646	3000	6		
	深析也个寸樣	"	580	1601	1890	2/11	2400	10		
	漈折边t寸碟		400	1339	1575	1764	20€	14		
	深析拉大寸碟	"	280	1071	1260	1411	1600	24		
	深折过五寸碟	"	210	868	950	1058	1200	32		
	和仓化寸碗	仓	250		600	-	744	48		
	和仓八寸碗	,	220		540		668	48		
	和合七寸碗		180		420		5 <u>≥8</u>	60		-
	和合五寸碗	٥	130		300		376	60		-;
	填胸加寸碟	Д	230		540		638			
	填胸八寸碟		200		486		566	54		
	填胸t寸碟		160		440		504	64		

青花戶域 花心 卷心 330 氼 7 20 ≥4 1<u>50</u> 1<u>68</u> 1 15 

84-

満大東盤 / 大夫大茶具 傍 3.20 大夫産産大茶具 / 4.20 大夫小茶具 / 1.20 375合具 合 0.50

大矮介水同 個 050

大大魚盤

尺四魚盤

尺一魚盤

满尺魚盤

225 仓具

四寸九九合具

五寸花菇合具

周大紅<del>造</del> 原二紅盅

小矮介水同

衛生水同

. 台胎 

0.50

060.

\* 050

1 15

2≥0

	•		
	0		
٠			
-			

縞	品名	東				11		每件	4	
編号	品 名	位	白胎	青花.		<b>⊕</b> плі́	涉及我	装量	备	攷
J	五号五萬令盅	全	060	花心	唐心	花心	1600	NE		
		F	000							
	正徳大令虚	"		213	250	263	300			
	正徳二令盅			170	200	210	240			
	三头正德公比	套	135	230	270	300	34⁰	90		
	三头正德锡巾		108	179	210	234	265	120		
	三头石桶公吃		150	255	300	335	3 80	90		
	三大石榴灣市	*	130	204	240	264	3∞	120		
	三头勇食坑	0	075	128	150	168	190	150		
	三头馬茶叮	会	0 68	115	135	151	171	200		
	= 头压大飯巾	酮	045	077	020	101	14	240		
		佰	540							
	80件乔壹	*	360							
	70件乔壺	*	3∞					45		
	60件乔费		240			1		48		
-	50件乔壺		160	3≥0		400.		60		
	40件乔壺		144	588		360		80		
	30件乔壺		130	256		312		96		
-	30件各形壺	,	120	250		300		80		

Seniozed Copy Approved for Release 2d tribbins - Cix-Roin 14d 16d-3Rodo 6d246006-5

			(6							
編	r ¢	東	1	\$			4	毎件		-6-
編号	長 名	位	台胎	<b>一青花</b>	玲珑 意心	<b>全</b> 口加 花心	彩玲瓏		备	妖
	20件各形费	個	030	2 00		240	- 10	100		
	10件加大各形盘	0	060	180		210		120		
	10件各形壺	1	055	160		120		120		
	15大咖啡具	套	750	1770	1900	2210	23 <sup>50</sup>	12		
	3头咖啡具		450	1000		1200		201		
	22天咖啡具	1	1070	26∞	29®	3320	36∞	9		
	三头正德飯具	会	043	192	105	119	132	280		
Ċ	大头正使食K具	席	865	1920	2230	25∞	2810	13		
	三关爱汗飯具	套	043	092	05	119	132			
-	大号飯匙	Ą	010	090		110		312		
	頂針是	A	120	-						
	加大針匙	,	085	160		200		120		
	加二針匙	.1	068	130		160		192 252		
i	大号針匙		062	117		144				
	二号針匙		056	110		135		5.00		

	п .	卓				11	r	每件	_	
編号	品 看	单位	白胎	青花	冷躇	金口加-	彩吟戏	装量	备	沃
				花心	化心	花心	准心	V		
	三号到赴	全	055	105		150		580		
	大号店务	個	600	1100		1300		12		
	= 号品英		480	880		1040		14	-	
	三号亚ム		384	704		832		21		
	四号品梅		307	5 <del>63</del>		6 <del>66</del>		: 21		
										`.
	50件参盅	餌	180	400		500	1	40		
	1. 作多遊	1	144	360		440		40		1427
	丁 二介参監	1	126	520-		3.90		70		
	2.7/参盛	. "	090	256		312		100		
	. 1 ~ // 今盅		0.72	135		183		110		
	1	+-								
	<del> </del>	Ti				<u> </u>		1		

青團鶴·樂亞內魚·青花價格目錄

編号	品	名	单位	C&F香港 単介	每件 装量	箱号	品看	单位	C&FRE 单介	等 <b>介</b> 崇量
	青团和	熨汗公碗	4	3 60	30		禁金内息 罗汗公戒	A	360	30
	,	要汗湯碗	,	249	45		爱汗海峡		240	45
	4	罗汗飯碗		205	54		罗汗旅魂	-	205	54
	,	<b>庄大飯 10</b>	11	046	240	3	= 紅基	•	120	84
	,	庄太郎北个	仝	200	60		广大庆时			240
	*	= 红蛊	•	120	84	,	<b>注大阪</b> 中	Æ	200	60
	*	汗茶盅		170	72					
	9	加大針匙	•	100	192			£	250	28
-	*	加二針起	٠	080	252		湯碗		85	42
-	青柳	中加大針	Æ	115	192	<del>i</del>		<u></u>		
		和一生	•	026	252	8 5	育花食动力水	全	900	6
						,	4 八寸碟	٠	800	10
	青港	加大金地	仝	115	192		T.			
1		m=\$pec	•	026	252	1				
	*	大号剑起	•	087	400	į				1
		= 号針起	*	076	500	i i				
	* 3	三号到起	0	075	580					:

青團鶴·泰亞內與·青花蘭洛目錄 单位: 安元 品名单位 朱董 编号品 アナル 240 45 東汗療徒 240 45 東汗療徒 202 54 主大祭で1代 04年 240 生大祭1代 全 262 60 在大家的 全 200 60 | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN | TAN (金青公城) 全 2至 28 (金青公城) 。 (3至 42 \* 建食大加 ,加拿大。 525 080 21 全 性大成年代表 25 35 350 , 10 35 352 15 192 036 252 081 400 到种种精 大彩绘 · 三轮版 · 076 500 是给此

## 粉彩類

## 粉彩日用品分類目録

节 類。 春色思月石。 各色地西欧洋建。

乙 稿:

看色抛弹遵计方人物, 何毛, 山水, 三蕨 , 齊夕 , 春色地双卷 , 春色珍龙风, 春色观五狮 , 春色观爪叭 , **成蔚帝虽、 谷色地孔枝热**。

各色跑万序。 春色饱满洋莲, 吹虹扒龙, 红扒草叶方粽子, 自地边脚双龙, 自跑足脚尾反。

沸鈴扒草斗方桃子。 燒糞扒草斗方桃子。 自吃富貴白头。

所 社。 以上所属花色是一面彩色内白灌,如要内外双彩加 loo %. 知港内标型而与%。

• 汾彩類 C&F 香港单价 单 与箱 編号 II. 名 欬 甲類 乙類 丙類 丁類 包装率 欿 正德頂碗 全 57.00 38.00 34.20 30.40 5全 正德式碗 45.00 30.00 27.00 24.00 13 £ 正德公院 17.00 11.40 10.26 9.12 30全 正德湯麻 11,40 7.60 6.84 6.08 42 1 正德加大飯碗 9.28 6.60 6.00 5.22 6.A 5.32 60全 正德小飯碗 正德茶中 7.80 5,20 4,68 '4년 72全 15, 75 10, 50 8, 33 10.50 3.45 7.00 6.30 5.25 5.36 8.40 30 Å 5.60 45 Å 羅漢公麻 羅漢湯碗 羅漢飲碗 426 54全 30.00 81.00 正德太碗 16.00 18 4 20,00 18.00 西葉品碗 荷葉風碗 荷葉頂碗 有葉式碗 43<sup>20</sup> 3 全 30<sup>40</sup> 5 全 54,99 48.60 57,90 38,00 3420 45,00 30,00 27,00 24.<sup>00</sup> /3 全 荷葉大碗 30,00 20.00 18.00 1600 184 10.65 7. 640 5.76 村 5.<u>68</u> 48.44 和令九寸蓋統 9.60 5 12 6017 和合八寸盖硫 和合义寸盖碗 30件参惠 " 7.65 5.10 U.60 R 5.34 3.56 3.20

編 号 出 攷 和合於寸蓋碗 付 60付 和母五寸蓋次 5,34 3.20 285 8047 仝 101.25 67.50 60,75 5400 3全 縻.□顶碗 7/25 47.50 42年 38年 5全 **廉**□戈碇 5625 37,50 33,75 30.00 8全 廣口大碗 37,50 2500 2250 20,00 12 全 **周** □ 公碗 21.75 9<u>.6\$</u> 11.60 20全 13,00 廣口湯碗 14,48 8.70 7.72 24 全 大号洋窝 16,65 *11,6* 10:00 8.88 12 % 式号洋窝 13,34 8,89 800 7.11 14 三号洋窝 5,68 20 5,1 21 1067 640 四号洋窝 854 5,69 5,12 正德九寸碟 25.00 30,00 27.00 24,∞ 正徳ハ寸a県 40,50 27.00 24.30 21,60 10 正德七寸碟 30,20 20,00 16,00 18,00 14 正德五寸碟 正德三寸碟 698 9.60 40 12,00 10,80 4.65 420 3.22 正德二寸碟 3.50 3,12 100 2 2 分學多盡 見 400 267 240

		The state of the s	Access to the last							- 2
100		名	单	C&F 香港单价				毎箱	kr	+1
		Н	位	甲類	て類	丙類	丁類	包装率	备	攷
	正德一寸碟		. 全	4,65	3.10	2,80	248	144		
	逐折边尺式碟			10830	72. <sup>20</sup>	65.00	57.76	2.4		
	淺折边滿尺碟		. "	8340	5560		48	***********		
	淺折边九寸碟		, h	45,00	3000	27.00	24.00	6	e i più e mana e .	
	逐折亚八寸碟		9	3600	2400	21,60	19.44	10		
	溪折边七寸碟		9	3000	2000	18.00	16,00	14		-
	淺析边六寸碟	!	- N. I	2400	16.00	14,40	12,80	24		
	溪折边五寸碟		V - 7	18,00		10,80	960	32		
	深折边九寸。菜			47. <del>55</del>	31.70	28.50	2536	6		
	深折边八寸碟		w i	37. <sup>95</sup>	25,30	22,80	20,24	10		
	深折边七寸碟 深折边六寸碟			3/.65	216	19.00	16.88	14		
	本 <u>们</u> 也不可深		- 1	25.34	16,88	15,20	13.51	24		

486 432

7.00 6.24 5.60 498

3.90 3.46 6d

10.64 25

*u*2

70

9.00 6.00 5.40 480

13.30 12.00

433

6,22

8.10 5,40

650

11,70 7,80

块 19.95

0 分彩類

編 号

沙魚高脚與九寸

沙魚高脚坦ハ寸

汝魚高脚県セオ

尼六角盤

尺四魚盤

Sanitized Copy Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240008-5

1

痛	4	,tr	+	並	C 8	F 4	港直	鱼价	毎箱	4.
्राम् 	7	Ä	- 各	位	甲類			丁類		备 灰
		満尺魚盤		块	7.00	467	420	3.24	100	
		正德六頭飯具		席	45°°	30,00	27.00	24.00	13	配:三水湯上後飲止後茶中配:三オムハーナムハル大針に
		正德三頭飯具		"	21,00	14,00	12,60	11,30	28	前上正德和大维三十二人,加大針
_		羅漢三頭飯具	-	ļ	21,00	1494	12.50	11.30	20	配:罗汗湯、三十五八、加大針七
		羅漢四頭飯具			2565	17:10	15,40	13.78	20	門に子汗湯ミナストーナストのよ
_		<b>推漢五頭飲具</b>		:	31.65	21.	1900	1698	15	即:汗海三十八、一十八
		大飯匙		2	183	1,22	1.10	90	3/2	10.12.0.1
		加大針匙		4	3,42	2,30	2/0	2.00	192	
		加式針匙、		- 11	3.00	200	1,80	1,60	252	
		_ 参 匙			2.67	1,78	1.60	1,42	580	
		4/頭茶具			1				5	2.4375合真12合,浅析近台于/2 溪,析边满尺2尺,以南茶具一卷
		22頭茶具		- 11	54,00	3650	33,00	29,00	9	2头375合具6合沙 抗亚 6寸6 沙 折边9寸一尺三头的茶具
				<u>11</u>	34,20	2280	2050	1810	12	5年57年合具6合,3头不具-
		3 頭屬茶具		11	15.84	10.56	9,50	8.45	20	
				6			2.4		20	
		- 6頭大連子祭』	l	"	1200	8.00	720	6.40	24	
	_	6頭大連蓬茶具	<u> </u>	ų	13.34	8 88	8.00	7.11	24	
		6頭小茶具		"	600	400	360	3,20	100	

編 号	品. 右	单	CZ	F 春	港单	. 作	毎箱	备	鉃
7 <del>7111</del> 'J	ти. ли	忟	甲類	て類	丙類	丁類	包装率	一样.	
	375分具	<b>a</b>	3,50	2,24	1,80	1.60	/20		
	225合具	14	2,58	1,72	1. <u>55</u>	1,38	240		
	4寸九龍合具	- 31	2,70	1,80	1,62	1,44	180		
	375花藍合具		3,00	200	1,80	1,60	120		
	元式江中	分	600	420	3,60	3,2°	84		
	4顾馬额比	套	3.30	2.20	1.98	1,76	150		
	3頭痛飲比	**	3,00	2,00	1.80	1.60	150		
	3頭馬茶ヒヒ	υ,	2.70	1,80	1.62	1.44	200		
	2頭在大飯比	付	1,90	1,20	1,08	0,96	240		
	3 頭正德 <b>公</b> 比	套	5,40	3.60	3.24	2.98	90		
	3頭正德場比		420	2,80	252	2.24	120		
	4頭正德公比	1.	5,75	3,83	3,43	3,08	90		
	4頭正德湯比	1,	4.55	3.03	2.23	2,44	120		
	3頭石榴公比	11	6.02	4.00	3,60	3,20	90		
	3頭石榴湯止	31,	480	3,20	2,88	2,56	120		
	4頭石榴公比	"	6,35	425	3,21	3,40	90		
	4.頭后榴湯比	"	5.15	3,43	3,09	2.76	120		
	衛生盖水同	只	300	2,00			108		

粉彩類

Sanitized Conv Approved for	Palage 2010/08/19	· CIA-RDP81-01043R0007	20240009-5

		<del>.</del> .				7 .		<b>)</b> )		6.
編 号	H	<b></b>	单	C &	F 香	港单	价	毎葙	备	· · · · · · · · · · · · · · · · · · ·
Will 1	μЦ	'H	位	甲類	乙類	丙類	丁類	包装率	一街	$\sim$
	大矮盖水园	6.	只	3,00	2 <del>.00</del>	1,80	1,60	116		TO THE ELECTRIC AND ADDRESS OF THE PROPERTY OF THE
	二矮盖水區		11	250	1,67	1, <u>50</u>	1,34	120	-	and the second second
*	30件各形	童	把	4.17	2,78		2,22	80		
	20件各形	壹	```	·3 <u>33</u>	222	2 💝	1. <u>78</u>	120		-
	10件加大	各形量	١٦	3,00	200	1.80	1,60	120		11
	10常大名	形量	١,	250	1,67	1,50	1,34	140		
	100件桥	Ē	· · · ·	19 <del>.</del>	13,30	1200	10.64	24		
-	80件桥雪	Ĕ	u	13.34		8.00		36		
	70件桥壷	7	11	11.34	7 <u>.56</u>		6,05			Of the Company of the
	60件桥营	<u> </u>	**	9,33	6.22	560	4.98	48		
	50件桥畫		,,	6,66		4.00	3. <u>55</u>	60		
	40件桥量	ř		5.67	3 <u>78</u>	3,40	3,02	70		
	30件桥雪	<u> </u>	11	5.00	3,33	3,00	2.66	80		
	石榴令中	*	足		The second section of the			180.		
	五号玉蘭全	17	ļ <u>``</u>	3.00	200	1/80	1,60	255		
	正德太全中	2	ι,	4.67	3, <u>11</u>	280	2 <del>49</del>	150		Total Control of the
· William William and the control of	正德二全中	Z		3,50	2 <del>33</del>	240	1,86	160		
	40件参击	7	只	6. <u>33</u>	4,22	3,80	3,38	40		